

75 Suttle Street Durango, CO 81303 970.247.4220 Phone 970.247.4227 Fax www.greenanalytical.com

16 September 2020

David Bounds Hilcorp 382 Road 3100 Aztec, NM 87410

RE: Braden Head

Enclosed are the results of analyses for samples received by the laboratory on 09/09/20 12:00. If you need any further assistance, please feel free to contact me.

Sincerely,

Debbie Zufelt

Reports Manager

Dellie Zufett

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at http://greenanalytical.com/certifications/

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water.

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8.



www.GreenAnalytical.com

Hilcorp Project: Braden Head
382 Road 3100 Project Name / Number: South
Aztec NM, 87410 Project Manager: David Bounds

Reported: 09/16/20 07:25

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Rock Island 1 - Intermediate	2009100-01	Water	09/08/20 10:00	09/09/20 12:00	
Rock Island 1 - Bradenhead	2009100-02	Water	09/08/20 11:00	09/09/20 12:00	

Green Analytical Laboratories

Deldie Zufett

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



www.GreenAnalytical.com

Hilcorp Project: Braden Head
382 Road 3100 Project Name / Number: South
Aztec NM, 87410 Project Manager: David Bounds

Reported:

09/16/20 07:25

Rock Island 1 - Intermediate

2009100-01 (Produced Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
General Chemistry									
Chloride*	135	200	17.7	mg/L	200	09/11/20 20:32	EPA300.0		AES
pH*	9.24			pH Units	1	09/10/20 09:00	EPA150.1		VJW
Total Dissolved Solids*	13900	20.0		mg/L	2	09/10/20 10:47	EPA160.1		VJW
Sulfate*	9910	200	30.5	mg/L	200	09/11/20 20:32	EPA300.0		AES

Green Analytical Laboratories

Deldie Zufett

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



www.GreenAnalytical.com

Hilcorp Project: Braden Head
382 Road 3100 Project Name / Number: South
Aztec NM, 87410 Project Manager: David Bounds

Reported: 09/16/20 07:25

Rock Island 1 - Bradenhead

2009100-02 (Produced Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
General Chemistry									
Chloride*	135	200	17.7	mg/L	200	09/11/20 20:52	EPA300.0		AES
pH*	10.0			pH Units	1	09/10/20 14:30	EPA150.1	Н3	VJW
Total Dissolved Solids*	12400	20.0		mg/L	2	09/10/20 10:49	EPA160.1		VJW
Sulfate*	7450	200	30.5	mg/L	200	09/11/20 20:52	EPA300.0		AES

Green Analytical Laboratories

Deldie Zufett

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



www.GreenAnalytical.com

Hilcorp Project: Braden Head

382 Road 3100 Project Name / Number: South Reported:
Aztec NM, 87410 Project Manager: David Bounds 09/16/20 07:25

Notes and Definitions

H3 Initial analysis performed within hold-time but not reportable due to QC failure or other issue. Sample was subsequently re-analyzed

past hold time specified by method.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

*Results reported on as received basis unless designated as dry.

RPD Relative Percent Difference

LCS Laboratory Control Sample (Blank Spike)

RL Report Limit

MDL Method Detection Limit

Green Analytical Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

seldie Zufett

Client: Hilcorp Asset: South Phone# 505-419-3410 Contact David Bounds
Address: 9A CR# 5793, Farmington NM 87401 E-Mail Addres dbounds@hilcorp.com



75 Suttle Street Durango, CO 81303 Phone:970-247-4220 FAX: 970-247-4227 CHAIN OF CUSTODY RECORD

GAL Work Order # 2009-100

Project Name:

Sample Location:

9,3, w

(1)BumperSpring, (2)CompressorDischarge, (3)Flowline, (4)Meter, (5)Oil Tank (6)PigLauncher, (7)PigReceiver, (8)Pipeline, (9)Pit Tank, (10)PostFilter, (11)PreFilter (12)SeparatorInlet, (13)SeparatorOutlet, (14)SeparatorDump, (15)SWDInlet (16)SWDOutlet, (17)TransferPump, (18)ValveCan, (19)WaterTank, (20)Wellhead (21)Other

Sample Type:

(1)Casing, (2)CO2GasTube, (3)Coupon, (4)Water, (5)H2SGasTube, (6)Metals (7)O2GasTube, (8)PipeSection, (9)Residual, (10)Sludge, (11)Solid, (12)Tubing, (13)Other

	Collection							Preservative			Analyses Require				
Well Name (Sample Name)	Area	Date	Time	Collected By: (Init.)	Sample Location	Sample Type	No. of Containers	Filtered: Y / N	Unpreserved	H2SO4	Other:	ron and Manganese	Phosphate	Full Water API	Backen head
Rock Island 1-Inter	medias	-9/8	10701	25	20	4	Ž	II.	5	兰	ŏ	lo Lo	H H	Ful	
0 1 3 1 1 1				-	100	-	-	~			_				X
Roch Island 1-bracken h	ad	9/8	11:00	RS	20	4	1	N	L		-				
Albright 18A-brocen	,	01					1	-	-		-	_			K
of original of braden	real	9/8	13:00	RS	20	4	1	N	4	-	-	-	-		
										\dashv	\dashv			-	×
									_		\dashv	-		-	
											+	+		\dashv	
).											+		-	-	
											1	_	-	-	
				_			_						_		
				_										_	
				-							T		7		
				-	_						T			_	
				-	_										10)
				-	_	_	_				T			+	
				-	-	_	4								-
				_	_	-	_	_							
				_											

Relinquished by:	C Date:	Time:	Detail	
The Such 916	7-20	1200	Received By:	Date: Time:
mulfar 1	130	11055	Kanjarod Ex	245 919130
Kangarow	09.10.20	09:00	Dellin Zufelf	10. 1655
			0	09:00
			4.714.802 #	I Laser On Ise