

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTOCD Received
6/30/2020FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM0558139

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
CREEK 19. API Well No.
30-039-20339-00-S110. Field and Pool or Exploratory Area
BLANCO MESAVERDE

11. County or Parish, State

RIO ARRIBA COUNTY, NM

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

HILCORP ENERGY COMPANY

Contact: TAMMY JONES

E-Mail: tajones@hilcorp.com

3a. Address

1111 TRAVIS STREET
HOUSTON, TX 77002

3b. Phone No. (include area code)

Ph: 505.324.5185

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 4 T29N R5W SWNE 1950FNL 1490FEL
36.756454 N Lat, 107.358170 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
<i>BP</i>	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

6/17/20 (BH 70#) MIRU. ND WH. NU BOP & PT, test good. Pull tbq hanger, TOO H w/2-3/8" tbq. TIH w/csg scraper to 3100'. SI. SDON.

6/18/20 (BH 70#) TIH w/csg scraper to 4100'. TOO H w/csg scraper. TIH w/5-1/2" CIBP, set @ 4035'. Load csg w/170 bbls & circ clean. PT csg to 560#/30 mins - test good, witnessed by Michael Gilbreath (BLM). TOO H w/tbg. RU W/L. Run CBL from 3438' to surface. RD W/L. TIH w/tbg to 4035'. SI. SDON.

6/19/20 (BH 65#) Verbal CBL approval from Joe Killins, BLM & Brandon Powell, NMOCD to proceed with P&A procedure. RU cmtrs. Est circ. Mix & pump PLUG #1: 180 sx (207 cf - 37 bbls) = 1.15 yld Class G neat cmt. Displace w/11 bbls. LD 31 jts to 3000'. Revs circ clean. Mix & pump PLUG #2: 225 sx (259 cf - 46 bbls) = 1.15 yld Class G neat cmt. Displace w/7 bbls. LD 54 jts to 1302'. Mix & pump

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #520321 verified by the BLM Well Information System
For HILCORP ENERGY COMPANY, sent to the Farmington
Committed to AFMSS for processing by JOE KILLINS on 06/30/2020 (20AMW0165SE)**

Name (Printed/Typed) TAMMY JONES

Title REGULATORY SPECIALIST

Signature (Electronic Submission)

Date 06/25/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJOE KILLINS
Title ENGINEER

Date 06/30/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Farmington

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

AV

Additional data for EC transaction #520321 that would not fit on the form

32. Additional remarks, continued

PLUG #3: 42 sx (48 cf - 9 bbls) = 1.15 yld Class G neat cmt. Displace w/4 bbls. TOOH w/tbg. RU W/L. Perf sqz holes @ 356'. RD W/L. Est circ out 10-3/4" x 7-5/8" annulus w/20 bbls. Circ clean w/10 bbls. TIH w/csg scraper to 350'. LD csg scraper. TIH w/CICR & set @ 333'. RU pump, top off csg & verify inj rate of 2.5 BPM @ 300#. Mix & pump PLUG #4: 111 sx (128 cf - 23 bbls) = 1.15 yld Class G neat cmt, circ cmt to surface out annulus. SI BH. Sting out of CICR. Reverse circ clean. Plugging witnessed by Mike Gilbreath (BLM). RD pump. SDFWE.

6/22/20 (BH 0#) TIH w/tbg to 333'. Mix & pump SURFACE PLUG #4: 89 sx (102 cf - 18 bbls) = 1.15 yld Class G neat cmt, circ cmt to surface. LD tbg. ND BOP. Cut off WH. Top off cmt in annulus 3' to surface & in casing 17' to surface. Install dry hole marker. Mix & pump 16 (18 cf - 3 bbls) = 1.15 yld sx Class G neat cmt to top off csg, annulus & cellar. Plugging witnessed by Mike Gilbreath (BLM). RD. Rig released.

WELLBORE PLUGGED AND ABANDONED ON 6/22/2020.

Well Name: CREEK #1

API / UWI 3003920339	Surface Legal Location 004-029N-005W-G	Field Name BLANCO MESAVERDE (PRORAT #0078)	Route 1208	State/Province NEW MEXICO	Well Configuration Type
Ground Elevation (ft) 6,343.00	Original KB/RT Elevation (ft) 6,354.00	KB-Ground Distance (ft) 11.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	

Original Hole, 6/25/2020 1:02:08 PM

