

BP

Pressure Test Report

COMPANY INFORMATION

Company Name HilcorpEnergy
Representative Priscilla Shorty
Phone
Fax
Address

E-Mail Address
Service Company Expert Downhole Services, Inc.

WELL INFORMATION

Well Name San Juan 29-7 Unit #300
Well Location T29N, R7W, Sec. 11
Field and Pool Mesa Verde
Status (Oil, Gas, Water, Injection) Observation
Perforated Intervals 4855-5482
Mid-point of Perforated Intervals (MPP)
Drilling Rig Number
Elevations
Kelly Bushing (KB)
Casing Flange (CF)
KB-CF
Ground Level 6265
Plug Back Total Depth
Total Depth 5850
Production Casing 4 1/2 to 5850
Production Tubing 1 1/4 to 5146


TEST INFORMATION

Type of Test POOH Static Gradient
Date(s) of Test 6/25/2020
Dead-weight Gauge Tubing Pressure
Dead-weight Gauge Casing Pressure Shut
-in Date (Duration)
Date / Time on Bottom 6/25/2020
Date / Time of f Bottom 6/25/2020
Probe Serial Number
Probe Offset from End of Tool String
Run Depth at Probe Pressure Port


PRESSURE TEST RESULTS


Maximum Recorded Probe Pressure
Maximum Recorded Probe Temperature
Final Buildup Pressure
Gradient Survey Information
Extrapolated Pressure to MPP
Final Gradient at Depth
Job Number

Pressure Graph



Temperature Graph





RIH WITH 1" IMPRESSION BLOCK, TAGGED FILL @5749 WLM.
RIH WITH BHP GAUGES TO 5400 WLM FOR 1 HOUR, THEN POOH MAKING 5
MINUTE STOPS PER REQUEST.

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
1	6/26/2020 08:53:05	0.000	11.99	23.98	0.00
2	6/26/2020 08:53:10	0.001	11.81	23.97	-0.18
3	6/26/2020 08:53:15	0.003	11.69	24.00	-0.11
4	6/26/2020 08:53:20	0.004	11.67	24.04	-0.02
5	6/26/2020 08:53:25	0.006	11.80	24.08	0.13
6	6/26/2020 08:53:30	0.007	11.76	24.13	-0.04
7	6/26/2020 08:53:35	0.008	11.72	24.16	-0.04
8	6/26/2020 08:53:40	0.010	11.60	24.19	-0.12
9	6/26/2020 08:53:45	0.011	11.69	24.22	0.08
10	6/26/2020 08:53:50	0.013	11.50	24.26	-0.19
11	6/26/2020 08:53:55	0.014	11.46	24.30	-0.04
12	6/26/2020 08:54:00	0.015	11.41	24.33	-0.05
13	6/26/2020 08:54:05	0.017	11.51	24.36	0.10
14	6/26/2020 08:54:10	0.018	11.48	24.38	-0.03
15	6/26/2020 08:54:15	0.019	11.47	24.40	-0.01
16	6/26/2020 08:54:20	0.021	11.55	24.42	0.08
17	6/26/2020 08:54:25	0.022	11.32	24.44	-0.23
18	6/26/2020 08:54:30	0.024	11.44	24.46	0.12
19	6/26/2020 08:54:35	0.025	11.34	24.48	-0.10
20	6/26/2020 08:54:40	0.026	11.40	24.50	0.06
21	6/26/2020 08:54:45	0.028	11.26	24.51	-0.14
22	6/26/2020 08:54:50	0.029	11.37	24.52	0.11
23	6/26/2020 08:54:55	0.031	11.35	24.53	-0.02
24	6/26/2020 08:55:00	0.032	11.41	24.54	0.06
25	6/26/2020 08:55:05	0.033	11.47	24.56	0.06
26	6/26/2020 08:55:10	0.035	11.52	24.57	0.04
27	6/26/2020 08:55:15	0.036	11.49	24.58	-0.02
28	6/26/2020 08:55:20	0.038	11.44	24.59	-0.06
29	6/26/2020 08:55:25	0.039	11.30	24.59	-0.14
30	6/26/2020 08:55:30	0.040	11.38	24.60	0.08
31	6/26/2020 08:55:35	0.042	11.28	24.61	-0.11
32	6/26/2020 08:55:40	0.043	11.29	24.61	0.02
33	6/26/2020 08:55:45	0.044	11.31	24.61	0.02
34	6/26/2020 08:55:50	0.046	12.07	24.61	0.76
35	6/26/2020 08:55:55	0.047	170.14	24.65	158.07
36	6/26/2020 08:56:00	0.049	396.97	24.68	226.83
37	6/26/2020 08:56:05	0.050	395.67	24.57	-1.29
38	6/26/2020 08:56:10	0.051	396.58	24.47	0.90
39	6/26/2020 08:56:15	0.053	395.80	24.37	-0.78
40	6/26/2020 08:56:20	0.054	396.63	24.29	0.83
41	6/26/2020 08:56:25	0.056	396.68	24.21	0.05
42	6/26/2020 08:56:30	0.057	397.73	24.00	1.05
43	6/26/2020 08:56:35	0.058	398.41	23.54	0.68
44	6/26/2020 08:56:40	0.060	399.47	22.88	1.06
45	6/26/2020 08:56:45	0.061	400.29	22.10	0.83
46	6/26/2020 08:56:50	0.063	401.27	21.27	0.98
47	6/26/2020 08:56:55	0.064	402.01	20.47	0.74
48	6/26/2020 08:57:00	0.065	402.65	19.76	0.64
49	6/26/2020 08:57:05	0.067	403.20	19.15	0.55
50	6/26/2020 08:57:10	0.068	403.99	18.66	0.79
51	6/26/2020 08:57:15	0.069	404.77	18.27	0.78
52	6/26/2020 08:57:20	0.071	405.41	17.98	0.64
53	6/26/2020 08:57:25	0.072	406.04	17.78	0.63
54	6/26/2020 08:57:30	0.074	406.81	17.65	0.77
55	6/26/2020 08:57:35	0.075	407.39	17.61	0.58
56	6/26/2020 08:57:40	0.076	408.14	17.63	0.75
57	6/26/2020 08:57:45	0.078	408.72	17.71	0.58
58	6/26/2020 08:57:50	0.079	409.49	17.86	0.77
59	6/26/2020 08:57:55	0.081	410.03	18.07	0.54
60	6/26/2020 08:58:00	0.082	410.58	18.33	0.55
61	6/26/2020 08:58:05	0.083	410.84	18.64	0.26
62	6/26/2020 08:58:10	0.085	411.07	18.94	0.23
63	6/26/2020 08:58:15	0.086	411.74	19.21	0.67
64	6/26/2020 08:58:20	0.088	412.07	19.49	0.33
65	6/26/2020 08:58:25	0.089	412.65	19.80	0.59
66	6/26/2020 08:58:30	0.090	412.98	20.14	0.33
67	6/26/2020 08:58:35	0.092	413.37	20.48	0.39
68	6/26/2020 08:58:40	0.093	413.90	20.83	0.53
69	6/26/2020 08:58:45	0.094	414.28	21.20	0.38
70	6/26/2020 08:58:50	0.096	414.79	21.58	0.51
71	6/26/2020 08:58:55	0.097	415.22	21.97	0.43

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
72	6/26/2020 08:59:00	0.099	415.66	22.38	0.44
73	6/26/2020 08:59:05	0.100	416.28	22.78	0.63
74	6/26/2020 08:59:10	0.101	416.78	23.19	0.50
75	6/26/2020 08:59:15	0.103	417.28	23.61	0.50
76	6/26/2020 08:59:20	0.104	417.76	24.02	0.49
77	6/26/2020 08:59:25	0.106	418.44	24.45	0.68
78	6/26/2020 08:59:30	0.107	418.78	24.90	0.34
79	6/26/2020 08:59:35	0.108	419.36	25.35	0.58
80	6/26/2020 08:59:40	0.110	420.09	25.82	0.74
81	6/26/2020 08:59:45	0.111	420.75	26.30	0.66
82	6/26/2020 08:59:50	0.113	421.37	26.78	0.62
83	6/26/2020 08:59:55	0.114	422.05	27.26	0.68
84	6/26/2020 09:00:00	0.115	422.74	27.74	0.69
85	6/26/2020 09:00:05	0.117	423.13	28.23	0.39
86	6/26/2020 09:00:10	0.118	423.90	28.73	0.77
87	6/26/2020 09:00:15	0.119	424.53	29.24	0.63
88	6/26/2020 09:00:20	0.121	425.17	29.79	0.65
89	6/26/2020 09:00:25	0.122	425.75	30.36	0.58
90	6/26/2020 09:00:30	0.124	426.38	30.97	0.63
91	6/26/2020 09:00:35	0.125	427.07	31.61	0.69
92	6/26/2020 09:00:40	0.126	427.52	32.28	0.45
93	6/26/2020 09:00:45	0.128	428.20	33.01	0.69
94	6/26/2020 09:00:50	0.129	428.93	33.80	0.73
95	6/26/2020 09:00:55	0.131	429.63	34.66	0.70
96	6/26/2020 09:01:00	0.132	429.98	35.62	0.35
97	6/26/2020 09:01:05	0.133	430.58	36.74	0.60
98	6/26/2020 09:01:10	0.135	431.27	38.01	0.69
99	6/26/2020 09:01:15	0.136	431.91	39.33	0.64
100	6/26/2020 09:01:20	0.138	432.70	40.64	0.79
101	6/26/2020 09:01:25	0.139	433.41	41.90	0.71
102	6/26/2020 09:01:30	0.140	434.13	43.11	0.72
103	6/26/2020 09:01:35	0.142	434.82	44.27	0.69
104	6/26/2020 09:01:40	0.143	435.33	45.39	0.51
105	6/26/2020 09:01:45	0.144	436.20	46.47	0.87
106	6/26/2020 09:01:50	0.146	436.92	47.54	0.72
107	6/26/2020 09:01:55	0.147	437.58	48.60	0.66
108	6/26/2020 09:02:00	0.149	438.36	49.65	0.77
109	6/26/2020 09:02:05	0.150	439.01	50.69	0.66
110	6/26/2020 09:02:10	0.151	439.71	51.69	0.70
111	6/26/2020 09:02:15	0.153	440.40	52.66	0.69
112	6/26/2020 09:02:20	0.154	441.15	53.60	0.75
113	6/26/2020 09:02:25	0.156	441.93	54.50	0.78
114	6/26/2020 09:02:30	0.157	442.67	55.36	0.74
115	6/26/2020 09:02:35	0.158	443.34	56.18	0.66
116	6/26/2020 09:02:40	0.160	443.87	56.96	0.54
117	6/26/2020 09:02:45	0.161	444.72	57.71	0.84
118	6/26/2020 09:02:50	0.163	445.60	58.44	0.89
119	6/26/2020 09:02:55	0.164	446.50	59.15	0.90
120	6/26/2020 09:03:00	0.165	446.98	59.84	0.48
121	6/26/2020 09:03:05	0.167	447.46	60.52	0.48
122	6/26/2020 09:03:10	0.168	448.29	61.17	0.83
123	6/26/2020 09:03:15	0.169	449.06	61.82	0.77
124	6/26/2020 09:03:20	0.171	449.51	62.46	0.46
125	6/26/2020 09:03:25	0.172	450.05	63.11	0.53
126	6/26/2020 09:03:30	0.174	450.69	63.78	0.64
127	6/26/2020 09:03:35	0.175	451.33	64.46	0.64
128	6/26/2020 09:03:40	0.176	451.96	65.15	0.63
129	6/26/2020 09:03:45	0.178	452.11	65.86	0.15
130	6/26/2020 09:03:50	0.179	452.56	66.58	0.45
131	6/26/2020 09:03:55	0.181	452.78	67.26	0.22
5400' START 1 HR					
132	6/26/2020 09:04:00	0.182	453.30	67.86	0.52
133	6/26/2020 09:04:05	0.183	453.14	68.37	-0.16
134	6/26/2020 09:04:10	0.185	453.30	68.78	0.16
135	6/26/2020 09:04:15	0.186	453.46	69.08	0.16
136	6/26/2020 09:04:20	0.188	453.18	69.30	-0.28
137	6/26/2020 09:04:25	0.189	453.03	69.46	-0.15
138	6/26/2020 09:04:30	0.190	452.98	69.58	-0.06
139	6/26/2020 09:04:35	0.192	452.74	69.69	-0.24
140	6/26/2020 09:04:40	0.193	452.85	69.78	0.11
141	6/26/2020 09:04:45	0.194	452.74	69.85	-0.11

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
142	6/26/2020 09:04:50	0.196	452.69	69.91	-0.06
143	6/26/2020 09:04:55	0.197	452.59	69.97	-0.10
144	6/26/2020 09:05:00	0.199	452.51	70.02	-0.08
145	6/26/2020 09:05:05	0.200	452.42	70.07	-0.08
146	6/26/2020 09:05:10	0.201	452.34	70.12	-0.09
147	6/26/2020 09:05:15	0.203	452.48	70.16	0.14
148	6/26/2020 09:05:20	0.204	452.52	70.21	0.04
149	6/26/2020 09:05:25	0.206	452.55	70.24	0.02
150	6/26/2020 09:05:30	0.207	452.47	70.28	-0.07
151	6/26/2020 09:05:35	0.208	452.72	70.32	0.25
152	6/26/2020 09:05:40	0.210	452.74	70.35	0.02
153	6/26/2020 09:05:45	0.211	452.79	70.38	0.06
154	6/26/2020 09:05:50	0.213	452.81	70.41	0.02
155	6/26/2020 09:05:55	0.214	453.00	70.44	0.18
156	6/26/2020 09:06:00	0.215	452.89	70.47	-0.11
157	6/26/2020 09:06:05	0.217	452.88	70.50	0.00
158	6/26/2020 09:06:10	0.218	452.95	70.53	0.07
159	6/26/2020 09:06:15	0.219	453.21	70.55	0.26
160	6/26/2020 09:06:20	0.221	453.13	70.58	-0.08
161	6/26/2020 09:06:25	0.222	453.20	70.60	0.07
162	6/26/2020 09:06:30	0.224	452.98	70.63	-0.23
163	6/26/2020 09:06:35	0.225	453.25	70.65	0.28
164	6/26/2020 09:06:40	0.226	453.25	70.68	0.00
165	6/26/2020 09:06:45	0.228	453.34	70.70	0.09
166	6/26/2020 09:06:50	0.229	453.22	70.73	-0.11
167	6/26/2020 09:06:55	0.231	453.41	70.75	0.18
168	6/26/2020 09:07:00	0.232	453.47	70.77	0.07
169	6/26/2020 09:07:05	0.233	453.40	70.80	-0.08
170	6/26/2020 09:07:10	0.235	453.67	70.82	0.27
171	6/26/2020 09:07:15	0.236	453.66	70.84	-0.01
172	6/26/2020 09:07:20	0.238	453.70	70.87	0.03
173	6/26/2020 09:07:25	0.239	453.67	70.88	-0.03
174	6/26/2020 09:07:30	0.240	453.85	70.91	0.18
175	6/26/2020 09:07:35	0.242	453.83	70.93	-0.03
176	6/26/2020 09:07:40	0.243	453.86	70.95	0.03
177	6/26/2020 09:07:45	0.244	453.94	70.97	0.09
178	6/26/2020 09:07:50	0.246	453.84	70.98	-0.11
179	6/26/2020 09:07:55	0.247	453.96	71.00	0.12
180	6/26/2020 09:08:00	0.249	453.92	71.01	-0.05
181	6/26/2020 09:08:05	0.250	453.92	71.03	0.01
182	6/26/2020 09:08:10	0.251	454.04	71.04	0.12
183	6/26/2020 09:08:15	0.253	454.00	71.06	-0.04
184	6/26/2020 09:08:20	0.254	454.01	71.08	0.01
185	6/26/2020 09:08:25	0.256	454.07	71.10	0.06
186	6/26/2020 09:08:30	0.257	454.10	71.11	0.03
187	6/26/2020 09:08:35	0.258	453.97	71.13	-0.14
188	6/26/2020 09:08:40	0.260	454.05	71.15	0.08
189	6/26/2020 09:08:45	0.261	454.13	71.16	0.08
190	6/26/2020 09:08:50	0.263	454.20	71.18	0.07
191	6/26/2020 09:08:55	0.264	454.04	71.19	-0.16
192	6/26/2020 09:09:00	0.265	454.20	71.21	0.16
193	6/26/2020 09:09:05	0.267	454.17	71.23	-0.03
194	6/26/2020 09:09:10	0.268	454.18	71.24	0.01
195	6/26/2020 09:09:15	0.269	454.24	71.25	0.06
196	6/26/2020 09:09:20	0.271	454.27	71.27	0.03
197	6/26/2020 09:09:25	0.272	454.26	71.28	-0.01
198	6/26/2020 09:09:30	0.274	454.29	71.30	0.03
199	6/26/2020 09:09:35	0.275	454.37	71.31	0.08
200	6/26/2020 09:09:40	0.276	454.27	71.33	-0.10
201	6/26/2020 09:09:45	0.278	454.33	71.34	0.06
202	6/26/2020 09:09:50	0.279	454.47	71.35	0.14
203	6/26/2020 09:09:55	0.281	454.25	71.37	-0.22
204	6/26/2020 09:10:00	0.282	454.41	71.38	0.16
205	6/26/2020 09:10:05	0.283	454.44	71.39	0.03
206	6/26/2020 09:10:10	0.285	454.35	71.40	-0.09
207	6/26/2020 09:10:15	0.286	454.34	71.42	-0.01
208	6/26/2020 09:10:20	0.288	454.42	71.43	0.08
209	6/26/2020 09:10:25	0.289	454.39	71.44	-0.03
210	6/26/2020 09:10:30	0.290	454.37	71.44	-0.01
211	6/26/2020 09:10:35	0.292	454.46	71.46	0.08

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
212	6/26/2020 09:10:40	0.293	454.48	71.47	0.02
213	6/26/2020 09:10:45	0.294	454.43	71.48	-0.05
214	6/26/2020 09:10:50	0.296	454.46	71.49	0.02
215	6/26/2020 09:10:55	0.297	454.44	71.50	-0.01
216	6/26/2020 09:11:00	0.299	454.54	71.51	0.10
217	6/26/2020 09:11:05	0.300	454.51	71.52	-0.03
218	6/26/2020 09:11:10	0.301	454.53	71.52	0.02
219	6/26/2020 09:11:15	0.303	454.35	71.53	-0.18
220	6/26/2020 09:11:20	0.304	454.49	71.55	0.14
221	6/26/2020 09:11:25	0.306	454.48	71.55	-0.01
222	6/26/2020 09:11:30	0.307	454.54	71.56	0.06
223	6/26/2020 09:11:35	0.308	454.63	71.57	0.10
224	6/26/2020 09:11:40	0.310	454.60	71.58	-0.03
225	6/26/2020 09:11:45	0.311	454.48	71.59	-0.13
226	6/26/2020 09:11:50	0.313	454.54	71.60	0.06
227	6/26/2020 09:11:55	0.314	454.64	71.60	0.10
228	6/26/2020 09:12:00	0.315	454.66	71.61	0.02
229	6/26/2020 09:12:05	0.317	454.55	71.62	-0.11
230	6/26/2020 09:12:10	0.318	454.80	71.63	0.25
231	6/26/2020 09:12:15	0.319	454.65	71.63	-0.15
232	6/26/2020 09:12:20	0.321	454.75	71.64	0.10
233	6/26/2020 09:12:25	0.322	454.65	71.65	-0.11
234	6/26/2020 09:12:30	0.324	454.71	71.66	0.06
235	6/26/2020 09:12:35	0.325	454.67	71.67	-0.03
236	6/26/2020 09:12:40	0.326	454.60	71.67	-0.07
237	6/26/2020 09:12:45	0.328	454.72	71.68	0.12
238	6/26/2020 09:12:50	0.329	454.61	71.69	-0.11
239	6/26/2020 09:12:55	0.331	454.63	71.70	0.02
240	6/26/2020 09:13:00	0.332	454.77	71.70	0.13
241	6/26/2020 09:13:05	0.333	454.65	71.71	-0.12
242	6/26/2020 09:13:10	0.335	454.74	71.72	0.10
243	6/26/2020 09:13:15	0.336	454.75	71.73	0.01
244	6/26/2020 09:13:20	0.338	454.77	71.73	0.02
245	6/26/2020 09:13:25	0.339	454.75	71.74	-0.02
246	6/26/2020 09:13:30	0.340	454.80	71.75	0.04
247	6/26/2020 09:13:35	0.342	454.69	71.75	-0.11
248	6/26/2020 09:13:40	0.343	454.80	71.76	0.12
249	6/26/2020 09:13:45	0.344	454.88	71.77	0.08
250	6/26/2020 09:13:50	0.346	454.74	71.78	-0.15
251	6/26/2020 09:13:55	0.347	454.87	71.78	0.13
252	6/26/2020 09:14:00	0.349	454.84	71.79	-0.03
253	6/26/2020 09:14:05	0.350	454.90	71.79	0.06
254	6/26/2020 09:14:10	0.351	454.77	71.80	-0.13
255	6/26/2020 09:14:15	0.353	454.76	71.81	-0.01
256	6/26/2020 09:14:20	0.354	454.91	71.81	0.15
257	6/26/2020 09:14:25	0.356	454.86	71.82	-0.05
258	6/26/2020 09:14:30	0.357	454.94	71.83	0.08
259	6/26/2020 09:14:35	0.358	454.96	71.83	0.02
260	6/26/2020 09:14:40	0.360	454.98	71.84	0.02
261	6/26/2020 09:14:45	0.361	454.97	71.84	-0.01
262	6/26/2020 09:14:50	0.363	455.01	71.85	0.04
263	6/26/2020 09:14:55	0.364	454.91	71.85	-0.09
264	6/26/2020 09:15:00	0.365	454.75	71.86	-0.16
265	6/26/2020 09:15:05	0.367	454.96	71.86	0.21
266	6/26/2020 09:15:10	0.368	454.92	71.87	-0.03
267	6/26/2020 09:15:15	0.369	455.00	71.87	0.08
268	6/26/2020 09:15:20	0.371	455.00	71.88	0.00
269	6/26/2020 09:15:25	0.372	454.99	71.88	-0.02
270	6/26/2020 09:15:30	0.374	454.97	71.89	-0.01
271	6/26/2020 09:15:35	0.375	455.00	71.90	0.02
272	6/26/2020 09:15:40	0.376	454.87	71.90	-0.13
273	6/26/2020 09:15:45	0.378	454.89	71.91	0.02
274	6/26/2020 09:15:50	0.379	455.02	71.91	0.13
275	6/26/2020 09:15:55	0.381	454.97	71.91	-0.05
276	6/26/2020 09:16:00	0.382	455.07	71.92	0.10
277	6/26/2020 09:16:05	0.383	454.96	71.92	-0.11
278	6/26/2020 09:16:10	0.385	455.11	71.93	0.15
279	6/26/2020 09:16:15	0.386	455.09	71.93	-0.01
280	6/26/2020 09:16:20	0.388	455.00	71.94	-0.09
281	6/26/2020 09:16:25	0.389	455.01	71.95	0.00

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
282	6/26/2020 09:16:30	0.390	455.12	71.95	0.12
283	6/26/2020 09:16:35	0.392	454.97	71.95	-0.15
284	6/26/2020 09:16:40	0.393	455.17	71.96	0.19
285	6/26/2020 09:16:45	0.394	455.00	71.96	-0.17
286	6/26/2020 09:16:50	0.396	455.09	71.97	0.09
287	6/26/2020 09:16:55	0.397	455.02	71.97	-0.07
288	6/26/2020 09:17:00	0.399	455.12	71.97	0.09
289	6/26/2020 09:17:05	0.400	455.07	71.98	-0.05
290	6/26/2020 09:17:10	0.401	455.05	71.98	-0.02
291	6/26/2020 09:17:15	0.403	455.11	71.99	0.06
292	6/26/2020 09:17:20	0.404	455.11	71.99	0.00
293	6/26/2020 09:17:25	0.406	455.15	72.00	0.04
294	6/26/2020 09:17:30	0.407	455.02	72.00	-0.13
295	6/26/2020 09:17:35	0.408	455.23	72.01	0.21
296	6/26/2020 09:17:40	0.410	455.04	72.01	-0.19
297	6/26/2020 09:17:45	0.411	455.03	72.01	-0.02
298	6/26/2020 09:17:50	0.413	455.11	72.02	0.08
299	6/26/2020 09:17:55	0.414	454.97	72.02	-0.13
300	6/26/2020 09:18:00	0.415	455.31	72.02	0.34
301	6/26/2020 09:18:05	0.417	455.09	72.03	-0.22
302	6/26/2020 09:18:10	0.418	455.28	72.03	0.19
303	6/26/2020 09:18:15	0.419	455.10	72.03	-0.18
304	6/26/2020 09:18:20	0.421	455.17	72.04	0.08
305	6/26/2020 09:18:25	0.422	455.19	72.04	0.02
306	6/26/2020 09:18:30	0.424	455.10	72.04	-0.09
307	6/26/2020 09:18:35	0.425	455.14	72.05	0.04
308	6/26/2020 09:18:40	0.426	455.14	72.05	0.00
309	6/26/2020 09:18:45	0.428	455.22	72.06	0.08
310	6/26/2020 09:18:50	0.429	455.09	72.06	-0.13
311	6/26/2020 09:18:55	0.431	455.15	72.06	0.06
312	6/26/2020 09:19:00	0.432	455.10	72.07	-0.06
313	6/26/2020 09:19:05	0.433	455.23	72.07	0.13
314	6/26/2020 09:19:10	0.435	455.23	72.07	0.00
315	6/26/2020 09:19:15	0.436	455.25	72.08	0.02
316	6/26/2020 09:19:20	0.438	455.37	72.09	0.12
317	6/26/2020 09:19:25	0.439	455.20	72.08	-0.17
318	6/26/2020 09:19:30	0.440	455.33	72.09	0.13
319	6/26/2020 09:19:35	0.442	455.22	72.09	-0.11
320	6/26/2020 09:19:40	0.443	455.21	72.09	-0.02
321	6/26/2020 09:19:45	0.444	455.23	72.09	0.02
322	6/26/2020 09:19:50	0.446	455.21	72.10	-0.02
323	6/26/2020 09:19:55	0.447	455.21	72.10	0.00
324	6/26/2020 09:20:00	0.449	455.25	72.10	0.04
325	6/26/2020 09:20:05	0.450	455.29	72.11	0.04
326	6/26/2020 09:20:10	0.451	455.24	72.11	-0.05
327	6/26/2020 09:20:15	0.453	455.39	72.12	0.15
328	6/26/2020 09:20:20	0.454	455.28	72.12	-0.11
329	6/26/2020 09:20:25	0.456	455.24	72.12	-0.04
330	6/26/2020 09:20:30	0.457	455.26	72.12	0.02
331	6/26/2020 09:20:35	0.458	455.53	72.13	0.27
332	6/26/2020 09:20:40	0.460	455.17	72.13	-0.36
333	6/26/2020 09:20:45	0.461	455.25	72.13	0.08
334	6/26/2020 09:20:50	0.463	455.49	72.13	0.25
335	6/26/2020 09:20:55	0.464	455.40	72.14	-0.09
336	6/26/2020 09:21:00	0.465	455.31	72.14	-0.09
337	6/26/2020 09:21:05	0.467	455.40	72.14	0.09
338	6/26/2020 09:21:10	0.468	455.29	72.14	-0.11
339	6/26/2020 09:21:15	0.469	455.50	72.15	0.21
340	6/26/2020 09:21:20	0.471	455.35	72.15	-0.15
341	6/26/2020 09:21:25	0.472	455.26	72.15	-0.09
342	6/26/2020 09:21:30	0.474	455.26	72.16	0.00
343	6/26/2020 09:21:35	0.475	455.28	72.16	0.02
344	6/26/2020 09:21:40	0.476	455.38	72.16	0.09
345	6/26/2020 09:21:45	0.478	455.36	72.16	-0.02
346	6/26/2020 09:21:50	0.479	455.47	72.16	0.12
347	6/26/2020 09:21:55	0.481	455.47	72.17	0.00
348	6/26/2020 09:22:00	0.482	455.32	72.17	-0.15
349	6/26/2020 09:22:05	0.483	455.38	72.17	0.06
350	6/26/2020 09:22:10	0.485	455.46	72.17	0.08
351	6/26/2020 09:22:15	0.486	455.46	72.18	0.00

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
352	6/26/2020 09:22:20	0.488	455.35	72.18	-0.11
353	6/26/2020 09:22:25	0.489	455.48	72.18	0.13
354	6/26/2020 09:22:30	0.490	455.48	72.18	0.00
355	6/26/2020 09:22:35	0.492	455.54	72.18	0.06
356	6/26/2020 09:22:40	0.493	455.28	72.19	-0.26
357	6/26/2020 09:22:45	0.494	455.56	72.19	0.28
358	6/26/2020 09:22:50	0.496	455.41	72.19	-0.15
359	6/26/2020 09:22:55	0.497	455.45	72.19	0.04
360	6/26/2020 09:23:00	0.499	455.62	72.20	0.17
361	6/26/2020 09:23:05	0.500	455.42	72.20	-0.21
362	6/26/2020 09:23:10	0.501	455.51	72.20	0.09
363	6/26/2020 09:23:15	0.503	455.52	72.20	0.00
364	6/26/2020 09:23:20	0.504	455.53	72.20	0.02
365	6/26/2020 09:23:25	0.506	455.48	72.21	-0.05
366	6/26/2020 09:23:30	0.507	455.50	72.21	0.02
367	6/26/2020 09:23:35	0.508	455.39	72.21	-0.11
368	6/26/2020 09:23:40	0.510	455.41	72.21	0.02
369	6/26/2020 09:23:45	0.511	455.46	72.21	0.06
370	6/26/2020 09:23:50	0.513	455.33	72.22	-0.13
371	6/26/2020 09:23:55	0.514	455.37	72.22	0.04
372	6/26/2020 09:24:00	0.515	455.54	72.22	0.17
373	6/26/2020 09:24:05	0.517	455.47	72.22	-0.07
374	6/26/2020 09:24:10	0.518	455.62	72.22	0.15
375	6/26/2020 09:24:15	0.519	455.55	72.23	-0.07
376	6/26/2020 09:24:20	0.521	455.49	72.23	-0.05
377	6/26/2020 09:24:25	0.522	455.60	72.23	0.11
378	6/26/2020 09:24:30	0.524	455.64	72.23	0.04
379	6/26/2020 09:24:35	0.525	455.53	72.23	-0.11
380	6/26/2020 09:24:40	0.526	455.53	72.23	0.00
381	6/26/2020 09:24:45	0.528	455.65	72.24	0.11
382	6/26/2020 09:24:50	0.529	455.65	72.24	0.00
383	6/26/2020 09:24:55	0.531	455.59	72.23	-0.06
384	6/26/2020 09:25:00	0.532	455.44	72.24	-0.15
385	6/26/2020 09:25:05	0.533	455.59	72.24	0.15
386	6/26/2020 09:25:10	0.535	455.62	72.25	0.02
387	6/26/2020 09:25:15	0.536	455.54	72.25	-0.08
388	6/26/2020 09:25:20	0.538	455.47	72.25	-0.07
389	6/26/2020 09:25:25	0.539	455.65	72.25	0.19
390	6/26/2020 09:25:30	0.540	455.49	72.25	-0.17
391	6/26/2020 09:25:35	0.542	455.58	72.25	0.09
392	6/26/2020 09:25:40	0.543	455.70	72.25	0.11
393	6/26/2020 09:25:45	0.544	455.70	72.26	0.00
394	6/26/2020 09:25:50	0.546	455.71	72.25	0.02
395	6/26/2020 09:25:55	0.547	455.58	72.26	-0.13
396	6/26/2020 09:26:00	0.549	455.46	72.26	-0.13
397	6/26/2020 09:26:05	0.550	455.70	72.26	0.24
398	6/26/2020 09:26:10	0.551	455.49	72.26	-0.21
399	6/26/2020 09:26:15	0.553	455.61	72.26	0.11
400	6/26/2020 09:26:20	0.554	455.57	72.27	-0.03
401	6/26/2020 09:26:25	0.556	455.53	72.27	-0.04
402	6/26/2020 09:26:30	0.557	455.72	72.27	0.19
403	6/26/2020 09:26:35	0.558	455.59	72.27	-0.13
404	6/26/2020 09:26:40	0.560	455.61	72.28	0.02
405	6/26/2020 09:26:45	0.561	455.73	72.27	0.11
406	6/26/2020 09:26:50	0.563	455.69	72.28	-0.04
407	6/26/2020 09:26:55	0.564	455.54	72.28	-0.15
408	6/26/2020 09:27:00	0.565	455.56	72.27	0.02
409	6/26/2020 09:27:05	0.567	455.60	72.28	0.04
410	6/26/2020 09:27:10	0.568	455.67	72.28	0.08
411	6/26/2020 09:27:15	0.569	455.50	72.28	-0.17
412	6/26/2020 09:27:20	0.571	455.73	72.28	0.23
413	6/26/2020 09:27:25	0.572	455.68	72.29	-0.05
414	6/26/2020 09:27:30	0.574	455.68	72.29	0.00
415	6/26/2020 09:27:35	0.575	455.58	72.29	-0.09
416	6/26/2020 09:27:40	0.576	455.66	72.29	0.08
417	6/26/2020 09:27:45	0.578	455.66	72.29	0.00
418	6/26/2020 09:27:50	0.579	455.77	72.29	0.11
419	6/26/2020 09:27:55	0.581	455.60	72.29	-0.17
420	6/26/2020 09:28:00	0.582	455.47	72.29	-0.13
421	6/26/2020 09:28:05	0.583	455.78	72.30	0.30

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
422	6/26/2020 09:28:10	0.585	455.68	72.29	-0.10
423	6/26/2020 09:28:15	0.586	455.80	72.30	0.11
424	6/26/2020 09:28:20	0.588	455.61	72.30	-0.19
425	6/26/2020 09:28:25	0.589	455.67	72.30	0.06
426	6/26/2020 09:28:30	0.590	455.74	72.30	0.08
427	6/26/2020 09:28:35	0.592	455.59	72.30	-0.15
428	6/26/2020 09:28:40	0.593	455.67	72.30	0.08
429	6/26/2020 09:28:45	0.594	455.67	72.30	0.00
430	6/26/2020 09:28:50	0.596	455.69	72.31	0.02
431	6/26/2020 09:28:55	0.597	455.65	72.31	-0.04
432	6/26/2020 09:29:00	0.599	455.61	72.31	-0.04
433	6/26/2020 09:29:05	0.600	455.78	72.31	0.17
434	6/26/2020 09:29:10	0.601	455.65	72.31	-0.13
435	6/26/2020 09:29:15	0.603	455.86	72.31	0.21
436	6/26/2020 09:29:20	0.604	455.67	72.31	-0.19
437	6/26/2020 09:29:25	0.606	455.73	72.31	0.06
438	6/26/2020 09:29:30	0.607	455.69	72.31	-0.04
439	6/26/2020 09:29:35	0.608	455.84	72.31	0.15
440	6/26/2020 09:29:40	0.610	455.81	72.32	-0.03
441	6/26/2020 09:29:45	0.611	455.85	72.32	0.04
442	6/26/2020 09:29:50	0.613	455.66	72.32	-0.19
443	6/26/2020 09:29:55	0.614	455.79	72.32	0.13
444	6/26/2020 09:30:00	0.615	455.79	72.32	0.00
445	6/26/2020 09:30:05	0.617	455.85	72.32	0.06
446	6/26/2020 09:30:10	0.618	455.79	72.32	-0.06
447	6/26/2020 09:30:15	0.619	455.77	72.32	-0.02
448	6/26/2020 09:30:20	0.621	455.57	72.33	-0.21
449	6/26/2020 09:30:25	0.622	455.81	72.33	0.25
450	6/26/2020 09:30:30	0.624	455.85	72.33	0.04
451	6/26/2020 09:30:35	0.625	455.78	72.33	-0.07
452	6/26/2020 09:30:40	0.626	455.79	72.32	0.02
453	6/26/2020 09:30:45	0.628	455.85	72.33	0.06
454	6/26/2020 09:30:50	0.629	455.72	72.33	-0.13
455	6/26/2020 09:30:55	0.631	455.89	72.33	0.17
456	6/26/2020 09:31:00	0.632	455.70	72.33	-0.18
457	6/26/2020 09:31:05	0.633	455.78	72.33	0.07
458	6/26/2020 09:31:10	0.635	455.70	72.33	-0.07
459	6/26/2020 09:31:15	0.636	455.86	72.34	0.15
460	6/26/2020 09:31:20	0.638	455.73	72.34	-0.13
461	6/26/2020 09:31:25	0.639	455.78	72.33	0.05
462	6/26/2020 09:31:30	0.640	455.89	72.34	0.11
463	6/26/2020 09:31:35	0.642	455.84	72.34	-0.06
464	6/26/2020 09:31:40	0.643	455.93	72.34	0.09
465	6/26/2020 09:31:45	0.644	455.77	72.34	-0.17
466	6/26/2020 09:31:50	0.646	455.75	72.35	-0.02
467	6/26/2020 09:31:55	0.647	455.76	72.34	0.02
468	6/26/2020 09:32:00	0.649	455.75	72.34	-0.02
469	6/26/2020 09:32:05	0.650	455.90	72.34	0.15
470	6/26/2020 09:32:10	0.651	455.84	72.34	-0.06
471	6/26/2020 09:32:15	0.653	455.90	72.35	0.06
472	6/26/2020 09:32:20	0.654	455.75	72.35	-0.15
473	6/26/2020 09:32:25	0.656	455.92	72.35	0.17
474	6/26/2020 09:32:30	0.657	455.77	72.35	-0.15
475	6/26/2020 09:32:35	0.658	455.73	72.35	-0.04
476	6/26/2020 09:32:40	0.660	455.75	72.35	0.02
477	6/26/2020 09:32:45	0.661	455.86	72.35	0.11
478	6/26/2020 09:32:50	0.663	455.81	72.35	-0.05
479	6/26/2020 09:32:55	0.664	455.75	72.35	-0.06
480	6/26/2020 09:33:00	0.665	455.83	72.35	0.07
481	6/26/2020 09:33:05	0.667	455.75	72.35	-0.07
482	6/26/2020 09:33:10	0.668	455.85	72.36	0.10
483	6/26/2020 09:33:15	0.669	455.89	72.36	0.04
484	6/26/2020 09:33:20	0.671	455.72	72.36	-0.17
485	6/26/2020 09:33:25	0.672	455.98	72.36	0.26
486	6/26/2020 09:33:30	0.674	455.83	72.36	-0.15
487	6/26/2020 09:33:35	0.675	455.76	72.36	-0.08
488	6/26/2020 09:33:40	0.676	455.76	72.36	0.00
489	6/26/2020 09:33:45	0.678	455.83	72.36	0.07
490	6/26/2020 09:33:50	0.679	455.83	72.36	0.00
491	6/26/2020 09:33:55	0.681	455.89	72.36	0.06

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
492	6/26/2020 09:34:00	0.682	456.04	72.36	0.15
493	6/26/2020 09:34:05	0.683	455.89	72.36	-0.15
494	6/26/2020 09:34:10	0.685	455.89	72.37	0.00
495	6/26/2020 09:34:15	0.686	455.82	72.36	-0.08
496	6/26/2020 09:34:20	0.688	455.93	72.37	0.11
497	6/26/2020 09:34:25	0.689	455.88	72.37	-0.05
498	6/26/2020 09:34:30	0.690	455.99	72.37	0.11
499	6/26/2020 09:34:35	0.692	455.87	72.36	-0.11
500	6/26/2020 09:34:40	0.693	455.85	72.37	-0.02
501	6/26/2020 09:34:45	0.694	455.86	72.37	0.00
502	6/26/2020 09:34:50	0.696	455.86	72.37	0.00
503	6/26/2020 09:34:55	0.697	455.78	72.37	-0.08
504	6/26/2020 09:35:00	0.699	455.93	72.37	0.15
505	6/26/2020 09:35:05	0.700	455.95	72.37	0.02
506	6/26/2020 09:35:10	0.701	455.95	72.37	0.00
507	6/26/2020 09:35:15	0.703	455.90	72.37	-0.06
508	6/26/2020 09:35:20	0.704	455.88	72.37	-0.02
509	6/26/2020 09:35:25	0.706	455.90	72.37	0.02
510	6/26/2020 09:35:30	0.707	455.92	72.37	0.02
511	6/26/2020 09:35:35	0.708	455.95	72.38	0.04
512	6/26/2020 09:35:40	0.710	455.88	72.38	-0.07
513	6/26/2020 09:35:45	0.711	455.84	72.38	-0.04
514	6/26/2020 09:35:50	0.713	455.81	72.38	-0.04
515	6/26/2020 09:35:55	0.714	455.88	72.38	0.08
516	6/26/2020 09:36:00	0.715	455.90	72.38	0.02
517	6/26/2020 09:36:05	0.717	455.84	72.38	-0.06
518	6/26/2020 09:36:10	0.718	455.88	72.38	0.04
519	6/26/2020 09:36:15	0.719	456.05	72.38	0.17
520	6/26/2020 09:36:20	0.721	455.81	72.38	-0.24
521	6/26/2020 09:36:25	0.722	456.03	72.38	0.23
522	6/26/2020 09:36:30	0.724	455.96	72.38	-0.08
523	6/26/2020 09:36:35	0.725	455.94	72.39	-0.02
524	6/26/2020 09:36:40	0.726	455.96	72.38	0.02
525	6/26/2020 09:36:45	0.728	455.89	72.39	-0.07
526	6/26/2020 09:36:50	0.729	455.89	72.39	0.00
527	6/26/2020 09:36:55	0.731	456.05	72.39	0.17
528	6/26/2020 09:37:00	0.732	455.92	72.38	-0.13
529	6/26/2020 09:37:05	0.733	455.96	72.39	0.04
530	6/26/2020 09:37:10	0.735	455.89	72.39	-0.07
531	6/26/2020 09:37:15	0.736	455.89	72.39	0.00
532	6/26/2020 09:37:20	0.738	455.94	72.39	0.06
533	6/26/2020 09:37:25	0.739	456.02	72.39	0.07
534	6/26/2020 09:37:30	0.740	455.92	72.39	-0.09
535	6/26/2020 09:37:35	0.742	455.78	72.39	-0.15
536	6/26/2020 09:37:40	0.743	455.93	72.39	0.15
537	6/26/2020 09:37:45	0.744	456.04	72.39	0.11
538	6/26/2020 09:37:50	0.746	456.06	72.39	0.02
539	6/26/2020 09:37:55	0.747	456.00	72.39	-0.06
540	6/26/2020 09:38:00	0.749	455.91	72.39	-0.09
541	6/26/2020 09:38:05	0.750	455.89	72.39	-0.02
542	6/26/2020 09:38:10	0.751	455.99	72.40	0.10
543	6/26/2020 09:38:15	0.753	455.87	72.40	-0.11
544	6/26/2020 09:38:20	0.754	456.00	72.39	0.13
545	6/26/2020 09:38:25	0.756	456.00	72.40	0.00
546	6/26/2020 09:38:30	0.757	455.93	72.40	-0.08
547	6/26/2020 09:38:35	0.758	455.91	72.40	-0.02
548	6/26/2020 09:38:40	0.760	455.95	72.40	0.04
549	6/26/2020 09:38:45	0.761	455.86	72.40	-0.09
550	6/26/2020 09:38:50	0.763	455.84	72.40	-0.02
551	6/26/2020 09:38:55	0.764	456.08	72.40	0.25
552	6/26/2020 09:39:00	0.765	455.93	72.40	-0.15
553	6/26/2020 09:39:05	0.767	456.04	72.40	0.11
554	6/26/2020 09:39:10	0.768	456.01	72.40	-0.04
555	6/26/2020 09:39:15	0.769	455.97	72.40	-0.04
556	6/26/2020 09:39:20	0.771	455.95	72.40	-0.02
557	6/26/2020 09:39:25	0.772	455.95	72.40	0.00
558	6/26/2020 09:39:30	0.774	456.05	72.40	0.10
559	6/26/2020 09:39:35	0.775	455.97	72.40	-0.07
560	6/26/2020 09:39:40	0.776	455.97	72.40	0.00
561	6/26/2020 09:39:45	0.778	455.99	72.41	0.02

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
562	6/26/2020 09:39:50	0.779	455.90	72.40	-0.09
563	6/26/2020 09:39:55	0.781	456.08	72.40	0.19
564	6/26/2020 09:40:00	0.782	456.07	72.40	-0.02
565	6/26/2020 09:40:05	0.783	455.94	72.41	-0.13
566	6/26/2020 09:40:10	0.785	455.89	72.40	-0.04
567	6/26/2020 09:40:15	0.786	455.95	72.41	0.06
568	6/26/2020 09:40:20	0.788	455.92	72.41	-0.04
569	6/26/2020 09:40:25	0.789	455.93	72.40	0.02
570	6/26/2020 09:40:30	0.790	455.95	72.41	0.02
571	6/26/2020 09:40:35	0.792	455.94	72.41	-0.02
572	6/26/2020 09:40:40	0.793	456.09	72.41	0.15
573	6/26/2020 09:40:45	0.794	455.99	72.41	-0.09
574	6/26/2020 09:40:50	0.796	456.11	72.41	0.11
575	6/26/2020 09:40:55	0.797	456.07	72.41	-0.04
576	6/26/2020 09:41:00	0.799	455.92	72.41	-0.15
577	6/26/2020 09:41:05	0.800	455.98	72.41	0.06
578	6/26/2020 09:41:10	0.801	455.99	72.41	0.02
579	6/26/2020 09:41:15	0.803	455.99	72.41	0.00
580	6/26/2020 09:41:20	0.804	455.99	72.41	0.00
581	6/26/2020 09:41:25	0.806	456.05	72.41	0.06
582	6/26/2020 09:41:30	0.807	455.98	72.41	-0.07
583	6/26/2020 09:41:35	0.808	456.00	72.42	0.02
584	6/26/2020 09:41:40	0.810	456.05	72.42	0.06
585	6/26/2020 09:41:45	0.811	456.07	72.42	0.02
586	6/26/2020 09:41:50	0.813	456.09	72.42	0.02
587	6/26/2020 09:41:55	0.814	456.02	72.42	-0.08
588	6/26/2020 09:42:00	0.815	455.98	72.42	-0.04
589	6/26/2020 09:42:05	0.817	456.05	72.42	0.08
590	6/26/2020 09:42:10	0.818	456.05	72.41	0.00
591	6/26/2020 09:42:15	0.819	456.05	72.41	0.00
592	6/26/2020 09:42:20	0.821	456.07	72.42	0.02
593	6/26/2020 09:42:25	0.822	456.02	72.42	-0.06
594	6/26/2020 09:42:30	0.824	456.04	72.42	0.02
595	6/26/2020 09:42:35	0.825	456.04	72.42	0.00
596	6/26/2020 09:42:40	0.826	455.90	72.42	-0.13
597	6/26/2020 09:42:45	0.828	456.06	72.42	0.15
598	6/26/2020 09:42:50	0.829	456.02	72.42	-0.04
599	6/26/2020 09:42:55	0.831	456.06	72.42	0.04
600	6/26/2020 09:43:00	0.832	456.02	72.42	-0.04
601	6/26/2020 09:43:05	0.833	456.00	72.42	-0.02
602	6/26/2020 09:43:10	0.835	456.02	72.42	0.02
603	6/26/2020 09:43:15	0.836	455.96	72.42	-0.06
604	6/26/2020 09:43:20	0.838	456.17	72.42	0.21
605	6/26/2020 09:43:25	0.839	456.02	72.42	-0.15
606	6/26/2020 09:43:30	0.840	455.94	72.42	-0.08
607	6/26/2020 09:43:35	0.842	455.94	72.42	0.00
608	6/26/2020 09:43:40	0.843	456.17	72.42	0.23
609	6/26/2020 09:43:45	0.844	456.06	72.43	-0.11
610	6/26/2020 09:43:50	0.846	455.91	72.42	-0.15
611	6/26/2020 09:43:55	0.847	455.96	72.43	0.06
612	6/26/2020 09:44:00	0.849	456.19	72.42	0.22
613	6/26/2020 09:44:05	0.850	456.10	72.42	-0.09
614	6/26/2020 09:44:10	0.851	456.06	72.43	-0.03
615	6/26/2020 09:44:15	0.853	456.17	72.43	0.11
616	6/26/2020 09:44:20	0.854	456.12	72.43	-0.06
617	6/26/2020 09:44:25	0.856	456.06	72.43	-0.06
618	6/26/2020 09:44:30	0.857	456.06	72.43	0.00
619	6/26/2020 09:44:35	0.858	456.06	72.43	0.00
620	6/26/2020 09:44:40	0.860	456.02	72.42	-0.04
621	6/26/2020 09:44:45	0.861	456.02	72.43	0.00
622	6/26/2020 09:44:50	0.863	456.06	72.43	0.04
623	6/26/2020 09:44:55	0.864	455.93	72.43	-0.13
624	6/26/2020 09:45:00	0.865	456.04	72.43	0.11
625	6/26/2020 09:45:05	0.867	456.06	72.43	0.02
626	6/26/2020 09:45:10	0.868	455.97	72.43	-0.09
627	6/26/2020 09:45:15	0.869	456.12	72.43	0.15
628	6/26/2020 09:45:20	0.871	456.08	72.43	-0.04
629	6/26/2020 09:45:25	0.872	456.02	72.43	-0.06
630	6/26/2020 09:45:30	0.874	456.06	72.43	0.04
631	6/26/2020 09:45:35	0.875	456.14	72.44	0.08

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
632	6/26/2020 09:45:40	0.876	456.07	72.44	-0.07
633	6/26/2020 09:45:45	0.878	456.08	72.43	0.02
634	6/26/2020 09:45:50	0.879	456.04	72.43	-0.04
635	6/26/2020 09:45:55	0.881	456.19	72.43	0.15
636	6/26/2020 09:46:00	0.882	456.06	72.43	-0.13
637	6/26/2020 09:46:05	0.883	456.16	72.43	0.09
638	6/26/2020 09:46:10	0.885	456.06	72.43	-0.09
639	6/26/2020 09:46:15	0.886	455.97	72.43	-0.09
640	6/26/2020 09:46:20	0.888	456.08	72.43	0.11
641	6/26/2020 09:46:25	0.889	456.12	72.43	0.04
642	6/26/2020 09:46:30	0.890	455.95	72.43	-0.17
643	6/26/2020 09:46:35	0.892	456.18	72.43	0.23
644	6/26/2020 09:46:40	0.893	455.97	72.44	-0.20
645	6/26/2020 09:46:45	0.894	456.12	72.44	0.15
646	6/26/2020 09:46:50	0.896	456.07	72.44	-0.05
647	6/26/2020 09:46:55	0.897	456.22	72.44	0.15
648	6/26/2020 09:47:00	0.899	455.94	72.44	-0.28
649	6/26/2020 09:47:05	0.900	456.09	72.44	0.15
650	6/26/2020 09:47:10	0.901	455.90	72.44	-0.19
651	6/26/2020 09:47:15	0.903	456.01	72.44	0.11
652	6/26/2020 09:47:20	0.904	456.24	72.44	0.22
653	6/26/2020 09:47:25	0.906	456.24	72.44	0.00
654	6/26/2020 09:47:30	0.907	456.05	72.44	-0.19
655	6/26/2020 09:47:35	0.908	456.16	72.44	0.11
656	6/26/2020 09:47:40	0.910	455.95	72.44	-0.21
657	6/26/2020 09:47:45	0.911	456.10	72.44	0.15
658	6/26/2020 09:47:50	0.913	456.16	72.44	0.06
659	6/26/2020 09:47:55	0.914	456.05	72.44	-0.11
660	6/26/2020 09:48:00	0.915	456.16	72.44	0.11
661	6/26/2020 09:48:05	0.917	456.22	72.44	0.06
662	6/26/2020 09:48:10	0.918	456.03	72.44	-0.19
663	6/26/2020 09:48:15	0.919	455.96	72.44	-0.07
664	6/26/2020 09:48:20	0.921	456.09	72.44	0.13
665	6/26/2020 09:48:25	0.922	456.07	72.45	-0.02
666	6/26/2020 09:48:30	0.924	456.24	72.44	0.17
667	6/26/2020 09:48:35	0.925	455.96	72.44	-0.28
668	6/26/2020 09:48:40	0.926	455.98	72.44	0.02
669	6/26/2020 09:48:45	0.928	456.09	72.44	0.11
670	6/26/2020 09:48:50	0.929	456.11	72.44	0.02
671	6/26/2020 09:48:55	0.931	456.12	72.44	0.02
672	6/26/2020 09:49:00	0.932	456.07	72.44	-0.05
673	6/26/2020 09:49:05	0.933	456.09	72.44	0.02
674	6/26/2020 09:49:10	0.935	456.15	72.45	0.06
675	6/26/2020 09:49:15	0.936	456.05	72.44	-0.10
676	6/26/2020 09:49:20	0.938	456.05	72.45	0.00
677	6/26/2020 09:49:25	0.939	456.03	72.45	-0.02
678	6/26/2020 09:49:30	0.940	456.03	72.45	0.00
679	6/26/2020 09:49:35	0.942	456.07	72.45	0.04
680	6/26/2020 09:49:40	0.943	456.09	72.45	0.02
681	6/26/2020 09:49:45	0.944	456.09	72.45	0.00
682	6/26/2020 09:49:50	0.946	456.00	72.45	-0.09
683	6/26/2020 09:49:55	0.947	456.16	72.44	0.17
684	6/26/2020 09:50:00	0.949	456.20	72.45	0.04
685	6/26/2020 09:50:05	0.950	456.20	72.45	0.00
686	6/26/2020 09:50:10	0.951	456.22	72.45	0.02
687	6/26/2020 09:50:15	0.953	456.07	72.45	-0.15
688	6/26/2020 09:50:20	0.954	456.02	72.45	-0.06
689	6/26/2020 09:50:25	0.956	456.11	72.45	0.09
690	6/26/2020 09:50:30	0.957	456.32	72.45	0.21
691	6/26/2020 09:50:35	0.958	456.18	72.45	-0.13
692	6/26/2020 09:50:40	0.960	456.11	72.45	-0.08
693	6/26/2020 09:50:45	0.961	456.09	72.45	-0.02
694	6/26/2020 09:50:50	0.963	456.17	72.45	0.08
695	6/26/2020 09:50:55	0.964	456.11	72.45	-0.06
696	6/26/2020 09:51:00	0.965	456.17	72.45	0.06
697	6/26/2020 09:51:05	0.967	456.11	72.45	-0.06
698	6/26/2020 09:51:10	0.968	456.04	72.45	-0.07
699	6/26/2020 09:51:15	0.969	456.26	72.45	0.23
700	6/26/2020 09:51:20	0.971	456.15	72.45	-0.11
701	6/26/2020 09:51:25	0.972	456.00	72.46	-0.15

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
702	6/26/2020 09:51:30	0.974	456.17	72.45	0.17
703	6/26/2020 09:51:35	0.975	456.11	72.45	-0.06
704	6/26/2020 09:51:40	0.976	456.28	72.45	0.17
705	6/26/2020 09:51:45	0.978	456.11	72.45	-0.17
706	6/26/2020 09:51:50	0.979	456.21	72.45	0.09
707	6/26/2020 09:51:55	0.981	456.24	72.45	0.04
708	6/26/2020 09:52:00	0.982	456.13	72.45	-0.11
709	6/26/2020 09:52:05	0.983	456.10	72.46	-0.04
710	6/26/2020 09:52:10	0.985	456.04	72.46	-0.06
711	6/26/2020 09:52:15	0.986	456.15	72.45	0.11
712	6/26/2020 09:52:20	0.988	456.06	72.45	-0.09
713	6/26/2020 09:52:25	0.989	456.08	72.46	0.02
714	6/26/2020 09:52:30	0.990	456.19	72.46	0.11
715	6/26/2020 09:52:35	0.992	456.17	72.45	-0.02
716	6/26/2020 09:52:40	0.993	456.13	72.45	-0.04
717	6/26/2020 09:52:45	0.994	456.15	72.45	0.02
718	6/26/2020 09:52:50	0.996	456.30	72.46	0.15
719	6/26/2020 09:52:55	0.997	456.15	72.46	-0.15
720	6/26/2020 09:53:00	0.999	456.13	72.46	-0.02
721	6/26/2020 09:53:05	1.000	456.15	72.46	0.02
722	6/26/2020 09:53:10	1.001	456.15	72.46	0.00
723	6/26/2020 09:53:15	1.003	456.21	72.46	0.06
724	6/26/2020 09:53:20	1.004	456.17	72.46	-0.04
725	6/26/2020 09:53:25	1.006	456.06	72.46	-0.11
726	6/26/2020 09:53:30	1.007	456.17	72.46	0.11
727	6/26/2020 09:53:35	1.008	456.10	72.46	-0.07
728	6/26/2020 09:53:40	1.010	456.10	72.46	0.00
729	6/26/2020 09:53:45	1.011	456.10	72.46	0.00
730	6/26/2020 09:53:50	1.013	456.12	72.46	0.02
731	6/26/2020 09:53:55	1.014	456.17	72.46	0.06
732	6/26/2020 09:54:00	1.015	456.23	72.46	0.06
733	6/26/2020 09:54:05	1.017	456.08	72.46	-0.15
734	6/26/2020 09:54:10	1.018	456.27	72.46	0.19
735	6/26/2020 09:54:15	1.019	456.12	72.46	-0.15
736	6/26/2020 09:54:20	1.021	456.00	72.46	-0.11
737	6/26/2020 09:54:25	1.022	456.12	72.46	0.11
738	6/26/2020 09:54:30	1.024	456.29	72.46	0.17
739	6/26/2020 09:54:35	1.025	456.29	72.46	0.00
740	6/26/2020 09:54:40	1.026	456.02	72.46	-0.26
741	6/26/2020 09:54:45	1.028	456.31	72.46	0.28
742	6/26/2020 09:54:50	1.029	456.21	72.46	-0.09
743	6/26/2020 09:54:55	1.031	456.10	72.47	-0.11
744	6/26/2020 09:55:00	1.032	456.23	72.46	0.13
745	6/26/2020 09:55:05	1.033	456.12	72.46	-0.11
746	6/26/2020 09:55:10	1.035	456.06	72.46	-0.06
747	6/26/2020 09:55:15	1.036	456.21	72.46	0.15
748	6/26/2020 09:55:20	1.038	456.25	72.46	0.04
749	6/26/2020 09:55:25	1.039	456.10	72.46	-0.15
750	6/26/2020 09:55:30	1.040	456.23	72.46	0.13
751	6/26/2020 09:55:35	1.042	456.08	72.46	-0.15
752	6/26/2020 09:55:40	1.043	456.36	72.46	0.28
753	6/26/2020 09:55:45	1.044	456.18	72.46	-0.19
754	6/26/2020 09:55:50	1.046	456.23	72.46	0.06
755	6/26/2020 09:55:55	1.047	456.14	72.46	-0.09
756	6/26/2020 09:56:00	1.049	456.14	72.46	0.00
757	6/26/2020 09:56:05	1.050	456.25	72.47	0.11
758	6/26/2020 09:56:10	1.051	456.18	72.46	-0.08
759	6/26/2020 09:56:15	1.053	456.14	72.46	-0.04
760	6/26/2020 09:56:20	1.054	456.10	72.47	-0.04
761	6/26/2020 09:56:25	1.056	456.29	72.46	0.19
762	6/26/2020 09:56:30	1.057	456.19	72.46	-0.09
763	6/26/2020 09:56:35	1.058	456.21	72.47	0.02
764	6/26/2020 09:56:40	1.060	456.16	72.46	-0.06
765	6/26/2020 09:56:45	1.061	456.21	72.47	0.06
766	6/26/2020 09:56:50	1.063	456.18	72.47	-0.04
767	6/26/2020 09:56:55	1.064	456.23	72.47	0.06
768	6/26/2020 09:57:00	1.065	456.14	72.47	-0.09
769	6/26/2020 09:57:05	1.067	456.27	72.47	0.13
770	6/26/2020 09:57:10	1.068	456.20	72.47	-0.07
771	6/26/2020 09:57:15	1.069	456.27	72.47	0.07

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
772	6/26/2020 09:57:20	1.071	456.24	72.47	-0.04
773	6/26/2020 09:57:25	1.072	456.22	72.47	-0.02
774	6/26/2020 09:57:30	1.074	456.35	72.47	0.13
775	6/26/2020 09:57:35	1.075	456.35	72.47	0.00
776	6/26/2020 09:57:40	1.076	456.05	72.47	-0.30
777	6/26/2020 09:57:45	1.078	456.21	72.47	0.17
778	6/26/2020 09:57:50	1.079	456.14	72.47	-0.07
779	6/26/2020 09:57:55	1.081	456.23	72.47	0.09
780	6/26/2020 09:58:00	1.082	456.12	72.47	-0.11
781	6/26/2020 09:58:05	1.083	456.31	72.47	0.19
782	6/26/2020 09:58:10	1.085	456.24	72.47	-0.07
783	6/26/2020 09:58:15	1.086	456.37	72.47	0.13
784	6/26/2020 09:58:20	1.088	456.18	72.47	-0.19
785	6/26/2020 09:58:25	1.089	456.16	72.47	-0.02
786	6/26/2020 09:58:30	1.090	456.20	72.47	0.04
787	6/26/2020 09:58:35	1.092	456.22	72.47	0.02
788	6/26/2020 09:58:40	1.093	456.25	72.47	0.04
789	6/26/2020 09:58:45	1.094	456.24	72.47	-0.02
790	6/26/2020 09:58:50	1.096	456.29	72.47	0.06
791	6/26/2020 09:58:55	1.097	456.22	72.47	-0.08
792	6/26/2020 09:59:00	1.099	456.16	72.47	-0.05
793	6/26/2020 09:59:05	1.100	456.31	72.47	0.15
794	6/26/2020 09:59:10	1.101	456.24	72.47	-0.07
795	6/26/2020 09:59:15	1.103	456.20	72.47	-0.04
796	6/26/2020 09:59:20	1.104	456.20	72.47	0.00
797	6/26/2020 09:59:25	1.106	456.29	72.47	0.10
798	6/26/2020 09:59:30	1.107	456.16	72.47	-0.13
799	6/26/2020 09:59:35	1.108	456.22	72.47	0.06
800	6/26/2020 09:59:40	1.110	456.26	72.47	0.04
801	6/26/2020 09:59:45	1.111	456.20	72.47	-0.06
802	6/26/2020 09:59:50	1.113	456.26	72.48	0.06
803	6/26/2020 09:59:55	1.114	456.20	72.48	-0.06
804	6/26/2020 10:00:00	1.115	456.29	72.47	0.09
805	6/26/2020 10:00:05	1.117	456.24	72.48	-0.05
806	6/26/2020 10:00:10	1.118	456.26	72.48	0.02
807	6/26/2020 10:00:15	1.119	456.13	72.48	-0.13
808	6/26/2020 10:00:20	1.121	456.05	72.48	-0.08
809	6/26/2020 10:00:25	1.122	456.30	72.48	0.24
810	6/26/2020 10:00:30	1.124	456.37	72.48	0.08
811	6/26/2020 10:00:35	1.125	456.45	72.48	0.08
812	6/26/2020 10:00:40	1.126	456.24	72.48	-0.21
813	6/26/2020 10:00:45	1.128	456.17	72.48	-0.07
814	6/26/2020 10:00:50	1.129	456.29	72.47	0.13
815	6/26/2020 10:00:55	1.131	456.24	72.48	-0.05
816	6/26/2020 10:01:00	1.132	456.24	72.48	0.00
817	6/26/2020 10:01:05	1.133	456.20	72.48	-0.04
818	6/26/2020 10:01:10	1.135	456.41	72.48	0.21
819	6/26/2020 10:01:15	1.136	456.15	72.48	-0.26
820	6/26/2020 10:01:20	1.138	456.26	72.48	0.11
821	6/26/2020 10:01:25	1.139	456.18	72.48	-0.07
822	6/26/2020 10:01:30	1.140	456.17	72.48	-0.02
823	6/26/2020 10:01:35	1.142	456.37	72.48	0.21
824	6/26/2020 10:01:40	1.143	456.22	72.48	-0.15
825	6/26/2020 10:01:45	1.144	456.28	72.47	0.06
826	6/26/2020 10:01:50	1.146	456.26	72.48	-0.02
827	6/26/2020 10:01:55	1.147	456.14	72.48	-0.11
828	6/26/2020 10:02:00	1.149	456.13	72.48	-0.02
829	6/26/2020 10:02:05	1.150	456.22	72.48	0.09
830	6/26/2020 10:02:10	1.151	456.20	72.48	-0.02
831	6/26/2020 10:02:15	1.153	456.33	72.48	0.13
832	6/26/2020 10:02:20	1.154	456.24	72.48	-0.09
833	6/26/2020 10:02:25	1.156	456.26	72.48	0.02
834	6/26/2020 10:02:30	1.157	456.16	72.48	-0.10
835	6/26/2020 10:02:35	1.158	456.28	72.48	0.11
836	6/26/2020 10:02:40	1.160	456.24	72.48	-0.04
837	6/26/2020 10:02:45	1.161	456.28	72.48	0.04
838	6/26/2020 10:02:50	1.163	456.39	72.48	0.11
839	6/26/2020 10:02:55	1.164	456.26	72.48	-0.13
840	6/26/2020 10:03:00	1.165	456.22	72.48	-0.04
841	6/26/2020 10:03:05	1.167	456.26	72.48	0.04

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
842	6/26/2020 10:03:10	1.168	456.19	72.48	-0.07
843	6/26/2020 10:03:15	1.169	456.36	72.48	0.17
844	6/26/2020 10:03:20	1.171	456.13	72.48	-0.23
845	6/26/2020 10:03:25	1.172	456.24	72.48	0.11
846	6/26/2020 10:03:30	1.174	456.26	72.48	0.02
847	6/26/2020 10:03:35	1.175	456.17	72.48	-0.10
848	6/26/2020 10:03:40	1.176	456.45	72.48	0.28
849	6/26/2020 10:03:45	1.178	456.24	72.48	-0.21
850	6/26/2020 10:03:50	1.179	456.32	72.48	0.08
851	6/26/2020 10:03:55	1.181	456.24	72.48	-0.08
5400' END 1 HR					
852	6/26/2020 10:04:00	1.182	456.28	72.48	0.04
853	6/26/2020 10:04:05	1.183	456.09	72.48	-0.19
854	6/26/2020 10:04:10	1.185	455.89	72.48	-0.21
855	6/26/2020 10:04:15	1.186	455.56	72.47	-0.32
856	6/26/2020 10:04:20	1.188	455.21	72.46	-0.35
857	6/26/2020 10:04:25	1.189	454.74	72.42	-0.47
858	6/26/2020 10:04:30	1.190	454.62	72.37	-0.12
859	6/26/2020 10:04:35	1.192	454.27	72.32	-0.35
5200.00 START 5 MIN					
860	6/26/2020 10:04:40	1.193	454.27	72.25	0.00
861	6/26/2020 10:04:45	1.194	454.16	72.17	-0.10
862	6/26/2020 10:04:50	1.196	454.16	72.10	-0.01
863	6/26/2020 10:04:55	1.197	454.10	72.03	-0.06
864	6/26/2020 10:05:00	1.199	454.03	71.98	-0.07
865	6/26/2020 10:05:05	1.200	454.14	71.94	0.11
866	6/26/2020 10:05:10	1.201	453.95	71.91	-0.19
867	6/26/2020 10:05:15	1.203	454.09	71.88	0.14
868	6/26/2020 10:05:20	1.204	453.94	71.86	-0.14
869	6/26/2020 10:05:25	1.206	454.04	71.84	0.10
870	6/26/2020 10:05:30	1.207	454.09	71.82	0.04
871	6/26/2020 10:05:35	1.208	454.04	71.80	-0.05
872	6/26/2020 10:05:40	1.210	453.97	71.78	-0.07
873	6/26/2020 10:05:45	1.211	453.88	71.76	-0.09
874	6/26/2020 10:05:50	1.213	454.05	71.75	0.16
875	6/26/2020 10:05:55	1.214	454.13	71.73	0.08
876	6/26/2020 10:06:00	1.215	454.12	71.71	-0.01
877	6/26/2020 10:06:05	1.217	453.96	71.70	-0.16
878	6/26/2020 10:06:10	1.218	454.14	71.68	0.18
879	6/26/2020 10:06:15	1.219	454.11	71.67	-0.03
880	6/26/2020 10:06:20	1.221	454.10	71.65	-0.01
881	6/26/2020 10:06:25	1.222	454.15	71.64	0.05
882	6/26/2020 10:06:30	1.224	454.03	71.63	-0.12
883	6/26/2020 10:06:35	1.225	454.06	71.61	0.03
884	6/26/2020 10:06:40	1.226	454.11	71.60	0.05
885	6/26/2020 10:06:45	1.228	454.20	71.59	0.09
886	6/26/2020 10:06:50	1.229	454.04	71.57	-0.16
887	6/26/2020 10:06:55	1.231	454.18	71.56	0.14
888	6/26/2020 10:07:00	1.232	454.10	71.55	-0.08
889	6/26/2020 10:07:05	1.233	454.13	71.54	0.03
890	6/26/2020 10:07:10	1.235	454.10	71.52	-0.03
891	6/26/2020 10:07:15	1.236	454.13	71.51	0.03
892	6/26/2020 10:07:20	1.238	454.14	71.50	0.01
893	6/26/2020 10:07:25	1.239	454.12	71.49	-0.02
894	6/26/2020 10:07:30	1.240	454.20	71.47	0.08
895	6/26/2020 10:07:35	1.242	454.14	71.46	-0.06
896	6/26/2020 10:07:40	1.243	454.06	71.46	-0.08
897	6/26/2020 10:07:45	1.244	454.04	71.44	-0.03
898	6/26/2020 10:07:50	1.246	454.09	71.43	0.05
899	6/26/2020 10:07:55	1.247	454.13	71.42	0.05
900	6/26/2020 10:08:00	1.249	454.11	71.41	-0.02
901	6/26/2020 10:08:05	1.250	454.10	71.40	-0.01
902	6/26/2020 10:08:10	1.251	454.29	71.39	0.18
903	6/26/2020 10:08:15	1.253	454.09	71.38	-0.19
904	6/26/2020 10:08:20	1.254	454.18	71.37	0.09
905	6/26/2020 10:08:25	1.256	454.17	71.36	-0.01
906	6/26/2020 10:08:30	1.257	454.09	71.35	-0.08
907	6/26/2020 10:08:35	1.258	454.13	71.34	0.03
908	6/26/2020 10:08:40	1.260	454.10	71.33	-0.03
909	6/26/2020 10:08:45	1.261	454.12	71.32	0.01

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
910	6/26/2020 10:08:50	1.263	454.16	71.31	0.05
911	6/26/2020 10:08:55	1.264	454.25	71.31	0.09
912	6/26/2020 10:09:00	1.265	454.19	71.30	-0.06
913	6/26/2020 10:09:05	1.267	454.26	71.29	0.07
914	6/26/2020 10:09:10	1.268	454.07	71.28	-0.19
915	6/26/2020 10:09:15	1.269	454.12	71.27	0.05
916	6/26/2020 10:09:20	1.271	454.19	71.26	0.07
917	6/26/2020 10:09:25	1.272	454.26	71.25	0.07
918	6/26/2020 10:09:30	1.274	454.13	71.25	-0.13
919	6/26/2020 10:09:35	1.275	454.12	71.24	-0.01
5200' END 5 MIN					
920	6/26/2020 10:09:40	1.276	454.23	71.23	0.11
921	6/26/2020 10:09:45	1.278	454.23	71.23	0.00
922	6/26/2020 10:09:50	1.279	453.79	71.21	-0.44
923	6/26/2020 10:09:55	1.281	453.34	71.19	-0.44
924	6/26/2020 10:10:00	1.282	452.97	71.13	-0.37
925	6/26/2020 10:10:05	1.283	452.91	71.06	-0.06
926	6/26/2020 10:10:10	1.285	452.57	70.95	-0.34
927	6/26/2020 10:10:15	1.286	452.43	70.82	-0.13
5000' START 5 MIN					
928	6/26/2020 10:10:20	1.288	452.27	70.67	-0.16
929	6/26/2020 10:10:25	1.289	452.34	70.50	0.07
930	6/26/2020 10:10:30	1.290	452.22	70.36	-0.12
931	6/26/2020 10:10:35	1.292	452.16	70.25	-0.06
932	6/26/2020 10:10:40	1.293	452.15	70.17	-0.01
933	6/26/2020 10:10:45	1.294	452.30	70.11	0.15
934	6/26/2020 10:10:50	1.296	452.17	70.05	-0.13
935	6/26/2020 10:10:55	1.297	452.15	70.01	-0.02
936	6/26/2020 10:11:00	1.299	452.18	69.97	0.03
937	6/26/2020 10:11:05	1.300	452.22	69.94	0.03
938	6/26/2020 10:11:10	1.301	452.18	69.91	-0.04
939	6/26/2020 10:11:15	1.303	452.14	69.88	-0.04
940	6/26/2020 10:11:20	1.304	452.18	69.85	0.04
941	6/26/2020 10:11:25	1.306	452.18	69.82	0.00
942	6/26/2020 10:11:30	1.307	452.19	69.80	0.01
943	6/26/2020 10:11:35	1.308	452.10	69.77	-0.09
944	6/26/2020 10:11:40	1.310	452.25	69.75	0.15
945	6/26/2020 10:11:45	1.311	452.22	69.72	-0.03
946	6/26/2020 10:11:50	1.313	452.15	69.70	-0.07
947	6/26/2020 10:11:55	1.314	452.19	69.68	0.04
948	6/26/2020 10:12:00	1.315	452.12	69.65	-0.07
949	6/26/2020 10:12:05	1.317	452.26	69.63	0.14
950	6/26/2020 10:12:10	1.318	452.25	69.61	-0.01
951	6/26/2020 10:12:15	1.319	452.29	69.59	0.04
952	6/26/2020 10:12:20	1.321	452.32	69.57	0.03
953	6/26/2020 10:12:25	1.322	452.15	69.54	-0.16
954	6/26/2020 10:12:30	1.324	452.27	69.53	0.12
955	6/26/2020 10:12:35	1.325	452.13	69.51	-0.14
956	6/26/2020 10:12:40	1.326	452.14	69.48	0.01
957	6/26/2020 10:12:45	1.328	452.33	69.46	0.19
958	6/26/2020 10:12:50	1.329	452.17	69.45	-0.16
959	6/26/2020 10:12:55	1.331	452.07	69.43	-0.11
960	6/26/2020 10:13:00	1.332	452.22	69.41	0.15
961	6/26/2020 10:13:05	1.333	452.21	69.39	-0.01
962	6/26/2020 10:13:10	1.335	452.33	69.37	0.12
963	6/26/2020 10:13:15	1.336	452.23	69.35	-0.11
964	6/26/2020 10:13:20	1.338	452.16	69.33	-0.07
965	6/26/2020 10:13:25	1.339	452.34	69.32	0.18
966	6/26/2020 10:13:30	1.340	452.16	69.30	-0.18
967	6/26/2020 10:13:35	1.342	452.22	69.28	0.07
968	6/26/2020 10:13:40	1.343	452.23	69.26	0.01
969	6/26/2020 10:13:45	1.344	452.35	69.25	0.12
970	6/26/2020 10:13:50	1.346	452.38	69.23	0.03
971	6/26/2020 10:13:55	1.347	452.35	69.21	-0.03
972	6/26/2020 10:14:00	1.349	452.23	69.20	-0.12
973	6/26/2020 10:14:05	1.350	452.30	69.19	0.07
974	6/26/2020 10:14:10	1.351	452.42	69.17	0.12
975	6/26/2020 10:14:15	1.353	452.33	69.15	-0.08
976	6/26/2020 10:14:20	1.354	452.21	69.14	-0.12
977	6/26/2020 10:14:25	1.356	452.35	69.12	0.14

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
978	6/26/2020 10:14:30	1.357	452.32	69.10	-0.03
979	6/26/2020 10:14:35	1.358	452.28	69.09	-0.05
980	6/26/2020 10:14:40	1.360	452.40	69.08	0.12
981	6/26/2020 10:14:45	1.361	452.24	69.06	-0.16
982	6/26/2020 10:14:50	1.363	452.22	69.05	-0.02
983	6/26/2020 10:14:55	1.364	452.23	69.03	0.01
984	6/26/2020 10:15:00	1.365	452.35	69.02	0.12
985	6/26/2020 10:15:05	1.367	452.38	69.01	0.03
986	6/26/2020 10:15:10	1.368	452.35	68.99	-0.03
987	6/26/2020 10:15:15	1.369	452.49	68.98	0.14
5000' END 5 MIN					
988	6/26/2020 10:15:20	1.371	452.39	68.97	-0.10
989	6/26/2020 10:15:25	1.372	452.03	68.95	-0.36
990	6/26/2020 10:15:30	1.374	451.83	68.94	-0.20
991	6/26/2020 10:15:35	1.375	451.60	68.88	-0.24
992	6/26/2020 10:15:40	1.376	451.21	68.80	-0.38
993	6/26/2020 10:15:45	1.378	451.01	68.68	-0.20
994	6/26/2020 10:15:50	1.379	450.55	68.53	-0.46
995	6/26/2020 10:15:55	1.381	450.18	68.35	-0.37
996	6/26/2020 10:16:00	1.382	449.58	68.14	-0.61
997	6/26/2020 10:16:05	1.383	449.31	67.91	-0.27
998	6/26/2020 10:16:10	1.385	448.82	67.65	-0.49
999	6/26/2020 10:16:15	1.386	448.41	67.38	-0.42
1000	6/26/2020 10:16:20	1.388	447.70	67.09	-0.71
1001	6/26/2020 10:16:25	1.389	447.38	66.80	-0.32
1002	6/26/2020 10:16:30	1.390	446.83	66.48	-0.55
1003	6/26/2020 10:16:35	1.392	446.49	66.16	-0.33
1004	6/26/2020 10:16:40	1.393	445.89	65.84	-0.60
1005	6/26/2020 10:16:45	1.394	445.51	65.49	-0.38
1006	6/26/2020 10:16:50	1.396	445.10	65.15	-0.40
1007	6/26/2020 10:16:55	1.397	444.53	64.80	-0.57
1008	6/26/2020 10:17:00	1.399	444.10	64.45	-0.43
1009	6/26/2020 10:17:05	1.400	443.69	64.09	-0.41
1010	6/26/2020 10:17:10	1.401	443.23	63.73	-0.47
1011	6/26/2020 10:17:15	1.403	442.83	63.36	-0.40
5000' START 5 MIN					
1012	6/26/2020 10:17:20	1.404	442.71	63.00	-0.12
1013	6/26/2020 10:17:25	1.406	442.13	62.64	-0.57
1014	6/26/2020 10:17:30	1.407	442.33	62.31	0.20
1015	6/26/2020 10:17:35	1.408	441.98	62.06	-0.35
1016	6/26/2020 10:17:40	1.410	442.14	61.86	0.16
1017	6/26/2020 10:17:45	1.411	441.98	61.71	-0.16
1018	6/26/2020 10:17:50	1.413	442.24	61.60	0.26
1019	6/26/2020 10:17:55	1.414	442.01	61.50	-0.24
1020	6/26/2020 10:18:00	1.415	442.07	61.43	0.07
1021	6/26/2020 10:18:05	1.417	442.14	61.36	0.07
1022	6/26/2020 10:18:10	1.418	442.27	61.29	0.13
1023	6/26/2020 10:18:15	1.419	442.18	61.24	-0.09
1024	6/26/2020 10:18:20	1.421	442.15	61.19	-0.03
1025	6/26/2020 10:18:25	1.422	442.18	61.13	0.03
1026	6/26/2020 10:18:30	1.424	442.08	61.09	-0.10
1027	6/26/2020 10:18:35	1.425	442.18	61.04	0.10
1028	6/26/2020 10:18:40	1.426	442.10	61.00	-0.08
1029	6/26/2020 10:18:45	1.428	442.22	60.96	0.12
1030	6/26/2020 10:18:50	1.429	442.18	60.92	-0.04
1031	6/26/2020 10:18:55	1.431	442.18	60.88	0.00
1032	6/26/2020 10:19:00	1.432	442.04	60.84	-0.13
1033	6/26/2020 10:19:05	1.433	442.10	60.81	0.05
1034	6/26/2020 10:19:10	1.435	442.08	60.77	-0.02
1035	6/26/2020 10:19:15	1.436	442.20	60.74	0.12
1036	6/26/2020 10:19:20	1.438	442.01	60.70	-0.19
1037	6/26/2020 10:19:25	1.439	442.10	60.67	0.09
1038	6/26/2020 10:19:30	1.440	441.99	60.63	-0.11
1039	6/26/2020 10:19:35	1.442	442.16	60.60	0.16
1040	6/26/2020 10:19:40	1.443	442.05	60.57	-0.11
1041	6/26/2020 10:19:45	1.444	442.05	60.53	0.00
1042	6/26/2020 10:19:50	1.446	442.14	60.50	0.09
1043	6/26/2020 10:19:55	1.447	442.13	60.47	0.00
1044	6/26/2020 10:20:00	1.449	442.05	60.44	-0.09
1045	6/26/2020 10:20:05	1.450	442.14	60.41	0.09

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
1046	6/26/2020 10:20:10	1.451	442.19	60.38	0.06
1047	6/26/2020 10:20:15	1.453	442.27	60.35	0.07
1048	6/26/2020 10:20:20	1.454	442.31	60.32	0.04
1049	6/26/2020 10:20:25	1.456	442.33	60.29	0.02
1050	6/26/2020 10:20:30	1.457	442.18	60.26	-0.15
1051	6/26/2020 10:20:35	1.458	442.11	60.24	-0.07
1052	6/26/2020 10:20:40	1.460	442.09	60.21	-0.02
1053	6/26/2020 10:20:45	1.461	442.21	60.18	0.11
1054	6/26/2020 10:20:50	1.463	442.25	60.16	0.04
1055	6/26/2020 10:20:55	1.464	442.16	60.13	-0.09
1056	6/26/2020 10:21:00	1.465	442.20	60.11	0.04
1057	6/26/2020 10:21:05	1.467	442.16	60.08	-0.04
1058	6/26/2020 10:21:10	1.468	442.24	60.05	0.08
1059	6/26/2020 10:21:15	1.469	442.10	60.03	-0.14
1060	6/26/2020 10:21:20	1.471	442.17	60.00	0.07
1061	6/26/2020 10:21:25	1.472	442.07	59.98	-0.10
1062	6/26/2020 10:21:30	1.474	442.19	59.96	0.12
1063	6/26/2020 10:21:35	1.475	442.26	59.93	0.08
1064	6/26/2020 10:21:40	1.476	442.12	59.91	-0.14
1065	6/26/2020 10:21:45	1.478	442.20	59.89	0.08
1066	6/26/2020 10:21:50	1.479	442.21	59.87	0.01
1067	6/26/2020 10:21:55	1.481	442.14	59.85	-0.07
1068	6/26/2020 10:22:00	1.482	442.20	59.83	0.06
1069	6/26/2020 10:22:05	1.483	442.10	59.80	-0.10
1070	6/26/2020 10:22:10	1.485	442.05	59.78	-0.05
1071	6/26/2020 10:22:15	1.486	442.02	59.76	-0.03
4000' END 5 MIN					
1072	6/26/2020 10:22:20	1.488	442.02	59.74	0.01
1073	6/26/2020 10:22:25	1.489	442.16	59.72	0.13
1074	6/26/2020 10:22:30	1.490	441.84	59.70	-0.32
1075	6/26/2020 10:22:35	1.492	441.47	59.67	-0.36
1076	6/26/2020 10:22:40	1.493	441.12	59.61	-0.35
1077	6/26/2020 10:22:45	1.494	440.71	59.50	-0.41
1078	6/26/2020 10:22:50	1.496	440.17	59.35	-0.54
1079	6/26/2020 10:22:55	1.497	439.69	59.16	-0.48
1080	6/26/2020 10:23:00	1.499	439.19	58.93	-0.50
1081	6/26/2020 10:23:05	1.500	438.96	58.65	-0.23
1082	6/26/2020 10:23:10	1.501	438.35	58.33	-0.61
1083	6/26/2020 10:23:15	1.503	437.98	57.97	-0.37
1084	6/26/2020 10:23:20	1.504	437.63	57.58	-0.35
1085	6/26/2020 10:23:25	1.506	436.99	57.16	-0.64
1086	6/26/2020 10:23:30	1.507	436.50	56.72	-0.49
1087	6/26/2020 10:23:35	1.508	436.04	56.26	-0.46
1088	6/26/2020 10:23:40	1.510	435.62	55.79	-0.42
1089	6/26/2020 10:23:45	1.511	435.27	55.30	-0.35
1090	6/26/2020 10:23:50	1.513	434.69	54.79	-0.58
1091	6/26/2020 10:23:55	1.514	434.15	54.27	-0.53
1092	6/26/2020 10:24:00	1.515	433.64	53.75	-0.52
1093	6/26/2020 10:24:05	1.517	433.15	53.22	-0.48
1094	6/26/2020 10:24:10	1.518	432.70	52.68	-0.45
1095	6/26/2020 10:24:15	1.519	432.29	52.11	-0.41
3000' START 5 MIN					
1096	6/26/2020 10:24:20	1.521	432.25	51.50	-0.04
1097	6/26/2020 10:24:25	1.522	432.06	50.89	-0.18
1098	6/26/2020 10:24:30	1.524	432.07	50.37	0.01
1099	6/26/2020 10:24:35	1.525	431.92	49.97	-0.15
1100	6/26/2020 10:24:40	1.526	431.93	49.67	0.01
1101	6/26/2020 10:24:45	1.528	431.90	49.43	-0.03
1102	6/26/2020 10:24:50	1.529	431.89	49.23	0.00
1103	6/26/2020 10:24:55	1.531	431.85	49.06	-0.04
1104	6/26/2020 10:25:00	1.532	431.86	48.92	0.01
1105	6/26/2020 10:25:05	1.533	431.85	48.78	-0.01
1106	6/26/2020 10:25:10	1.535	431.85	48.65	0.00
1107	6/26/2020 10:25:15	1.536	431.82	48.54	-0.03
1108	6/26/2020 10:25:20	1.538	431.92	48.43	0.10
1109	6/26/2020 10:25:25	1.539	431.84	48.33	-0.08
1110	6/26/2020 10:25:30	1.540	431.83	48.23	-0.02
1111	6/26/2020 10:25:35	1.542	431.85	48.14	0.02
1112	6/26/2020 10:25:40	1.543	431.97	48.05	0.13
1113	6/26/2020 10:25:45	1.544	431.87	47.96	-0.10

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
1114	6/26/2020 10:25:50	1.546	431.86	47.88	-0.01
1115	6/26/2020 10:25:55	1.547	431.97	47.80	0.11
1116	6/26/2020 10:26:00	1.549	431.93	47.72	-0.05
1117	6/26/2020 10:26:05	1.550	431.86	47.64	-0.06
1118	6/26/2020 10:26:10	1.551	431.78	47.56	-0.08
1119	6/26/2020 10:26:15	1.553	431.90	47.48	0.12
1120	6/26/2020 10:26:20	1.554	432.00	47.41	0.10
1121	6/26/2020 10:26:25	1.556	431.92	47.33	-0.08
1122	6/26/2020 10:26:30	1.557	431.83	47.26	-0.10
1123	6/26/2020 10:26:35	1.558	431.89	47.19	0.06
1124	6/26/2020 10:26:40	1.560	431.87	47.11	-0.02
1125	6/26/2020 10:26:45	1.561	431.87	47.05	0.00
1126	6/26/2020 10:26:50	1.563	431.99	46.98	0.12
1127	6/26/2020 10:26:55	1.564	432.00	46.91	0.02
1128	6/26/2020 10:27:00	1.565	432.04	46.84	0.03
1129	6/26/2020 10:27:05	1.567	431.86	46.78	-0.18
1130	6/26/2020 10:27:10	1.568	431.86	46.71	0.00
1131	6/26/2020 10:27:15	1.569	432.02	46.65	0.16
1132	6/26/2020 10:27:20	1.571	431.96	46.58	-0.06
1133	6/26/2020 10:27:25	1.572	431.87	46.52	-0.09
1134	6/26/2020 10:27:30	1.574	432.00	46.46	0.12
1135	6/26/2020 10:27:35	1.575	432.04	46.40	0.04
1136	6/26/2020 10:27:40	1.576	431.95	46.34	-0.09
1137	6/26/2020 10:27:45	1.578	431.88	46.28	-0.07
1138	6/26/2020 10:27:50	1.579	431.90	46.22	0.02
1139	6/26/2020 10:27:55	1.581	432.05	46.17	0.15
1140	6/26/2020 10:28:00	1.582	431.93	46.11	-0.12
1141	6/26/2020 10:28:05	1.583	432.09	46.05	0.16
1142	6/26/2020 10:28:10	1.585	431.88	46.00	-0.21
1143	6/26/2020 10:28:15	1.586	432.04	45.94	0.16
1144	6/26/2020 10:28:20	1.588	431.89	45.89	-0.15
1145	6/26/2020 10:28:25	1.589	432.13	45.84	0.24
1146	6/26/2020 10:28:30	1.590	431.89	45.79	-0.24
1147	6/26/2020 10:28:35	1.592	432.03	45.73	0.15
1148	6/26/2020 10:28:40	1.593	432.01	45.68	-0.03
1149	6/26/2020 10:28:45	1.594	432.09	45.64	0.08
1150	6/26/2020 10:28:50	1.596	432.00	45.59	-0.08
1151	6/26/2020 10:28:55	1.597	431.85	45.54	-0.15
1152	6/26/2020 10:29:00	1.599	432.06	45.49	0.20
1153	6/26/2020 10:29:05	1.600	432.01	45.45	-0.04
1154	6/26/2020 10:29:10	1.601	432.01	45.40	-0.01
1155	6/26/2020 10:29:15	1.603	431.89	45.35	-0.11
	3000'	END 5 MIN			
1156	6/26/2020 10:29:20	1.604	431.97	45.31	0.08
1157	6/26/2020 10:29:25	1.606	431.63	45.26	-0.34
1158	6/26/2020 10:29:30	1.607	431.27	45.19	-0.36
1159	6/26/2020 10:29:35	1.608	430.90	45.05	-0.37
1160	6/26/2020 10:29:40	1.610	430.56	44.82	-0.34
1161	6/26/2020 10:29:45	1.611	430.26	44.51	-0.30
1162	6/26/2020 10:29:50	1.613	430.02	44.13	-0.25
1163	6/26/2020 10:29:55	1.614	429.50	43.70	-0.52
1164	6/26/2020 10:30:00	1.615	429.11	43.23	-0.38
1165	6/26/2020 10:30:05	1.617	428.63	42.75	-0.48
1166	6/26/2020 10:30:10	1.618	428.14	42.24	-0.49
1167	6/26/2020 10:30:15	1.619	427.75	41.71	-0.39
1168	6/26/2020 10:30:20	1.621	427.09	41.18	-0.66
1169	6/26/2020 10:30:25	1.622	426.69	40.65	-0.40
1170	6/26/2020 10:30:30	1.624	426.36	40.10	-0.33
1171	6/26/2020 10:30:35	1.625	425.91	39.56	-0.45
1172	6/26/2020 10:30:40	1.626	425.41	39.01	-0.50
1173	6/26/2020 10:30:45	1.628	424.96	38.46	-0.45
1174	6/26/2020 10:30:50	1.629	424.49	37.92	-0.46
1175	6/26/2020 10:30:55	1.631	424.00	37.38	-0.49
1176	6/26/2020 10:31:00	1.632	423.60	36.85	-0.40
1177	6/26/2020 10:31:05	1.633	423.24	36.34	-0.35
1178	6/26/2020 10:31:10	1.635	422.85	35.84	-0.40
1179	6/26/2020 10:31:15	1.636	422.45	35.39	-0.39
	2000'	START 5 MIN			
1180	6/26/2020 10:31:20	1.638	422.20	34.96	-0.26
1181	6/26/2020 10:31:25	1.639	422.25	34.56	0.06

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
1182	6/26/2020 10:31:30	1.640	422.10	34.22	-0.15
1183	6/26/2020 10:31:35	1.642	422.08	33.98	-0.02
1184	6/26/2020 10:31:40	1.643	422.07	33.79	-0.01
1185	6/26/2020 10:31:45	1.644	422.07	33.65	0.00
1186	6/26/2020 10:31:50	1.646	421.96	33.54	-0.11
1187	6/26/2020 10:31:55	1.647	422.01	33.45	0.06
1188	6/26/2020 10:32:00	1.649	422.01	33.37	-0.01
1189	6/26/2020 10:32:05	1.650	422.09	33.29	0.08
1190	6/26/2020 10:32:10	1.651	422.06	33.22	-0.03
1191	6/26/2020 10:32:15	1.653	422.16	33.16	0.10
1192	6/26/2020 10:32:20	1.654	422.06	33.10	-0.10
1193	6/26/2020 10:32:25	1.656	422.05	33.05	-0.01
1194	6/26/2020 10:32:30	1.657	422.18	33.00	0.13
1195	6/26/2020 10:32:35	1.658	422.02	32.94	-0.16
1196	6/26/2020 10:32:40	1.660	422.29	32.90	0.27
1197	6/26/2020 10:32:45	1.661	422.16	32.85	-0.13
1198	6/26/2020 10:32:50	1.663	422.28	32.81	0.12
1199	6/26/2020 10:32:55	1.664	422.13	32.76	-0.14
1200	6/26/2020 10:33:00	1.665	422.18	32.72	0.05
1201	6/26/2020 10:33:05	1.667	422.14	32.67	-0.04
1202	6/26/2020 10:33:10	1.668	422.14	32.63	0.00
1203	6/26/2020 10:33:15	1.669	422.06	32.59	-0.07
1204	6/26/2020 10:33:20	1.671	422.20	32.55	0.13
1205	6/26/2020 10:33:25	1.672	422.11	32.51	-0.09
1206	6/26/2020 10:33:30	1.674	422.26	32.48	0.15
1207	6/26/2020 10:33:35	1.675	422.22	32.43	-0.04
1208	6/26/2020 10:33:40	1.676	422.22	32.39	0.00
1209	6/26/2020 10:33:45	1.678	422.31	32.35	0.08
1210	6/26/2020 10:33:50	1.679	422.13	32.32	-0.17
1211	6/26/2020 10:33:55	1.681	422.20	32.28	0.07
1212	6/26/2020 10:34:00	1.682	422.22	32.25	0.02
1213	6/26/2020 10:34:05	1.683	422.22	32.21	0.00
1214	6/26/2020 10:34:10	1.685	422.28	32.17	0.07
1215	6/26/2020 10:34:15	1.686	422.21	32.14	-0.07
1216	6/26/2020 10:34:20	1.688	422.23	32.11	0.02
1217	6/26/2020 10:34:25	1.689	422.25	32.07	0.02
1218	6/26/2020 10:34:30	1.690	422.28	32.03	0.03
1219	6/26/2020 10:34:35	1.692	422.23	32.00	-0.05
1220	6/26/2020 10:34:40	1.693	422.20	31.97	-0.03
1221	6/26/2020 10:34:45	1.694	422.18	31.93	-0.02
1222	6/26/2020 10:34:50	1.696	422.27	31.91	0.09
1223	6/26/2020 10:34:55	1.697	422.37	31.87	0.10
1224	6/26/2020 10:35:00	1.699	422.25	31.84	-0.12
1225	6/26/2020 10:35:05	1.700	422.20	31.81	-0.05
1226	6/26/2020 10:35:10	1.701	422.31	31.78	0.11
1227	6/26/2020 10:35:15	1.703	422.26	31.75	-0.05
1228	6/26/2020 10:35:20	1.704	422.26	31.72	0.00
1229	6/26/2020 10:35:25	1.706	422.21	31.69	-0.05
1230	6/26/2020 10:35:30	1.707	422.17	31.66	-0.05
1231	6/26/2020 10:35:35	1.708	422.34	31.64	0.18
1232	6/26/2020 10:35:40	1.710	422.29	31.61	-0.05
1233	6/26/2020 10:35:45	1.711	422.23	31.58	-0.07
1234	6/26/2020 10:35:50	1.713	422.25	31.55	0.02
1235	6/26/2020 10:35:55	1.714	422.25	31.53	0.00
1236	6/26/2020 10:36:00	1.715	422.31	31.50	0.06
1237	6/26/2020 10:36:05	1.717	422.26	31.47	-0.05
1238	6/26/2020 10:36:10	1.718	422.20	31.45	-0.06
1239	6/26/2020 10:36:15	1.719	422.34	31.42	0.14
	2000'	END 5 MIN			
1240	6/26/2020 10:36:20	1.721	422.39	31.40	0.06
1241	6/26/2020 10:36:25	1.722	422.11	31.38	-0.28
1242	6/26/2020 10:36:30	1.724	421.59	31.34	-0.52
1243	6/26/2020 10:36:35	1.725	421.26	31.27	-0.33
1244	6/26/2020 10:36:40	1.726	420.84	31.14	-0.42
1245	6/26/2020 10:36:45	1.728	420.26	30.98	-0.58
1246	6/26/2020 10:36:50	1.729	419.75	30.78	-0.51
1247	6/26/2020 10:36:55	1.731	419.39	30.55	-0.37
1248	6/26/2020 10:37:00	1.732	418.84	30.30	-0.55
1249	6/26/2020 10:37:05	1.733	418.43	30.04	-0.40
1250	6/26/2020 10:37:10	1.735	418.11	29.75	-0.32

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
1251	6/26/2020 10:37:15	1.736	417.65	29.46	-0.46
1252	6/26/2020 10:37:20	1.738	417.20	29.16	-0.45
1253	6/26/2020 10:37:25	1.739	416.68	28.86	-0.52
1254	6/26/2020 10:37:30	1.740	416.22	28.55	-0.45
1255	6/26/2020 10:37:35	1.742	415.73	28.22	-0.49
1256	6/26/2020 10:37:40	1.743	415.27	27.89	-0.46
1257	6/26/2020 10:37:45	1.744	414.93	27.55	-0.35
1258	6/26/2020 10:37:50	1.746	414.44	27.20	-0.48
1259	6/26/2020 10:37:55	1.747	413.98	26.84	-0.47
1260	6/26/2020 10:38:00	1.749	413.51	26.48	-0.47
1261	6/26/2020 10:38:05	1.750	413.07	26.12	-0.43
1262	6/26/2020 10:38:10	1.751	412.77	25.74	-0.30
1000' START 5 MIN					
1263	6/26/2020 10:38:15	1.753	412.22	25.37	-0.55
1264	6/26/2020 10:38:20	1.754	412.23	25.01	0.01
1265	6/26/2020 10:38:25	1.756	412.27	24.70	0.04
1266	6/26/2020 10:38:30	1.757	412.24	24.48	-0.03
1267	6/26/2020 10:38:35	1.758	412.27	24.31	0.03
1268	6/26/2020 10:38:40	1.760	412.30	24.19	0.03
1269	6/26/2020 10:38:45	1.761	412.26	24.09	-0.04
1270	6/26/2020 10:38:50	1.763	412.27	24.01	0.02
1271	6/26/2020 10:38:55	1.764	412.19	23.94	-0.08
1272	6/26/2020 10:39:00	1.765	412.18	23.88	-0.01
1273	6/26/2020 10:39:05	1.767	412.38	23.82	0.20
1274	6/26/2020 10:39:10	1.768	412.27	23.77	-0.10
1275	6/26/2020 10:39:15	1.769	412.27	23.72	0.00
1276	6/26/2020 10:39:20	1.771	412.41	23.68	0.13
1277	6/26/2020 10:39:25	1.772	412.30	23.64	-0.10
1278	6/26/2020 10:39:30	1.774	412.25	23.60	-0.05
1279	6/26/2020 10:39:35	1.775	412.34	23.56	0.09
1280	6/26/2020 10:39:40	1.776	412.31	23.53	-0.03
1281	6/26/2020 10:39:45	1.778	412.36	23.49	0.05
1282	6/26/2020 10:39:50	1.779	412.41	23.46	0.05
1283	6/26/2020 10:39:55	1.781	412.43	23.42	0.02
1284	6/26/2020 10:40:00	1.782	412.40	23.39	-0.03
1285	6/26/2020 10:40:05	1.783	412.37	23.36	-0.03
1286	6/26/2020 10:40:10	1.785	412.37	23.33	0.00
1287	6/26/2020 10:40:15	1.786	412.39	23.30	0.02
1288	6/26/2020 10:40:20	1.788	412.45	23.27	0.05
1289	6/26/2020 10:40:25	1.789	412.42	23.24	-0.03
1290	6/26/2020 10:40:30	1.790	412.42	23.21	0.00
1291	6/26/2020 10:40:35	1.792	412.41	23.18	-0.01
1292	6/26/2020 10:40:40	1.793	412.47	23.15	0.06
1293	6/26/2020 10:40:45	1.794	412.42	23.12	-0.05
1294	6/26/2020 10:40:50	1.796	412.46	23.09	0.04
1295	6/26/2020 10:40:55	1.797	412.45	23.06	-0.01
1296	6/26/2020 10:41:00	1.799	412.40	23.03	-0.05
1297	6/26/2020 10:41:05	1.800	412.58	23.01	0.17
1298	6/26/2020 10:41:10	1.801	412.46	22.98	-0.11
1299	6/26/2020 10:41:15	1.803	412.55	22.96	0.09
1300	6/26/2020 10:41:20	1.804	412.42	22.93	-0.13
1301	6/26/2020 10:41:25	1.806	412.53	22.90	0.11
1302	6/26/2020 10:41:30	1.807	412.50	22.87	-0.03
1303	6/26/2020 10:41:35	1.808	412.43	22.85	-0.08
1304	6/26/2020 10:41:40	1.810	412.55	22.82	0.12
1305	6/26/2020 10:41:45	1.811	412.54	22.80	-0.01
1306	6/26/2020 10:41:50	1.813	412.53	22.78	-0.01
1307	6/26/2020 10:41:55	1.814	412.48	22.75	-0.05
1308	6/26/2020 10:42:00	1.815	412.53	22.73	0.04
1309	6/26/2020 10:42:05	1.817	412.40	22.71	-0.13
1310	6/26/2020 10:42:10	1.818	412.64	22.68	0.24
1311	6/26/2020 10:42:15	1.819	412.63	22.66	-0.01
1312	6/26/2020 10:42:20	1.821	412.57	22.63	-0.06
1313	6/26/2020 10:42:25	1.822	412.60	22.61	0.02
1314	6/26/2020 10:42:30	1.824	412.67	22.59	0.07
1315	6/26/2020 10:42:35	1.825	412.48	22.57	-0.19
1316	6/26/2020 10:42:40	1.826	412.47	22.54	-0.01
1317	6/26/2020 10:42:45	1.828	412.66	22.53	0.19
1318	6/26/2020 10:42:50	1.829	412.62	22.50	-0.04
1319	6/26/2020 10:42:55	1.831	412.54	22.48	-0.08

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
1320	6/26/2020 10:43:00	1.832	412.67	22.46	0.13
1321	6/26/2020 10:43:05	1.833	412.56	22.44	-0.11
1322	6/26/2020 10:43:10	1.835	412.60	22.42	0.04
1000' END 5 MIN					
1323	6/26/2020 10:43:15	1.836	412.66	22.40	0.06
1324	6/26/2020 10:43:20	1.838	412.45	22.38	-0.21
1325	6/26/2020 10:43:25	1.839	411.90	22.36	-0.55
1326	6/26/2020 10:43:30	1.840	411.62	22.28	-0.28
1327	6/26/2020 10:43:35	1.842	411.15	22.15	-0.47
1328	6/26/2020 10:43:40	1.843	410.79	21.98	-0.36
1329	6/26/2020 10:43:45	1.844	410.12	21.77	-0.67
1330	6/26/2020 10:43:50	1.846	409.78	21.54	-0.34
1331	6/26/2020 10:43:55	1.847	409.39	21.29	-0.38
1332	6/26/2020 10:44:00	1.849	408.82	21.03	-0.57
1333	6/26/2020 10:44:05	1.850	408.63	20.75	-0.19
1334	6/26/2020 10:44:10	1.851	408.00	20.47	-0.63
1335	6/26/2020 10:44:15	1.853	407.45	20.18	-0.54
1336	6/26/2020 10:44:20	1.854	407.11	19.89	-0.35
1337	6/26/2020 10:44:25	1.856	406.63	19.59	-0.48
1338	6/26/2020 10:44:30	1.857	406.24	19.30	-0.39
1339	6/26/2020 10:44:35	1.858	405.79	19.00	-0.44
1340	6/26/2020 10:44:40	1.860	405.23	18.69	-0.56
1341	6/26/2020 10:44:45	1.861	404.89	18.39	-0.34
1342	6/26/2020 10:44:50	1.863	404.46	18.10	-0.44
1343	6/26/2020 10:44:55	1.864	403.89	17.80	-0.57
1344	6/26/2020 10:45:00	1.865	403.49	17.51	-0.40
0' START 5 MIN					
1345	6/26/2020 10:45:05	1.867	403.06	17.24	-0.43
1346	6/26/2020 10:45:10	1.868	403.03	16.98	-0.04
1347	6/26/2020 10:45:15	1.869	402.86	16.82	-0.17
1348	6/26/2020 10:45:20	1.871	402.78	16.80	-0.07
1349	6/26/2020 10:45:25	1.872	402.70	16.86	-0.08
1350	6/26/2020 10:45:30	1.874	402.74	16.97	0.04
1351	6/26/2020 10:45:35	1.875	402.70	17.11	-0.04
1352	6/26/2020 10:45:40	1.876	402.62	17.26	-0.08
1353	6/26/2020 10:45:45	1.878	402.60	17.43	-0.02
1354	6/26/2020 10:45:50	1.879	402.64	17.60	0.04
1355	6/26/2020 10:45:55	1.881	402.58	17.77	-0.06
1356	6/26/2020 10:46:00	1.882	402.46	17.95	-0.12
1357	6/26/2020 10:46:05	1.883	402.39	18.13	-0.07
1358	6/26/2020 10:46:10	1.885	402.40	18.30	0.01
1359	6/26/2020 10:46:15	1.886	402.43	18.48	0.03
1360	6/26/2020 10:46:20	1.888	402.41	18.65	-0.02
1361	6/26/2020 10:46:25	1.889	402.30	18.83	-0.11
1362	6/26/2020 10:46:30	1.890	402.33	18.99	0.03
1363	6/26/2020 10:46:35	1.892	402.34	19.17	0.01
1364	6/26/2020 10:46:40	1.893	402.25	19.34	-0.09
1365	6/26/2020 10:46:45	1.894	402.18	19.50	-0.07
1366	6/26/2020 10:46:50	1.896	402.12	19.67	-0.06
1367	6/26/2020 10:46:55	1.897	402.16	19.83	0.04
1368	6/26/2020 10:47:00	1.899	402.12	19.99	-0.04
1369	6/26/2020 10:47:05	1.900	402.17	20.14	0.06
1370	6/26/2020 10:47:10	1.901	402.08	20.29	-0.09
1371	6/26/2020 10:47:15	1.903	401.95	20.44	-0.13
1372	6/26/2020 10:47:20	1.904	401.99	20.59	0.04
1373	6/26/2020 10:47:25	1.906	401.86	20.73	-0.13
1374	6/26/2020 10:47:30	1.907	401.94	20.87	0.09
1375	6/26/2020 10:47:35	1.908	401.89	21.01	-0.05
1376	6/26/2020 10:47:40	1.910	401.83	21.14	-0.07
1377	6/26/2020 10:47:45	1.911	401.84	21.27	0.02
1378	6/26/2020 10:47:50	1.913	401.91	21.40	0.07
1379	6/26/2020 10:47:55	1.914	401.82	21.53	-0.09
1380	6/26/2020 10:48:00	1.915	401.77	21.66	-0.05
1381	6/26/2020 10:48:05	1.917	401.62	21.78	-0.15
1382	6/26/2020 10:48:10	1.918	401.66	21.90	0.05
1383	6/26/2020 10:48:15	1.919	401.64	22.01	-0.02
1384	6/26/2020 10:48:20	1.921	401.57	22.13	-0.07
1385	6/26/2020 10:48:25	1.922	401.55	22.25	-0.02
1386	6/26/2020 10:48:30	1.924	401.57	22.36	0.03
1387	6/26/2020 10:48:35	1.925	401.70	22.47	0.13

Line No.	Date Time	Time	Pressure	Temperature	dPressure
	M/d/yyyy HH:mm:ss	hr	psi	degC	psi
1388	6/26/2020 10:48:40	1.926	401.44	22.58	-0.26
1389	6/26/2020 10:48:45	1.928	401.50	22.69	0.06
1390	6/26/2020 10:48:50	1.929	401.55	22.79	0.06
1391	6/26/2020 10:48:55	1.931	401.47	22.89	-0.08
1392	6/26/2020 10:49:00	1.932	401.46	23.00	-0.01
1393	6/26/2020 10:49:05	1.933	401.42	23.09	-0.05
1394	6/26/2020 10:49:10	1.935	401.39	23.19	-0.03
1395	6/26/2020 10:49:15	1.936	401.48	23.28	0.09
1396	6/26/2020 10:49:20	1.938	401.40	23.38	-0.08
1397	6/26/2020 10:49:25	1.939	401.42	23.48	0.02
1398	6/26/2020 10:49:30	1.940	401.37	23.57	-0.05
1399	6/26/2020 10:49:35	1.942	401.29	23.66	-0.08
1400	6/26/2020 10:49:40	1.943	401.24	23.75	-0.05
1401	6/26/2020 10:49:45	1.944	401.27	23.83	0.03
1402	6/26/2020 10:49:50	1.946	401.27	23.92	0.00
1403	6/26/2020 10:49:55	1.947	401.17	24.00	-0.10
1404	6/26/2020 10:50:00	1.949	401.17	24.08	0.00
	0'	END 5 MIN			
1405	6/26/2020 10:50:05	1.950	401.17	24.16	0.00
1406	6/26/2020 10:50:10	1.951	401.17	24.24	0.00
1407	6/26/2020 10:50:15	1.953	401.05	24.32	-0.12
1408	6/26/2020 10:50:20	1.954	401.07	24.42	0.02
1409	6/26/2020 10:50:25	1.956	401.02	24.51	-0.05
1410	6/26/2020 10:50:30	1.957	400.92	24.60	-0.10
1411	6/26/2020 10:50:35	1.958	53.73	24.60	-347.20
1412	6/26/2020 10:50:40	1.960	15.54	24.55	-38.18
1413	6/26/2020 10:50:45	1.961	13.85	24.28	-1.69
1414	6/26/2020 10:50:50	1.963	14.20	23.99	0.34
1415	6/26/2020 10:50:55	1.964	14.01	23.78	-0.19
1416	6/26/2020 10:51:00	1.965	13.74	23.66	-0.27
1417	6/26/2020 10:51:05	1.967	13.61	23.59	-0.13
1418	6/26/2020 10:51:10	1.968	13.69	23.55	0.09
1419	6/26/2020 10:51:15	1.969	13.85	23.54	0.16
1420	6/26/2020 10:51:20	1.971	13.78	23.54	-0.07
1421	6/26/2020 10:51:25	1.972	14.01	23.56	0.23
1422	6/26/2020 10:51:30	1.974	13.94	23.56	-0.07
1423	6/26/2020 10:51:35	1.975	13.82	23.50	-0.12
1424	6/26/2020 10:51:40	1.976	13.85	23.45	0.03
1425	6/26/2020 10:51:45	1.978	13.79	23.42	-0.07
1426	6/26/2020 10:51:50	1.979	13.99	23.41	0.21
1427	6/26/2020 10:51:55	1.981	13.85	23.41	-0.14
1428	6/26/2020 10:52:00	1.982	13.88	23.43	0.03
1429	6/26/2020 10:52:05	1.983	13.80	23.45	-0.08
1430	6/26/2020 10:52:10	1.985	13.90	23.48	0.10
1431	6/26/2020 10:52:15	1.986	13.83	23.51	-0.07
1432	6/26/2020 10:52:20	1.988	13.68	23.55	-0.16
1433	6/26/2020 10:52:25	1.989	13.76	23.58	0.08
1434	6/26/2020 10:52:30	1.990	13.64	23.62	-0.12
1435	6/26/2020 10:52:35	1.992	13.57	23.66	-0.07
1436	6/26/2020 10:52:40	1.993	13.58	23.72	0.02
1437	6/26/2020 10:52:45	1.994	13.35	23.79	-0.24