District I 1625 N. French Dr., Hobbs, NM 88240 District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Proposed Alternative Method Permit or Closure Plan Application
Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Source plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
ease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the overnment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Fuller Production, Inc. OGRID #: 151182
Address:P. O. Box 11327 Midland, Tx 79702
Facility or well name: _Federal #1
API Number:30-045-06391OCD Permit Number:
U/L or Qtr/Qtr _G Section19 Township27N Range11.W County:SAN JUÂN
Center of Proposed Design: Latitude 36°33' 46:01475" ✓ Longitude -108° 02' 32:69973" W NAD: □1927 ☑ 1983
Surface Owner:  Federal  State Private Tribal Trust or Indian Allotment
☐ Pit:       Subsection F or G of 19.15.17.11 NMAC         Temporary:       ☐ Drilling       ☐ Workover         ☐ Permanent       ☐ Emergency       ☐ Cavitation       ☐ P&A         ☐ Lined       ☐ Unlined Liner type:       Thickness      mil       ☐ LLDPE       ☐ HDPE       ☐ PVC       ☐ Other         ☐ String-Reinforced       Welded       ☐ Factory       ☐ Other       Volume:       bbl       Dimensions:       L x W
Closed-loop System: Subsection H of:19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
Liner Seams: Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume:65
Volume:65bbl Type of fluid:Water
ank Construction material:Fiberglass
Below-grade tank: Subsection I of 19.15.17.11 NMAC  /olume:65
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other _30' X 30' X 2' berm surrounding
ank
Liner type. Thicknessmil`  HDPE PVC. Other

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	on of approval.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify 4' Field Fence	ķospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other Wire meshed top covering tank top  Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name; site location, and emergency telephone numbers.  Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested; if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval:  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	ppriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank:  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☑ Ño
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency; or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence; school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ⊠ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM-Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes X No
Within incorporated municipal boundaries or within:a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality.	☐ Ÿes ☒ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🖾 No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ⊠ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes 🛛 No
Nithin a 100-year floodplain.	☐ Yés ☒ :No:

- FEMA map		
Temporary Pits, Emergency Pits, and Below-grade Tanks P Instructions: Each of the following items must be attached to attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon Hydrogeologic Data (Temporary and Emergency Pits) - based upon Siting Criteria Compliance Demonstrations - based upon Design Plan - based upon the appropriate requirements of Operating and Maintenance Plan - based upon the approp Closure Plan (Please complete Boxes 14 through 18, if an and 19.15.17.13 NMAC	Sased upon the requirements of Paragraph the appropriate requirements of 19:15:17, f 19:15:17,11 NMAC or requirements of 19:15,17,12 NMAC	(2) of Subsection B of 19.15.17.9 NMAC 10 NMAC
Previously Approved Design (attach copy of design) AP	I.Number:, c	r. Permit Number:
Closed-loop Systems Permit Application Attachment Check Instructions: Each of the following items must be attached to attached.  Geologic and Hydrogeologic Data (only for on-site closured Siting Criteria Compliance Demonstrations (only for on-Design Plan - based upon the appropriate requirements of Operating and Maintenance Plan - based upon the appropriate Closure Plan (Please complete Boxes 14 through 18, if a and 19.15.17.13 NMAC	or the application. Please indicate; by a charge - based upon the requirements of Parassite closure) - based upon the appropriate of 19,15,17,11 NMAC priate requirements of 19,15,17,12 NMAC	graph (3) of Subsection B of 19.15.17.9 requirements of 19.15.17.10 NMAC
Previously Approved Design (attach copy of design)	API Number:	
•		(Applies only to closed-loop system that use
above ground sieel tanks or haul-off bins and propose to imple	ment waste removal for closure):	,
Permanent Pits Permit Application Checklist: Subsection E  Instructions: Each of the following items must be attached to attached.  Hydrogeologic Report - based upon the requirements of last ting Criteria Compliance Demonstrations - based upon Climatological Factors Assessment Certified Engineering Design Plans - based upon the app Dike Protection and Structural Integrity Design - based upon the appropriate requirements of last tiner Specifications and Compatibility Assessment - based upon the appropriate requirements of last tiner Specifications and Compatibility Assessment - based upon the appropriate requirements of last tiner specifications and Compatibility Assessment - based upon the appropriate reduction and Instance Operating and Maintenance Plan - based upon the appropriate reduction Plan - based upon Dil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of the structure of the propriate requirements of the structure of the str	Paragraph (1) of Subsection, B of 19,15,17 the appropriate requirements of 19,15,17 to the appropriate requirements of 19,15,17 the appropriate requirements of 19,15,17 the appropriate requirements of 19,15,17 the appropriate requirements of 19,15,17,11 NMAC dedupon the appropriate requirements of 1 tallation Plan priate requirements of 19,15,17,12 NMAC on the appropriate requirements of 19,15,17,17,12 NMAC on the appropriate requ	1.9 NMAC 10.NMAC AC 5.17:11 NMAC 9:15.17.11 NMAC
Proposed Closure: 19.15.17.13 NMAC		
☐ In-place Burial ☐ Alternative Closure Method (Ex	n P&A Permanent Pit Below  systems only)  for temporary pits and closed-loop system  On-site Trench Burial	grade Tank [ Closed-loop System
S. Waste Excavation and Removal Closure Plan Checklist: (19 Nosure plan. Please indicate, by a check mark in the box; that Protocols and Procedures - based upon the appropriate red Confirmation Sampling Plan (if applicable) - based upon Disposal Facility Name and Permit Number (for liquids, on Soil Backfill and Cover Design Specifications - based upon Re-vegetation Plan - based upon the appropriate requirem	if the documents are attached.  quirements of 19.15.17.13 NMAC  the appropriate requirements of Subsection drilling fluids and drill cuttings) on the appropriate requirements of Subsection	m F of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	
16.	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17. Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment	
facilities are required:  Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future.  Yes (If yes, please provide the information below) \( \subseteq \) No	
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H. of 19.15.17.13 NM Re-vegetation Plan - based upon the appropriate requirements of Subsection T of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	1AČ
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC  Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable s provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. It demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	listrict office or may be
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NĀ
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or play lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	a ☐ Yes ☐ No
Within 300 feet-from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring; in existence at the time of initial application of the State Engineer, IWATERS database; Visual inspection (certification) of the proposed site.	n. Yes;□, Ņö
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD Mining and Mineral Division	☐, Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain: - FEMA map	Yes No
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure	plan Plansa indicat-
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations, based upon the appropriate requirements of 19:15:17.10 NMAC.	komo r iendē tuniems,
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC	
Construction/Design Plan of Buriar Trench (if applicable) based upon the appropriate requirements of 19/13.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of Protocols and Procedures - based upon the appropriate requirements of 19/15.17.13 NMAC	9:15.17,11 NMAC

Confirmation Sampling Plan (if applicable) - based upon the Waste Material Sampling Plan - based upon the appropriate Disposal Facility Name and Permit Number (for liquids, dr Soil Cover Design - based upon the appropriate requiremer Re-vegetation Plan - based upon the appropriate requiremer Site Reclamation Plan - based upon the appropriate requiremer	e requirements of Subsection illing fluids and drill cutting ints of Subsection H. of 19.15 ints of Subsection I of 19.15.	n.F. of 19.15.17.13 NMAC s or in case on-site closure standards cannot be achieved) 17.13 NMAC 17.13 NMAC
19.		
Operator Application Certification:		
I hereby certify that the information submitted with this applicati	on is true, accurate and com	plete to the best of my knowledge and belief.
	itle: Vize Pres	
Signature:	E	Date: 3-8-11
e-mail address:	Telephone: 432 - 683	3-5661
OCD Approval: Permit Application (including closure plan	), Kanalan (Only)	OCD Conditions (see attachment)
OCD Representative Signature:	elly	Approval Date: 7/06/2011
Title: Compliance Officer	OCD Per	mit Number:
Closure Report (required within 60 days of closure completion Instructions: Operators are required to obtain an approved clos The closure report is required to be submitted to the division wit section of the form until an approved closure plan has been obtain	sure plan prior to implemen thin 60 days of the completi ained and the closure activi	ting any closure activities and submitting the closure report.  on of the closure activities. Please do not complete this
Closure Method:  Waste Excavation and Removal On-Site Closure Method  If different from approved plan, please explain.	od	Method  Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Close Instructions: Please indentify the facility or facilities for where two facilities were utilized.	d-loop Systems That Utiliz the liquids, drilling fluids a	e Above Ground Steel Tanks or Haul-off Bins Only: and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal 1	Facility Permit Number:
•	•	
Disposal Facility Name:	_	Facility Permit Number:
Were the closed-loop system operations and associated activities [ Yes (If yes, please demonstrate compliance to the items bel	performed on or in areas that low) \( \sum \text{No} \)	twill not be used for future service and operations?
Required for impacted areas which will not be used for future services.  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation	vice and operations:	
Re-vegetation Application Rates and Seeding Technique		
Closure Report Attachment Checklist: Instructions: Each of a mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for o Disposal Facility Name and Permit Number.  Soil Backfilling and Cover Installation		âttached to the closure report. Please indicate, by a check
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		
On-site Closure Location: Latitude	Longitude	NAD: □1927 □ 1983

Operator Closure Certification:	·	
I hereby certify that the information and attachments sui	omitted with this closure report is true, accurate and complete to the best of my knowledge and oplicable closure requirements and conditions specified in the approved closure plan.	
Name (Print):	Title:	
Signature:	Date:	_
e-mail address:	Telephone:	_

# NEW MEXICO OIL CONSERVATION COMMISSION WELL TO CATION AND ACREAGE DEDICATION DEAT

FORM C-128

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE  SECTION A  Operator  PERMAN OIL COMPANY  Lease  Township  19 27 DOPTH  Range 11 HEST.  SAN JULY  Actual Rootage Location of Vell:  1900 feet from the line and 1850 feet from the RAST line  Ground Level Elev.  Producing Formation  Ground Level Elev.  Producing Formation  Rafs HO plat dated 19 11 1850  ("Owner" me who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for him another. (65-3-29 (e) NMSA 1935 Comp.)  2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreem wise? YES  NO  If answer is "yes," Type of Consolidation  3. If the answer to question two is "no," list all the owners and their respective interests below:  Owner:  SECTION B  OCCI 1859  OUL CONCERTIFICATIONS  Name	
Unit Letter Section 19 27 DETE Range Range SAN FIAM  Actual Footage Location of Well:  1950 feet from the FOSTE line and 1850 feet from the RAST line  Ground Level Elev. Producing Formation Callego Range Outlined to the plat below? TES NO. ("Owner" me who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself	
Unit Letter  Section  Township  Town	
Actual Footage Location of Well:  1950 feet from the line and last feet from the BAST line  Ground Level Elev. Producing Formation Pool  1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? The No. ("Ouner" ine who, has the right to drill into and to produce from any pool and to appropriate the production either for himself or for	<b>`</b> 1
Ground Level Elev. Producing Formation Pool  Refs GIO plat dated 19 May 1915  1. Is the Operator the only owner in the dedicated acreage outlined to the plat below? YES 100	
1. Is the Operator the only owner in the dedicated acreage outlined on the plat below! YES 1 No	
1. Is the Operator the only owner in the dedicated acreage outlined to the plat below? YES 12 NO	reage:
who, bas the right to drill into and to produce from any pool and to appropriate the production either for himself or for himsanother. (65-3-29 (e) NMSA 1935 Comp.)  2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreem wise? YESNO If answer is "yes," Type of Consolidation	318.13
another. (65-3-29 (e) NMSA 1935 Comp.)  2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreem wise? YES NO If answer is "yes," Type of Consolidation  3. If the answer to question two is "no," list all the owners and their respective interests below:  Owner	
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreem wise? MESNO If answer is "yes," Type of Consolidation	seil audi
wise? YESNO If answer is "yes," Type of Consolidation  3. If the answer to question two is "no," list all the owners and their respective interests below:  Owner:  Land Description  OC; 1  1959  SECTION B  OL CONCERTIFICATION  Concertify that the in SECTION A above is plete, to the best of my keep to belief.  As Ta Signal	ant or other
3. If the answer to question two is "no," list all the owners and their respective interests below:  Owner:  Land Description  OC; 1  1959  SECTION B  OL CONCERTIFICATION  Concertify that the in SECTION A above is plete, to the best of my keep to belief.  As Ta Signal	ient or other-
Owner:  Land Description  OC 1 1959  SECTION B  OIL CONCERTIFICATI  DIST  Chereby certify that the in SPSTION A above is plete, to the best of my keep to belief.  As Ro. Standal	
SECTION B  SECTION B  OCT 1959  OIL CONCERTIFICATION  Chereby certify that the in SECTION A above is plete, to the best of my keep to the	<del>-</del>
SECTION B  CONCERTIFICATION  Chereby certify that the in SECTION A above is plete, to the best of my k belief.  A. T. Single	
SECTION B  CONCERTIFICATION  Chereby certify that the in SECTION A above is plete, to the best of my k belief.  A. T. Single	·  .
hereby certify that the in SECTION A above is plete, to the best of my keep the control of the c	
hereby certify that the in SECTION A above is plete, to the best of my keep the control of the c	ION
plete to the best of my k	
plete to the best of my k	informațica.
plete to the best of my k belief. As R. Statel	true, and com-
belief.	cnowledge and
	2V2. 10
Name	er history
l l l l l l l l l l l l l l l l l l l	
Road manage	
Position	
Permis Off C	م بعد م
1850' Company	
September 27,	1939
Daţe	
i -	
	<del></del>
199	
	3
I hereby certify that the	
shown on the plat in SEC	
plotted from field notes of	
surveys made by me or u	
supervision, and that the	
and correct to the best o	
and belief.	٠,
Date Surveyed	
21. Santanber	1.950
Registe red Professional	Engineer
and/or Land Surveyor	
	7
James 6.	/ - ±
	Leona_
0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0 ettincate No. 14	keena

# Fuller Production, Inc. San Juan Basin Closure Plan

In accordance with Rule 19.15.17.1 NMAC the following procedure describes the closure plan for the FULLER PRODUCTION, INC. below grade tank on the Federal #1 well located in the "G", SWNE of Sec 19, T27N, 11W.

#### **Closure Requirements:**

- 1. FULLER PRODUCTION, INC. shall close the below grade tank within the time periods provided in 19.15.17.13 NMAC or by an earlier date that the division requires because of imminent danger to fresh water, public health, or the environment.
- 2. FULLER PRODUCTION, INC. shall close an existing below grade tank that does not meet the requirements of Paragraph (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008 if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.
- 3. FULLER PRODUCTION, INC. shall close a permitted below grade tank within 60 days of cessation of the below ground tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on C-144.
- 4. All liquids will be removed from the temporary permit prior to closure and the liquids disposed of in a division approved facility.
- 5. FULLER PRODUCTION, INC. shall remove the below grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
- 6. FULLER PRODUCTION, INC. will remove any on-site equipment associated with the below grade tank unless the equipment is required for some other purpose.
- 7. FULLER PRODUCTION, INC. shall test the soils beneath the below grade tank to determine whether a release has occurred. FULLER PRODUCTION, INC. shall collect a five point composite sample and individual grab samples from any area that is wet, discolored, or showing other evidence of a release. The samples will be analyzed for BTEX, TPH, and chlorides to demonstrate that the benzene concentration as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not

exceed 50 mg/kg; the TPH concentration as determined by EPA method 418.1 or other EPA method that the division approves does not exceed 100 mg/kg; and the chloride concentration as determined by EPA method 300.1 or other EPA method that the division approves does not exceed 250 mg/kg or the background concentration, whichever is greater. FULLER PRODUCTION, INC. shall notify the division of its results on form C-141.

- 8. If FULLER PRODUCTION, INC. or the division determines that a release has occurred, then Fuller FULLER PRODUCTION, INC. shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC as appropriate.
- 9. If contamination is confirmed by field sampling. FULLER PRODUCTION, INC. will follow the Guidelines For Remediation Of Leaks, Spills, and Releases NMOCD August 1993 when remediating identified contaminants.
- 10. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, then FULLER PRODUCTION, INC. shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; re-contour, and revegetate the site.
- 11. Notice of closure will be given to the Aztec Division office between 72 hours and one week of closure via email or verbally. The notification of closure will include the following:
  - · Operator's name
  - · Location by Unit Letter, Section Township, and Range.
  - · Well name and API number
- 12. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the blow grade tank. The closure report will be filed on C-144 and incorporate the following:
  - · Details on capping and covering where applicable
  - · Inspection reports
  - · Sampling results
- 13. The site will be re-contoured to match the surrounding area. Natural drainages will be unimpeded and erosion control will be utilized where necessary.
- 14. FULLER PRODUCTION, INC. shall seed the disturbed areas the first growing season with a division approved seed mixture after pit closure. Seeding will be accomplished by drilling on the contour whenever possible or by other division approved methods. Repeat seeding or planting will be continued until successful vegetative growth occurs.

- 15. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the thickness of the topsoil native to the area, whichever is greater.
- 16. The surface owner shall be notified of FULLER PRODUCTION, INC.'s closing of the below grade tank as per the approved closure plan using certified mail with return receipt requested.

June 8, 2011

#### Federal #1

Below Grade Pit Tank Closure


The fiberglass, below grade tank was removed on 6-8-2011. The hydrocarbon contaminated soil (exempt), was removed using a backhoe. The final dimensions of the excavation were 12x12x10. The contaminated soil was minimal and was contained within the berms, and a pit liner beneath the tank. The excavation was backfilled with clean soil hauled in from a commercial pit. The hydrocarbon contaminated soil was hauled to a commercial landfarm (IEI). A C-138 was completed and submitted to IEI prior to the delivery of the contaminated soil. Samples were taken to Envirotech for analysis (see results). Requested tests include TPH 418.1, Chloride, TPH 8015 and BTEX 8021. A Chain Of Custody was completed and submitted with the soil samples.


If you have questions or concerns, feel free to contact me at 505-320-4969.

Thanks

Randy J. Elledge

Wapiti Energy Services, LLC





. .

District I , 1625 N. French Dr., Hobbs, NM 88240 District II

District III

District III District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico **Energy Minerals and Natural Resources**

Form C-138

Revised March 12, 2007

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

\*Surface Waste Management Facility Operator and Generator shall maintain and make this documentation available for Division inspection.

REQUEST	FOR APPROVAL TO ACCEPT SOLID	WASTE
nd Address:		

1.	Generator Name and Address:					
	Fuller Production					
2.	Originating Site:	,				
	FEDERAL #1	•				
3.	Location of Material (Street Address, City, State or U	LSTR):				
	S19 T27N R11W NM	•				
4.	Source and Description of Waste:				<del></del>	
Ну	dro-carbon contaminated soil	· ·				
5.	WILLIAM MERR do hereby certify that according to the Resource Con	ATION STA CICK, renservation a	TEMENT ( presentative nd Recovery	OF WASTE STATUOR authorized agent for Act (RCRA) and the	US forFuller Produce US Environments	
Ag	gency's July 1988 regulatory determination, the above described RCRA Exempt: Oil field wastes generated from oil a exempt waste. Operator Use Only: Waste Acceptant	; and gas exp	loration and p	production operation	s and are not mixe	d with non-
	RCRA Non-Exempt: Oil field waste which is non-har characteristics established in RCRA regulations, 40 CFR subpart D, as amended. The following documentation is the appropriate items)	261.21-261	.24, or listed	hazardous waste as	defined in 40 CFR	, part 261,
	MSDS Information   RCRA Hazardous Waste Analyst	sis 🛭 Pro	cess Knowle	dge 🔲 Other (Pro	vide description in	ı Box 4)
	GENERATOR 19.15.36.15 WASTE TESTING	CERTIFI	CATION ST	ATEMENT FOR I	LANDFARMS	
ha of	representative for resentative samples of the oil field waste have been subjective been found to conform to the specific requirements apply the representative samples are attached to demonstrate the 15.36 NMAC.	icable to lar	ıdfarms pursı	and tested for chlori ant to Section 15 of	19.15.36 NMAC.	it the samples The results
5.	Transporter:					
ΤP	TRUCKING	•				
-	D Permitted Surface Waste Management Facility	•				<del></del>
1	Name and Facility Permit #: Industrial Eco-Systems					
A	Address of Facility: #49 CR 3150 Aztec, NM 87410					
N	Method of Treatment and/or Disposal:					
	☐ Evaporation ☐ Injection ☐ Treating	Plant 🛛	Landfarm	Landfill [	Other	
Vas	ste Acceptance Status:		☐ DE	NIED (Must Be Mai	ntained As Permaı	nent Record)
PRI	NT NAME:	TITLE:			DATE:	
	NI A TIV TO D.	TEI		D.:		
•	NATURE: Surface Waste Management Facility Authorized Agent					



## **EPA METHOD 8015 Modified** Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	Fuller Production	Project #:	11106-0001
Sample ID:	Federal #1 3 Ft Below Pit	Date Reported:	06-09-11
Laboratory Number:	58417	Sampled:	06-08-11
Chain of Custody No:	11844	Date Received:	06-08-11
Sample Matrix:	Soil	Date Extracted:	06-08 <b>-</b> 11
Preservative:	Cool	Date Analyzed:	06-09-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	25.8	0.1
Total Petroleum Hydrocarbons	25.8	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Federal #1

Review



# **EPA METHOD 8015 Modified** Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Fuller Production	Project #:	11106-0001
Sample ID:	Federal #1 Bottom of Excavation	Date Reported:	06-09-11
Laboratory Number:	58418	Sampled:	06-08-11
Chain of Custody No:	11844	Date Received:	06-08-11
Sample Matrix:	Soil	Date Extracted:	06-08-11
Preservative:	Cool	Date Analyzed:	06-09-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum	ND .	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Federal #1



## **EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons**

## **Quality Assurance Report**

Client:	QA/QC	Project #:	N/A
Sample ID:	06-09-11 QA/QC	Date Reported:	06-09-11
Laboratory Number:	58417	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	06-09-11
Condition:	N/A	Analysis Requested:	TPH

	i-Cal Date-√	I-Cal RF	C-Cal RF: 9	6 Difference	Accept: Range:
Gasoline Range C5 - C10	06/09/11	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	06/09/11	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L=mg/Kg)	<b>Concentration</b>	Detection Limit
Gasoline Range C5 - C10	12.9	0,2
Diesel Range C10 - C28	2.9	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	25.8	24.9	3.5%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept: Range
Gasoline Range C5 - C10	ПD	250	244	97,7%	75 - 125%
Diesel Range C10 - C28	25.8	250	291	105%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 58417-58426, 58430-58431



#### **EPA METHOD 8021** AROMATIC VOLATILE ORGANICS

Client:	Fuller Production	Project #:	11106-0001
Sample ID:	Federal #1 3 Ft Below Pit	Date Reported:	06-09-11
Laboratory Number:	58417	Date Sampled:	06-08-11
Chain of Custody:	11844	Date Received:	06-08-11
Sample Matrix:	Soil	Date Analyzed:	06-09-11
Preservative:	Cool	Date Extracted:	06-08-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	· 0.9	
Toluene	1.1	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	2.9	1.2	
o-Xylene	ND	0.9	
Total BTEX	4.0		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	93.2 %
	1,4-difluorobenzene	101 %
	Bromochlorobenzene	103 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Federal #1

Review

#### **EPA METHOD 8021 AROMATIC VOLATILE ORGANICS**

Client:	Fuller Production	Project #:	11106-0001
Sample ID:	Federal #1 Bottom of Excavation	Date Reported:	06-09-11
		Date Sampled:	06-08-11
Laboratory Number:	58418	• • • • • • • • • • • • • • • • • • • •	
Chain of Custody:	11844	Date Received:	06-08-11
Sample Matrix:	Soil	Date Analyzed:	06-09-11
Preservative:	Cool	Date Extracted:	06-08-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
_		••	
Benzene	ND	0.9	
Toluene	1.8	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	3.1	1.2	
o-Xylene	ND	0.9	
Total BTEX	4.9	v.	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter		Percent Recovery	
	Fluorobenzene '	`	90.9 %	
	1,4-difluorobenzene		99.0 %	
	Bromochlorobenzene		97.6 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Federal #1



#### **EPA METHOD 8021 AROMATIC VOLATILE ORGANICS**

Client:	N/A		Project#:		N/A				
Sample ID:	0609BBLK QA/QC		Date Reported:		06-09-11				
Laboratory Number:	58417		Date Sampled:		N/A				
Sample Matrix:	Soil		Date Received:		N/A				
Preservative:	N/A		Date Analyzed:		08 <b>-09-11</b>				
Condition:	N/A		Analysis:	l	BTEX				
			Dilution:	1	0				
Calibration and Detection Limits (ug/L):	I-Cal RF		ie 0 - 15%	Blank Conc	Limit				
Detection Limits (ug/L):	2,2193E+008	Accept: Rand	0.2%	Conc	Limit 0.1				
Detection Limits (ug/L): Benzene		Accept Rang	je.0315%	Conc	0.1 0.1				
« Detection Limits (üg/L): Benzene Toluene	2.2183E+008	2.2237E+006	0.2%	Conc ND ND					
Calibration: and Calibration: Limits (Ug/L): Benzene Toluene Ethylbenzene p,m-Xylene	2,2193E+006 8,1078E+005	Accept Rang 2,2237E+006 8,1241E+005	0.2% 0.2% 0.2%	Conc ND ND	0.1				
Detection Limits (ug/L): Benzene Toluene Ethylbenzene	2.2193E+006 8.1078E+005 5.6869E+005	Accept: Ranc 2,2237E+006 8,1241E+005 5,6983E+006	0.2% 0.2% 0.2% 0.2%	Conc ND ND ND ND	0.1 0.1				

Duplicate Conc. (ug/Kg)	Sample Du	plicate (	%Diff.	Accept Range/	Detect-Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	1.1	1.1	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	2.9	3.5	20.7%	0 - 30%	1.2
o-Xylene	ND	ND	0,0%	0 - 30%	6.0

Spike Conc. (ug/Kg)	Samples Amo	unt Spiked   Spil	ked Sample %	Recovery	Accept Range	To the second
Benzene	ND	500	427	85.3%	39 - 150	
Toluene	1.1	<b>500</b>	434	86.6%	46 - 148	
Ethylbenzene	ND	500	404	80.7%	32 - 160	
p,m-Xylene	2,9	1000	1,020	102%	46 - 148	
o-Xylene	ND ,	500	496	99.2%	46 - 148	

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

**QA/QC for Samples 58417-58426** 

Review



## **EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS**

Client:	Fuller Production	Project #:	11106-0001
Sample ID:	Federal #1 3 Ft Below Pit	Date Reported:	06/09/11
Laboratory Number:	58417	Date Sampled:	06/08/11
Chain of Custody No:	11844	Date Received:	06/08/11
Sample Matrix:	Soil	Date Extracted:	06/09/11
Preservative:	Cool	Date Analyzed:	06/09/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
1	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

352

8.4

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Federal #1

Review

5796 US Highway 64, Farmington, NM 87401



# EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Fuller Production	Project #:	11106-0001
Sample ID:	Federal #1 Bottom of Excavation	Date Reported:	06/09/11
Laboratory Number:	58418	Date Sampled:	06/08/11
Chain of Custody No:	11844	Date Received:	06/08/11
Sample Matrix:	Soil	Date Extracted:	06/09/11
Preservative:	Cool	Date Analyzed:	06/09/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

43.6

8.4

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: Federal #1

Review



# **EPA METHOD 418.1** TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

**QA/QC** 

Project #:

N/A

Sample ID:

**QA/QC** 

Date Reported:

06/09/11

Laboratory Number:

06-09-TPH.QA/QC 58417

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

06/09/11

Preservative: Condition:

N/A N/A Date Extracted: Analysis Needed: 06/09/11 **TPH** 

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF: % Difference Accept, Range

06/08/11

06/09/11

1,760

1,640

6.8%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ДN

8.4

Duplicate Conc. (mg/Kg

Sample

Duplicate % Difference

Accept. Range

**TPH** 

**TPH** 

352

387

10.0%

+/- 30%

Spike Conc. (mg/Kg)

Sample 352

Spike Added Spike Result % Recovery 2.000

1,900

80.8%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

**QA/QC** for Samples 58417-58426

Review .



#### Chloride

Client:

**Fuller Production** 

Project #:

11106-0001

Sample ID:

Federal #1 3 Ft Below Pit

Date Reported:

06/09/11

Lab ID#:

58417

Date Sampled:

Sample Matrix:

Soil

Date Received:

06/08/11 06/08/11

Preservative:

Cool

Date Analyzed:

06/09/11

Condition:

Intact

Chain of Custody:

11844

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

130

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Federal #1

5796 US Highway 64, Farmington, NM 87401

Review



#### Chloride

Client:

**Fuller Production** 

Project #:

11106-0001

Sample ID:

Federal #1 Bottom of Excavation

Date Reported:

06/09/11

Lab ID#:

58418

Date Sampled:

06/08/11

Sample Matrix:

Soil

Date Received:

06/08/11

Preservative:

Cool

Date Analyzed:

06/09/11

Condition:

Intact

Chain of Custody:

11844

#### **Parameter**

#### Concentration (mg/Kg)

**Total Chloride** 

90

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Federal #1

5796 US Highway 64, Farmington, NM 87401

# CHAIN OF CUSTODY RECORD

11844

Client: Fuller Produ	Client: Fuller Production Project Name / Location: Federal #1													ANAL	YSIS	/ PAR	AME	TERS				
Client Address: PO	Box 1132	27	Sampler Name:			·			X_	1=			1	T			×	*				<u> </u>
Midland TX	79702_	,	Randy E		_				015	802	280			j								
Client Phone No.:			Client No.:	120					g	ठू	8	stats	S		₽						~	덫
505 320 -49	69			06-0	-0601		TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P		TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact		
Sample No./	Sample	Samp	ie i		Sample	No./Volume	Pres	ervative		X	0	A.	<u>e</u>	_	a,	_	H A	Ö			nple	l de
Identification	Date	Time	Lab No.		Matrix	of Containers	HgCl <sub>2</sub>	HCI	교	BT	9	윤	g	문	5	PAH	면	동			Sat	Sai
Federal#1 3Ft below pit	6/8/11	16:20	58岁7	801 Solid	Sludge Aqueous	,			タ	X							X	X			7	0
3 Ft below pot Federal #1 bothon of excavation	8/11	11:45~	58418	Solid Solid	Sludge Aqueous	,			X	X							X	x		1	2	Y
				Soil Solid	Sludge Aqueous															•		
				Soil Solid	Sludge Aqueous											-						
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous												_					
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	i
				Soil Solid	Sludge Aqueous	-																
				Soil Solid	Sludge Aqueous	,			-			•				,			_			,
Relinquished by: (Sign	nature)				Date 6/9/11	Time 2!23om	R	Received by (Signature)				68	ite ///	[	me ,3							
Relinquished by (Sign	nature)				1,-70	ZirJon	R	eceive	d by:	(Sign:	ature)								 , ,			
Relinquished by: (Sign	nature)						R	eceive	d by:	(Signa	ature)		<del></del> .		<del></del> -	<del></del> -			 			
,	_																			_		
send results Relledge@wa	to apitisu	c.co/	n		3	env		<b>ro</b>	_	_												
			5796 18	evdoiH 2	v 64 • Farmin	aton NIM 074	O1 -	ENE-ES	2-064	S a lat	.@anu	irotacl	a-ino o	OF72								