District I 1625 N French Dr , Hobbs, NM 88240 1301 W Grand Avenue, Artesia, NM88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

4	1	\	\
•	ינ	•	

Pit, Closed-Loop System, Belov	v-Grade Tank, or				
a. \ \	Proposed Alternative Method Permit or Closure Plan Application				
below-grade tank, or proposed alternative method	and the months of the second state of the second				
Instructions: Please submit one application (Form C-144) per individual pit, clease be advised that approval of this request does not relieve theoperator of liability should open transment. Nor does approval relieve the operator of its responsibility to comply with any other	erations result in pollution of surface water, ground water or the				
ı Operator: <u>Energen Resources</u>	OGRID#: 162928 .				
Address 2010 Afton Place, Farmington, New Mexico 87401					
Facility or well name New Mexico A COM 1E					
API Number3004526236 OCD Permit Number					
U/L or Qtr/Qtr D Section 16 Township 29N Range 12V					
Center of Proposed Design Latitude 36.73008 Longitude -108.108	357 NAD: □1927 ⊠ 1983				
Surface Owner 🛭 Federal 🗌 State 🗌 Private 🗍 Tribal Trust or Indian Allotment					
2					
Pit: Subsection F or G of 19.15 17.11 NMAC	,				
Temporary Drilling Workover					
Permanent Emergency Cavitation P&A					
Lined Unlined Liner type: Thicknessmil LLDPE HDPE	PVC Other				
String-Reinforced					
Liner Seams: Welded Factory Other Volume:	bbl Dimensions: Lx Wx D				
3					
☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to	a activities which require prior approval of a permit or notice of				
intent)	s activities which require prior approvar or a permit or nouce or				
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other	1224				
Lined Unlined Liner type Thicknessmil LLDPE HDP.	E PVC Other				
Liner Seams: Welded Factory Other	PVC Other  RECEIVED  MAY 2017  OIL CONS. DIV. DIST. 3				
4.	A HECEIVED				
X <u>Below-grade tank:</u> Subsection I of 19 15.17.11 NMAC	(8 MAY 2011) 5				
Volumebbl Type of fluid:Produced Water	——————————————————————————————————————				
Tank Construction material	(6)				
Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off					
☐ Visible sidewalls and liner X Visible sidewalls only ☐ Other ☐ DVC ☐ Other					
Liner type Thicknessmil					

\$54m ( 143

Alternative Method:

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

<u>*</u>			
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet			
Alternate. Please specify			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	· · · · · · · · · · · · · · · · · · ·		
Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
8			
Signs: Subsection C of 19 15 17 11 NMAC			
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19.15 3 103 NMAC			
Administrative Approvals and Exceptions:			
Justifications and/or demonstrations of equivalency are required Please refer to 19 15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:			
Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Siting Criteria (regarding permitting): 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank  NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)	☐ Yes ☐ No ☐ NA		
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No		
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site</li> </ul>	☐ Yes ☐ No		
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources, USGS, NM Geological Society, Topographic map</li> </ul>	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map	☐ Yes ☐ No		

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.11 NMAC  Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API Number or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17 9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15 17.11 NMAC   Luner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17 11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Coloure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type Drilling Workover Emergency Cavitation P&A Permanent Pit X Below-grade Tank Closed-loop System
Alternative   Cavitation   P&A   Permanent Pt. X Below-grade Tank   Closed-loop System   Alternative   Alternative   Cavitation   P&A   Permanent Pt. X Below-grade Tank   Closed-loop System   Closed-loop System   Closure Method   X   Waste Excavation and Removal   Waste Removal (Closed-loop systems only)   On-site Closure Method (Only for temporary pits and closed-loop systems)   In-place Burial   On-site Trench Burial   Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.				
Disposal Facility Name:	Disposal Facility Permit Number			
Disposal Facility Name:				
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operatio  Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMAC I of 19.15.17.13 NMAC	2		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC.	e administrative approval from the appropriate disti Bureau office for consideration of approval. Justi	ict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	<ul><li>☐ Yes ☐ No</li><li>☐ NA</li></ul>		
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS, Database search, US	a obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site, Aerial photo; Satellite		☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or so NM Office of the State Engineer - iWATERS database, Visual inspection	pring, in existence at the time of initial application.	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approx		Yes No		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map, Visu	al inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes ☐ No		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geolog Society, Topographic map	y & Mineral Resources; USGS, NM Geological	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map		☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belie	ef.
Name (Print): Title:	
Signature: Date	
e-mail address: Telephone	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date:	5/2011
Title: Compliance Office OCD Permit Number:	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not a section of the form until an approved closure plan has been obtained and the closure activities have been completed.	
☐ Closure Completion Date: 3/19/11	
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loc If different from approved plan, please explain.	op systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-oft Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attack two facilities were utilized.  Disposal Facility Name:  Disposal Facility Name:  Disposal Facility Permit Number:  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and ope Yes (If yes, please demonstrate compliance to the items below)  No  Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique  24.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indimark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number	hment if more than
☐ Soil Backfilling and Cover Installation         ☐ Re-vegetation Application Rates and Seeding Technique         ☑ Site Reclamation (Photo Documentation)         On-site Closure Location Latitude       Longitude         NAD       1927	☐ 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my k belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure requirements.	
Name (Print): Ed Hasely Title: Sr Environmental Engineer	
Signature: 574=1) Date: 4/28/11	<u> </u>
e-mail address <u>ed hasely@energen com</u> Telephone <u>(505) 324-4131</u>	· 

Chlick Straden Division

## BELOW-GRADE TANK CLOSURE REPORT

#### ENERGEN RESOURCES New Mexico A Com #1E

## **CLOSURE STEPS:** (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

  Attached
- (2) Notify the Aztec OCD office (Brandon Powell -334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

#### Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility.

  No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

  Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

#### All remaining equipment is need for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
  - Collect, at a minimum, a five point, composite sample;
     Composite sample was collected.
  - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release:

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)		
Benzene	0.2	ND		
Total BTEX	50.0	0.143		
TPH (418.1)	100	13.6		
Chlorides	250	15		

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above</u>, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) <u>IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above,</u> notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC.

Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

#### FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

#### **RECLAMATION:**

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
  - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- **(D)** If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- (E) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted and when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.

District I 1625 N French Dr , Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised October 10, 2003 Submit 2 Copies to appropriate District Office in accordance

Form C-141

with Rule 116 on back side of form

Attached [

Release Notification and Corrective Action								
			OPERATOI	OPERATOR ☐ Initial Report ☐ Fin		ort 🛛 Final Report		
Name of Cor						d Hasely		
Address: 20			<u> </u>	87401	Telephone No: 5			
Facility Nam	e: New Me	exico A Con	1#1E		Facility Type: O	il/Gas Well Site		
Surface Owi	ier: State			Mineral Ow	ner: State		Lease No.	
				LOCAT	ON OF RELEA	SE		
Unit Letter D	Section 16	Township 29N	Range 12W	Feet from the 790	North/South Line North	Feet from the 790	East/West Line West	County San Juan
			Lat	itude36.73008	Longitude	-108.10857		
				NATUI	RE OF RELEAS	E		
Type of Relea	se: NO REL	EASE			Volume of Relea	ase:	Volume Recover	red:
Source of Rel	ease:			•	Date and Hour	of Occurrence:	Date and Hour	of Discovery:
Was Immedia	te Notice Gi	iven?	res 🔲 1	No 🗌 Not Requi	red If YES, To Who	om?		
By Whom?	By Whom? Date and Hour:							
Was a Watero	Was a Watercourse Reached?  Yes No If YES, Volume Impacting the Watercourse.							
If a Watercourse was Impacted, Describe Fully.*								
Describe Cau	se of Proble	m and Reme	dial Actio	n Taken.*				
THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN. THIS FORM IS FILLED OUT TO SERVE AS A COVER FOR LAB ANALYSES - ONLY TO SATISFY 19 15.17.13.E(4).								
Describe Area Affected and Cleanup Action Taken.*								
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Signature: Dash					SION			
Printed Name: Ed Hasely  Approved by District Supervisor:								
Title:	Sr Enviro	onmental Eng	ineer		Approval Date		Expiration Date	

Conditions of Approval:

Date 4/28/11

E-mail Address. ed hasely@energen.com

Phone. 505-324-4131 / 505-330-3584(cell)

<sup>\*</sup> Attach Additional Sheets If Necessary



# EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Parameter	Concent (ug/Kg		Limit (ug/Kg)
			Det.
		Dilution:	10
Condition:	Intact	Analysis Requested:	BTEX
Preservative:	Cool	Date Extracted:	12-16-10
Sample Matrix:	Soil	Date Analyzed:	12-16-10
Chain of Custody:	10920	Date Received:	12-15-10
Laboratory Number:	56791	Date Sampled:	12 <b>-</b> 15 <b>-</b> 10
Sample ID;	New Mexico A Com #1E	Date Reported:	12-16-10
Client:	Energen Res.	Project #:	03022-0168

Benzene	ND	0.9
Toluene	1.3	1.0
Ethylbenzene	8.9	1.0
p,m-Xylene	131	1.2
o-Xylene	1.7	0.9
Total BTEX	143	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	117 %
	1,4-difluorobenzene	106 %
	Bromochlorobenzene	94.1 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846.

USEPA, December 1996.

Comments:

New Mexico A Com #1E

Analyst

Review

## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen Res	Project #:	03022-0168
Sample ID:	New Mexico A Com #1E	Date Reported:	12-17-10
Laboratory Number:	56791	Date Sampled:	12-15-10
Chain of Custody No:	10920	Date Received:	12-15-10
Sample Matrix:	Soil	Date Extracted:	12-17-10
Preservative:	Cool	Date Analyzed:	12-17-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

13.6

5.4

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

New Mexico A Com #1E

Analyst

Review



#### Chloride

Client:	Energen Res.	Project #:	03022-0168
Sample ID:	New Mexico A Com #1E	Date Reported:	12-17-10
Lab ID#:	56791	Date Sampled:	12-15-10
Sample Matrix:	Soil	Date Received:	12-15-10
Preservative:	Cool	Date Analyzed:	12-17-10
Condition:	Intact	Chain of Custody:	10920

**Parameter** 

Concentration (mg/Kg)

15

Total Chloride

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

New Mexico A Com #1E

Analyst

Review



November 2, 2010

New Mexico State Lands Office 310 Old Santa Fe Trail Santa Fe, New Mexico 87504

Re:

Below Grade Tank Closures

Dow Marks Com #1 New Mexico A Com #1E

### Dear Sirs:

Energen Resources plans to close the below grade tanks located on the subject well locations. You are on record as the surface owner where this well is located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tank. NMOCD rules and guidelines will be followed. The wells are located as follows:

Dow Marks Com #1 New Mexico A Com #1E Unit Letter J, Section 36, T26N, R9W Unit Letter D, Section 16, T29N, R12W

580

2.8.20

**Certified Fee** 

Return Receipt Fee orsement Required) Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

or PO Box No. City, State, ZIP+4

If there are any questions or concerns, please contact me at 505-330-3584.

Sincerely,

5) Han

Ed Hasely

Sr. Environmental Engineer

**Energen Resources** 

Well File Cc: Correspondence

SENDED COM LETE	
	The second second
Complete items 1, 2, and 3. Also co	molete:
Complete items 1, 2; and 3, 7,30 00	N. 18 1 1 45
The Dallyon is desired	-d.≒. `**.∞
item 4 if Restricted Delivery is desired.	2 mg 16 mg 18 mg 1
item 4 If Hestincted Delivery is Print your name and address on the	:reverse
print your name and address on a	The standard of
The Card to VC	U: x : 1 314
so that we can return the card to yo	1
The charles and the control of the i	naliblec
Attach this card to the back of the	44.44
ar on the front if space permits.	5 3 . The 3
The anithaltront ill Space period	1 24 1 1 1 2 4

Article Addressed to:

	The set said the second
THON	COMPLETE THIS SECTION ON DELIVERY
SECTION	COMPLETE THIS SECTION ON SECTION
100000000000000000000000000000000000000	A Signature
. Also complete	☐ Agent
is desired.	LI Addresse
ss on the reverse	B. Beesled by (Printed Name) C. Date of Deliver
ard to you:	THE WAY TO SEE THE SECOND SECO
k of the mailplece,	12 / Yes
mits:	D. Is delivery address different from item.
	/if YES enter delivery address below:

Certified Mall Express Mall

☐ Registered JS T Heturn Receipt for Merchandis Insured Mall C.O.D.

4. Restricted Delivery? (Extra Fee)

7009 2820 0000 5800 5828 2. Article Number (Transfer from service label

Energen Resources Corporation, an E

PS Form 3811, February 2004

Domestic Return Rece

## **Ed Hasely**

From:

Ed Hasely

Sent:

Wednesday, November 03, 2010 10:42 AM

To: Subject: 'Powell, Brandon, EMNRD' BGT Closure Notifications

Brandon – This note is to notify you that Energen plans to close the following BGT's in the near future. Let me know if you have questions. Thanks.

Dow Marks Com #1

Unit Letter J, Section 36, T26N, R9W

New Mexico A Com #1E

Unit Letter D, Section 16, T29N, R12W

Navajo Indian #6E

Unit Letter L, Section 6, T26N, R8W

# **Ed Hasely**

## **Energen Resources Corporation**

Sr. Environmental Engineer ed.hasely@energen.com
Office (505) 324-4131
Cell: (505) 330-3584

