1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd , Aztec, NM 87410 <u>District IV</u> 1220 S St Francis Dr , Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
	osed-Loop System, Below-Grad	e Tank, or
	ternative Method Permit or Clos	
(t of a pit, closed-loop system, below-grade ta	
1971	re of a pit, closed-loop system, below-grade to	
	fication to an existing permit	ank, or proposed anerhance mentod
=	re plan only submitted for an existing permitt	ted or non-permitted pit, closed-loop system.
	r-grade tank, or proposed alternative method	or in the permitted print about 100 p of country
Instructions: Please submit one application	(Form C-144) per individual pit, closed-looj	p system, below-grade tank or alternative request
	does not relieve the operator of hability should operations re	
1	or of its responsibility to comply with any other applicable a	governmental authority's rules, regulations or ordinances
Operator Burlington Resources Oil & Gas C	ompany, LP	OGRID#. <u>14538</u>
Address P.O. Box 4289, Farmington, NM 8	7499	
Facility or well name Feuille A 5E		
API Number 30-045-2624	49 OCD Permit Number	r
U/L or Qtr/Qtr. K(NE/SW) Section 4	Township 29N Range 1	0W County. San Juan
Center of Proposed Design Latitude.	36.752517 °N Longitude.	107.889617 °W NAD X 1927 1983
Surface Owner. X Federal Sta	ate Private Tribal Trust or Indian	Allotment
Temporary X Drilling Workover Permanent Emergency Cavitation [X Lined Unlined Liner type X String-Reinforced Liner Seams X Welded X Factory		HDPE PVC Other
3 Closed-loop System: Subsection H of 19 Type of Operation P&A Drilling a		activities which require prior approval of a permit or
Drying Pad Above Ground Steel Tar.		IDPE PVD Other RECEIVED
Lined Unlined Liner type	Thicknessmil LLDPE H	IDPE PVD Other
Liner Seams Welded Factory	Other	/RECEIVED
4		lo Marona
Below-grade tank: Subsection I of 19 15 17	11 NMAC	
Volumebbl Typ	pe of fluid	VIL CONS. DIV. DIST.
Tank Construction material		matic overflow shut-off
Secondary containment with leak detection	Visible sidewalls, liner, 6-inch lift and autor	natic overflow shut-off
	ole sidewalls only Other	
Liner Type Thicknessmil	HDPE PVC Other	
5 Alternative Method:		
Submittal of an exception request is required Exception	ptions must be submitted to the Santa Fe Environm	nental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19 15 3 103 NMAC				
9 .				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank				
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)				
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Siting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17 10 NMAC for guidance Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		·		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No		
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site		No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		No		
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological		No		
Society, Topographic map Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Underscologie Person (Pelaw good Tanks) beside went to a supermode of Person with (A) of Subsection Performance of Person with the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Discourse Mide Promite Angelication Charletet. Subseque P. 610.15.17.0 NMAC				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Oil Field Waste Stream Characterization Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
Proposed Closure: 19 15 17 13 NMAC Instructions. Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC)				
Instructions Please identify the facility of facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required				
Disposal Facility Name Disposal Facility Permit #				
Disposal Facility Name Disposal Facility Permit #				
Will any of the proposed closed-loop system operations and associated activities occur on or in are Yes (If yes, please provide the information No	reas that will not be used for future service and			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain sting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby we	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wel				
Ground water is more than 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wel	ells N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or la (measured from the ordinary high-water mark)	akebed, sınkhole, or playa lake			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of a Visual inspection (certification) of the proposed site, Aerial photo, satellite image	of initial application Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under pursuant to NMSA 1978, Section 3-27-3, as amended	er a municipal ordinance adopted Yes No	;		
 Written confirmation or verification from the municipality, Written approval obtained from the municipality. US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the municipality. 	Yes No			
Within the area overlying a subsurface mine	Yes No			
 Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USG 	SGS, NM Geological Society,			
Topographic map Within a 100-year floodplain - FEMA map	Yes No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following it	tems must bee attached to the closure plan. Please indicate,			
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC				
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Sta Reclamation Plan - based upon the appropriate requirements of Subsection C of 19 15 17 13 NMAC				

Form C-144

19 Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accurate	and complete to the best of	my knowledge and belief				
Name (Print)	Tıtle					
Signature		- And the state of				
e-mail address	Telephone					
20		**				
	Closure Plan (only)	OCD Conditions (see attachment)				
OCD Representative Signature:		Approval Pates 8/05/21				
OCD Representative Signature: Approval Date: 8/25/2011						
Title: Complance Ottice	OCD Permit Nu	mber:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed X Closure Completion Date: Never Used						
22						
Closure Method: Waste Excavation and Removal On-site Closure Method	Alternative Closure Metho	d Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain	J' memanye elosare meme	Waste Removal (Closed loop systems only)				
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems T	hat Utilize Above Ground	Steel Tanks or Haul-off Bins Only:				
Instructions Please identify the facility or facilities for where the liquids, drilling	fluids and drill cuttings we	re disposed Use attachment if more than two facilities				
were utilized Disposal Facility Name	Disposal Facility Permi	t Number				
Disposal Facility Name	Disposal Facility Permi					
Were the closed-loop system operations and associated activities performed on o	or in areas that will not be us	ed for future service and opeartions?				
Yes (If yes, please demonstrate compliane to the items below)	10					
Required for impacted areas which will not be used for future service and opera	ntions					
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
24						
Closure Report Attachment Checklist: Instructions: Each of the followi	ing items must be attached i	o the closure report Please indicate, by a check mark in				
the box, that the documents are attached						
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)						
Plot Plan (for on-site closures and temporary pits)						
Confirmation Sampling Analytical Results (if applicable)						
Waste Material Sampling Analytical Results (if applicable)						
Disposal Facility Name and Permit Number						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
Site Reclamation (Photo Documentation) On-site Closure Location Latitude °N	Longitude	°W NAD ☐ 1927 ☐ 1983				
On the clothe bound burning						
25						
Operator Closure Certification:						
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
	••					
Name (Print) Crystal Tafoya	Title	Staff Regulatory Technician				
Signature and Takeya	Date	8/23/2011				
e-mail address <u>crystal tafoya@conocophillips com</u>	Telephone	505-326-9837				

Burlington Resources Oil Gas Company, LP San Juan Basin

Temporary Pit Never Used
Drilling/Completion and Workover

The Feuille A 5E had a workover pit approved 8/19/2008 which was never opened or used.