District I 1625 N French Dr , Hobbs, NM 88240

District II 1301 W Grand Ave , Artesia, NM 88210 Dıştrıct III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S St Francis Dr , Santa Fe, NM 87505		appropriate N	NMOCD District Office
	t, Closed-Loop System	, Below-Grade Tank, o	<u>or</u>
Propose	ed Alternative Method I	Permit or Closure Plan	<u>Application</u>
Type of action Type of action Instructions: Please submit one application Please be advised that approval of this	Permit of a pit, closed-loop sys Closure of a pit, closed-loop sy Modification to an existing per Closure plan only submitted fo below-grade tank, or proposed cation (Form C-144) per indivi- request does not relieve the operator of ha he operator of its responsibility to comply	tem, below-grade tank, or propostem, below-grade tank, or propomit r an existing permitted or non-poalternative method dual pit, closed-loop system, be bolders should operations result in pollution	osed alternative method osed alternative method ermitted pit, closed-loop system, elow-grade tank or alternative request of surface water, ground water or the
Address PO Box 4289, Farmington, 1			
Facility or well name Huerfano Unit 1			
-	45-20309	OCD Permit Number	
U/L or Qtr/Qtr D(NW/NW) Section Center of Proposed Design: Latitude. Surface Owner X Federal	28 Township: 26N 36.274914 °N		ounty. San Juan ow NAD: 1927 X 1983
Lined Unlined Liner String-Reinforced Liner Seams Welded Factor			ensions Lx Wx D
	notice of in Steel Tanks Haul-off Bins De Thickness mil		RECE
4 Below-grade tank: Subsection I of Volume bbl Tank Construction material Secondary containment with leak detect Visible sidewalls and liner Liner Type Thickness	Type of fluid On Visible sidewalls, line	er, 6-inch lift and automatic overflowther	OIL CONS. DIV. DIST. 3
5 Alternative Method: Submittal of an exception request is required.	d Exceptions must be submitted to	the Santa Fe Environmental Bureau	a office for consideration of approval

6 .					
Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chair link are fast in bareht, two strands of harhad were at too (Passer ad State and within 1000 for a financial and a state at the st	titution or ak	(ch)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	uunon or chui	city			
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate Please specify					
7					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19 15 17 11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	proval			
(Fencing/BGT Liner)	·				
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
10					
Siting Criteria (regarding permitting) 19 15 17 10 NMAC					
Instructions. The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	ľ				
consideration of approval Applicant must attach justification for request. Please refer to 19.15 17.10 NMAC for guidance Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	:				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No			
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No			
(measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site					
		<u> </u>			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		∐No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□ _{NA}				
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	🗀 😘				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
(Applied to permanent pits)		⊔.™			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	""				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	□No			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		□140			
NIM Office of the State Engineer aWATERS database assets Would reposit on the state of the survey of					
- NM Office of the State Engineer - tWATERS database search, Visual inspection (certification) of the proposed site		□			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	∐No			
- Written confirmation or verification from the municipality, Written approval obtained from the municipality					
Within 500 feet of a wetland.	Yes	No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site		.			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No			
·	Yes	□No			
 Within an unstable area. Engineering measures incorporated into the design, NM Burcau of Geology & Mineral Resources, USGS, NM Geological 	🗀 '' 🖫	□.**			
Society, Topographic map	l				
Within a 100-year floodplain	Yes	No			
- FEMA man	1				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17 10 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19 15 17 9 NMAC and 19 15 17 13 NMAC					
Previously Approved Design (attach copy of design) API					
12					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9					
NMAC and 19 15 17 13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
13					
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC					
14					
Proposed Closure: 19 15 17 13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System					
Alternative Proposed Closure Method Waste Excavation and Removal					
Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions. Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division

Page 3 of 5

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings	Only: (19 15 17 13 D NMAC) Use attachment if more than two				
facilities are required	500 mm m				
Disposal Facility Name Disposal Facility Permi	t#				
	ι#				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas the Yes (If yes, please provide the information No		!			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection I of 19 15 17 13 N. Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 1	MAC				
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Lach siting criteria requires a demonstration of compliance in the closure plan Recommendations of accept certain sting criteria may require administrative approval from the appropriate district office or may be considered an eaffice for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19	xception which must be submitted to the Santa Fe Environmenta	-			
Ground water is less than 50 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - iWATERS database search, USGS Data obtained from nearby wells	□N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	│				
Ground water is more than 100 feet below the bottom of the buried waste					
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained from nearby wells	N/A				
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed (measured from the ordinary high-water mark) Topographic map, Visual inspection (certification) of the proposed site 	d, sinkhole, or playa lake Yes No				
	No.				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial visual inspection (certification) of the proposed site, Aerial photo, satellite image					
	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for opurposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site	al application '				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a mi pursuant to NMSA 1978, Section 3-27-3, as amended					
- Written confirmation or verification from the municipality, Written approval obtained from the municipality					
Within 500 feet of a wetland	Yes No				
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the					
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	. Yes No				
Within an unstable area	Yes No				
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, N					
Topographic map					
Within a 100-year floodplain - FEMA map	Yes No				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items by a check mark in the box, that the documents are attached.	must bee attached to the closure plan. Please indica	te,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15	17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19					
	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 N	MAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 1	3 NMAC				

Γorm C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
1 hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Title
Signature Date
e-mail address Telephone
OCD Approval: Permit Application (including closure plan) Closure Plan-(only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: S/OS/20[] Title: Om Piance OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed [X] Closure Completion Date: 7/8/2011
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bms Only: Instructions Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-0011 / NM-01-0010B Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) X No Required for impacted areas which will not be used for future service and operations. Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique.
Proof of Deed Notice (stirace owiter and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) CRYSTAL TAFOYA Title STAFF REGULATORY TECHNICIAN
Signature Estal Taloya Date 8 5 11
e-mail address crystal tafoya@conocophillips com Telephone (505) 326-9837