District I

 $1625\ N$  French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method  Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator Burlington Resources Oil & Gas Company, LP OGRID# 14538
Address. PO Box 4289, Farmington, NM 87499
Facility or well name. LUTHY A 4
API Number 30-045-26613 OCD Permit Number
U/L or Qtr/Qtr G(SW/NE) Section 1 Township 26N Range 8W County San Juan
Center of Proposed Design. Latitude 36.3057888 °N Longitude 107.3750088 °W NAD X 1927 1983  Surface Owner X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other  String-Reinforced  Liner Seams Welded Factory Other Volume bbl Dimensions L x W x D
Subsection H of 19 15 17 11 NMAC   Type of Operation   X   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
Sting Criteria (regarding permitting) 19 15 17 10 NMAC Instructions. The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - IWATERS database search, USGS, Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes No			
Within a 100-year floodplain - FEMA map	Yes No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19 15 17 9 NMAC and 19 15 17 13 NMAC					
Previously Approved Design (attach copy of design)  API					
12					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached					
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9  NMAC and 19 15 17 13 NMAC					
Previously Approved Design (attach copy of design)  API					
Previously Approved Operating and Maintenance Plan API					
13					
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC					
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Climatological Factors Assessmen					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC  Quality Control/Quality Assurance Construction and Installation Plar					
Quality Control/Quality Assurance Construction and Installation Plar  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC					
14					
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System					
Alternative					
Proposed Closure Method Waste Excavation and Removal  Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench Burial					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions Each of the following items must be attached to the closure plan					
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings					
Disposal Facility Name and Permit Number (for figures, drilling fluids and drill cuttings   Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions Please identify the facility or facilities for the disposal of liquids, drilling J	t Tanks or Haul-off Bins Only:(19 15 17 13 D NMAC) fluids and drill cuttings Use attachment if more than two fact	lities				
are required						
Disposal Facility Name	Disposal Facility Permit #					
Disposal Facility Name	Disposal Facility Permit #					
Will any of the proposed closed-loop system operations and associated activities  Yes (If yes, please provide the information No	occur on or in areas that will not be used for future servi	ce and operations				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate	e requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsect						
Site Reclamation Plan - based upon the appropriate requirements of Subs	ection G of 19 15 17 13 NMAC					
17  Siting Criteria (Regarding on-site closure methods only:19 15 17 10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Resiling criteria may require administrative approval from the appropriate district office or may be consideration of approval Justifications and/or demonstrations of equivalency are required Ple	considered an exception which must be submitted to the Santa Fe En	vironmental Bureau office for				
Ground water is less than 50 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search, USGS Data obta	uned from nearby wells	Yes No				
- MATORICE of the State Engineer - TWATERS database seaton, 0505 But obtain	med from ficulty wens					
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No				
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtain	med from hearby wens	∐ <sub>N/A</sub>				
Ground water is more than 100 feet below the bottom of the buried waste		∐Yes ∐No				
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtain	ned from nearby wells	∐N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signification (measured from the ordinary high-water mark)	Yes No					
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in a		∐Yes ∐No				
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image		□Yes □No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municipal fresh water with pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obt	YesNo					
Within 500 feet of a wetland		Yes No				
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp						
Within the area overlying a subsurface mine	Accord Documen	Yes No				
- Written confiramtion or verification or map from the NM EMNRD-Mining and N Within an unstable area	Aineral Division	Yes No				
- Engineering measures incorporated into the design, NM Bureau of Geology & M	ineral Resources, USGS, NM Geological Society,					
Topographic map						
Within a 100-year floodplain - FEMA map		Yes No				
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of check mark in the box, that the documents are attached.	of the following items must bee attached to the closure p	olan. Please indicate, by a				
Siting Criteria Compliance Demonstrations - based upon the appropriate	requirements of 19 15 17 10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
	Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:							
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief							
Name (Print)	Title						
Signature	Date						
e-mail address	· · · · · · · · · · · · · · · · · · ·		Telephone				
OCD Approval: OCD Representation	Permit Application (i	ncluding closure plan)	Closure Plan (only) OCD Permi		ttachment) 5726/201(		
Instructions Operators required to be subm	rs are required to obtain an aitted to the division within t	f closure completion): Subsecti approved closure plan prior to in 0 days of the completion of the cl tivities have been completed	nplementing any closure o osure activities Please o				
=	ation and Removal		Alternative Closure N	lethod X Waste Removal	(Closed-loop systems only)		
Instructions Please utilized.  Disposal Facility Disposal Facility Were the closed-li Yes (If yes, p Required for impe Site Reclama Soil Backfilli Re-vegetation  24  Closure Report the box, that the composition of Closure Report Confirmation Waste Mate Disposal Fa Soil Backfill Re-vegetation  Site Reclama  24  Closure Report Closure Report The box, that the composition of Closure Proof of Closure Report Report The box, that the composition of Closure Report The box, that the composition of Closure Report Soil Backfill Re-vegetation Site Reclama	Name Envirotech / JI Name Basin Disposal cop system operations and a clease demonstrate compiliar inted areas which will not be tion (Photo Documentation) ing and Cover Installation in Application Rates and See	Facility  Facility  Sociated activities performed on the items below)  Used for future service and operating Technique  Instructions Each of the follower and division)  -site closure)  uporary pits)  esults (if applicable)  Results (if applicable)  umber  r  Seeding Technique  ion)	Disposal Facility P Disposal Facility P Disposal Facility P or in areas that will not be No	were disposed Use attachme ermit Number NM-01-003 ermit Number service and op	nt if more than two facilities were  11 / NM-01-0010B  5  Deartions?		
	200000	-					
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.							
Name (Print)	CRYS	TAL TAFOYA	Title	STAFF REGULATOR	Y TECHNICIAN		
Signature	_ Copo	tal Tapaya	Date	3/10/11			
e-mail address	crystal tafoya	@conocophillips com	Telephone	(505) 326-9	9837		