District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008
For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe

For permanent pits and exceptions submit to the Santa F Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

		Pit, Closed-Loop	System, Below-Gr	ade Tank, or		
_	Prop	oosed Alternative M	lethod Permit or Cl	osure Plan App	<u>olication</u>	
7445	Type of action:	Permit of a pit, closed	d-loop system, below-grad	le tank, or proposed a	alternative method	
5 ⁴⁷			ed-loop system, below-gra			
		Modification to an ex	cisting permit			
		Closure plan only sub	bmitted for an existing per	mitted or non-permit	ted pit, closed-loop syste	m,
_		•	proposed alternative meth			
		application (Form C-144) p	_			request
		of this request does not relieve the op- elieve the operator of its responsibility	•	•		
1						
		Oil & Gas Company, LP		OGRID#: <u>145</u>	38	
	Box 4289, Farming					
•	ame: SAN JUAN					
API Number:		30-039-30608	OCD Permit Nur			
U/L or Qtr/Qtr:		tion: 14 Township:	28N Range:	·	Rio Arriba	
Surface Owner:	ed Design: Latitud X Federal	de: 36.66209 State Priva	N Longitude:ate Tribal Trust or Inc	107.32053	<u>°W</u> NAD: ☐1927	X 1983
	A Federal	State PHV2	ateThoat trust of the			
X Pit: Subsec	ction F or G of 19.15	17 11 NIMAC				
		orkover				
Permanent X Lined	= '-	Cavitation P&A Liner type: Thickness 2	20 mil X LLDPE	☐ HDPE ☐ PVC ☐	Other	
X String-Reinfo		Effect type. Thekness	M IIII A CEDIE			-
Liner Seams:		Eastam: D Othon	37-1 70	voo bbi Demonsion	o I 1201 W 551 I	. 121
Linei Scams.	A weided A	Factory Other	Volume:	00 bbl Dimension	s L <u>120'</u> x W <u>55'</u> x I) 12'
3	- C1 - C-1					
Type of Operation		ection H of 19.15.17.11 NMAC Drilling a new well	Workover or Drilling (Applie	s to activities which rec	uire prior approval of a per	mit or
-)			notice of intent)		56	780-
Drying Pa	d Above Gro	ound Steel Tanks Haul-o	off Bins Other		23450	A 10 7
Lined	Unlined Lin	ner type: Thickness	milLLDPE [HDPE PVD		TY 7
Liner Seams:	Welded	Factory Other			WE TEC	EIVED
4						2011
	de tank: Subsection	n I of 19.15.17.11 NMAC			OIL CONS	DIV. DIST.
Volume:		bbl Type of fluid.			, io.	
Tank Construction					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	C777\106
	ontainment with leak		lewalls, liner, 6-inch lift and a	automatic overtion snu	1-011	66.00
	ewalls and liner Thickness	☐ Visible sidewalls only mil ☐ HDPE	Other PVC Other			- 1
Liner Type:	1 mexiless	milHDPE	LI VC LIOUIET			
5 Alternatis	ve Method:					
Submittal of an e	exception request is r	equired Exceptions must be su	ubmitted to the Santa Fe Envi	ironmental Bureau offic	ce for consideration of appre	oval.

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary puts, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)						
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC						
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	leration of app	roval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		i				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No				
 Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	□No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	□No				
Within a 100-year floodplain	Yes	∐No				

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above	C. Joula I. W. Light O. L. (1915) The Common				
Instructions Please identify the facility or facilities for the disposal of liqu	uids, drilling fluids and drill cuttings Use attachment if more than two	, .			
facilities are required.					
Disposal Facility Name:					
Disposal Facility Name:					
Will any of the proposed closed-loop system operations and assoc Yes (If yes, please provide the information No	iated activities occur on or in areas that will nbe used for future	e service and			
Required for impacted areas which will not be used for future service and Soil Backfill and Cover Design Specification - based upon Re-vegetation Plan - based upon the appropriate requirement Site Reclamation Plan - based upon the appropriate requirement	the appropriate requirements of Subsection H of 19.15.17.13 Nts of Subsection I of 19.15 17 13 NMAC	NMAC			
	ions of Subsection College Property and College Pro				
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19 15. Instructions Each siting criteria requires a demonstration of compliance in the clo certain siting criteria may require administrative approval from the appropriate di office for consideration of approval Justifications and/or demonstrations of equive	isure plan Recommendations of acceptable source material are provided belov strict office or may be considered an exception which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the buried v		Yes No			
- NM Office of the State Engineer - iWATERS database search, USG	JS: Data obtained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the	buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search, USC	SS; Data obtained from nearby wells	N/A □			
Ground water is more than 100 feet below the bottom of the burie	d waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USC	GS, Data obtained from nearby wells	∏N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any (measured from the ordinary high-water mark)	other significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed	site				
Within 300 feet from a permanent residence, school, hospital, institution, - Visual inspection (certification) of the proposed site, Aerial photo; s	••	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database; Visual inspe	pring, in existence at the time of the initial application.				
Within incorporated municipal boundaries or within a defined municipal for pursuant to NMSA 1978, Section 3-27-3, as amended.	esh water well field covered under a municipal ordinance adopted	Yes No			
- Written confirmation or verification from the municipality; Written	approval obtained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map. Topographic map	p; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine Written confirantion or verification or map from the NM EMNRD-	Minus and Minard Division	Yes No			
Within an unstable area.	Milling and Mineral Division	Yes No			
- Engineering measures incorporated into the design; NM Bureau of C	Geology & Mineral Resources; USGS; NM Geological Society;				
Topographic map					
Within a 100-year floodplain FEMA map		Yes No			
- FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruct		Diam'r diam'r			
by a check mark in the box, that the documents are attached.		osure puit. Fieuse inuicuie,			
Siting Criteria Compliance Demonstrations - based upon the Proof of Surface Owner Notice - based upon the appropria	• • • •				
	based upon the appropriate requirements of 19.15.17.11 NMAC	r			
	urial of a drying pad) - based upon the appropriate requirement				
Protocols and Procedures - based upon the appropriate req		or 17.10.17.11 mand			
	he appropriate requirements of Subsection F of 19.15.17.13 NM	MAC			
Waste Material Sampling Plan - based upon the appropriat					
	rilling fluids and drill cuttings or in case on-site closure standar	ds cannot be achieved)			
Soil Cover Design - based upon the appropriate requireme	-	,			
Re-vegetation Plan - based upon the appropriate requirement					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date:
Title: Complique Office O OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: November 24, 2010
[A] Closure Completion Date. November 24, 2010
22 Closure Method: Waste Excavation and Removal If different from approved plan, please explain. Waste Excavation and Removal Alternative Closure Method Waste Removal (Closed-loop systems only)
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Name: Disposal Facility Name: Disposal Facility Name:
Disposal Facility Name: Disposal Facility Permit Number:
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.66237 °N Longitude: 107.32046 °W NAD 1927 X 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print): Jamie Goodwin Title: Regulatory Tech.
Signature: () On u (300 duu) Date: () () () ()
a mail address: // James I goodwin@conoconbillus com Telephone: 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 28-5 UNIT 2C

API No.: 30-039-30608

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	211 ug/kG
TPH	EPA SW-846 418.1	2500	226mg/kg
GRO/DRO	EPA SW-846 8015M	500	2.3 mg/Kg
Chlorides	EPA 300.1	1000/500	140 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 28-5 UNIT 2C, UL-H, Sec. 14, T 28N, R 5W, API # 30-039-30608

Tally, Ethel

From:

Tally, Ethel

Sent:

Thursday, January 15, 2009 11:35 AM

To: Cc: 'mark_kelly@nm.blm.gov'

Subject:

Sessions, Tamra D SURFACE OWNER NOTIFICATION

The following locations will have temporary pits that will be closed on-site.

Maxwell B 100
Negro Canyon 5M
Mudge B 100S
Cooper 100S
SJ 28-6 Unit 181N
San Juan 28-5 Unit 101N
Negro Canyon 5
San Juan 29-7 Unit 66M
San Juan 28-5 Unit 101P

Please let Tamara Sessions (326-9834) or I know if you have any questions or concerns.

Ethel Tally ConocoPhillips-SJBU 3401 E. 30th Farmington NM 87402 (505)599-4027 phone Ethel.Tally@ConocoPhillips.com

DISTRICT I 1625 N. Franch Dr., Hobbs, N.M. 88240 State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Azteo, N.M. 87410 OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	Pool Code	Pool Name BLANCO MESAVE	RDE
⁴ Property Code		perty Name AN 28-5 UNIT	⁶ Well Humber 2C
OGRID No.	•	erator Name ES OIL & GAS COMPANY LP	* Rievation 7411'

¹⁰ Surface Location

										_
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	Ì
Н	14	28N	5W		2317'	NORTH	270'	EAST	RIO ARRIBA	

11 Bottom Hole Location If Different From Surface

DOVOM NOTO INCOMPLET IN DIRECTION OF THE DATE OF									
UL or lot no.	Section	Township	Renge	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Ł	13	28N	5W		1795'	SOUTH	385'	WEST	RIO ARRIBA
Dedicated Acres	8		18 Joint or	Infill	¹⁴ Consolidation C	Code	¹⁸ Order No.		
343.45 Acre	s - (S,	/2)							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED

16	OR A NON-STANDARD UNIT HAS BEEN APPROVED BY	THE DIVISION
		17 OPERATOR CERTIFICATION
		I hereby certify that the information contained herein is true and complete to the best of my knowledge and bettef, and that this organisation either owns a working interest or valenced mineral interest in the land including the proposed bottom hale location or ha a right to drill this well at this location pursuant to contract with an owner or a compulsory pooling order hereinforce entered by the division.
FND 2% BC GLO 1914 N	89'52'48" E 5253.24' (M) PRO 21' BC GLD 1915	
	EAST 5297.16' (R)	Signature Date
<u></u>	WELL FLAG	Printed Name
	LAT. 36.68209' N (NAD83)	18 SURVEYOR CERTIFICATION
	LAT. 36.66209' N (NAD83) LONG. 107.32053' W (NAD83) LAT. 36'39.72489' N (NAD83) LAT. 36'39.72489' N (NAD27) LONG. 107'19.19576' W (NAD27) 2	I hereby certify that the well location shown on this
	270	plat was plotted from field notes of actual surveys mad by me or under my supervision, and that the same is
	PIO 24 BC LEASE & USA SF-080516-B	true and correct to the best of my belief.
	DIRECTIONAL DRILL 10 20 20 20 20 20 20 20 20 20 20 20 20 20	JULY 23, 2008
	≥ 12 LAT. 39.85888 N (NAO83)	Signature and Seal of Professional Surveyor:
	10	
	ZZ	(1) (1) 12 12 15 CA
	FND 24" BC S 89"53" W 5639.63" (M) FND 24" BC GLD 1915 S 89"58" W 5670.06" (R) GLD 1915	The Marie Color
		PROISTER DATORESSIONAL LINE
		CAESSIONAL LAS
		DAVID RUSSELL
		Certificate Number 10201


WELL FLAG LATITUDE: 36.66209°N LONGITUDE: 107.32053°W CENTER OF PIT LATITUDE: 36.66237° N LONGITUDE: 107.32046° W ELEVATION: 7396.6' DATUM: NAD83 & NAVD88

BURLINGTON RESOURCES OIL & GAS COMPANY LP SAN JUAN 28-5 UNIT #2C 2317' FNL & 270' FEL

LOCATED IN THE SE/4 NE/4 OF SECTION 14, T28N, R5W, N.M.P.M.

RIO ARRIBA COUNTY, NEW MEXICO GROUND ELEVATION: 7411', NAVD 88 FINISHED PAD ELEVATION: 7408.6', NAVD 88





330' x 400' = 3.03 ACRES OF DISTURBANCE

SCALE: 1" = 60"

JOB No.: COPC198_REV1

DATE: 05/25/10

RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE).
RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.
CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR
CABLES ON WELL PAD. IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR
TO CONSTRUCTION.



Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	10-28-10
Laboratory Number:	56325	Date Sampled:	10-27-10
Chain of Custody No:	8989	Date Received:	10-27-10
Sample Matrix:	Soil	Date Extracted:	10-28-10
Preservative:	Cool	Date Analyzed:	10-28-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 28-5 #2C

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	10-28-10
Laboratory Number:	56326	Date Sampled:	10-27-10
Chain of Custody No:	8989	Date Received:	10-27-10
Sample Matrix:	Soil	Date Extracted:	10-28-10
Preservative:	Cool	Date Analyzed:	10-28-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	0.3	0.2
Diesel Range (C10 - C28)	2.0	0.1
Total Petroleum Hydrocarbons	2.3	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

S.J. 28-5 #2C

Analyst

Review

Ph (505)632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	10-28-10 QA/QC	Date Reported:	10-28-10
Laboratory Number:	56324	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	10-28-10
Condition:	N/A	Analysis Requested:	TPH

	- I-CaliDate -	IFOali RIF	CECAURF:	%Difference	Accept Range
Gasoline Range C5 - C10	10-28-10	9.9960E+002		0.04%	0 - 15%
Diesel Range C10 - C28	10-28-10	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L-img/Kg)	Concentration	DetectionLimit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1

Duplicate Conc. (mg/kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike/Added	Soke Resuli		Accept Range
Gasoline Range C5 - C10	ND	250	248	99.4%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 56324-56326, 56330-56333

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	10-28-10
Laboratory Number:	56325	Date Sampled:	10-27-10
Chain of Custody:	8989	Date Received:	10-27-10
Sample Matrix:	Soil	Date Analyzed:	10-28-10
Preservative:	Cool	Date Extracted:	10-28-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilution:	10	
	Concentration	Det. Limit	
Parameter	(ug/Kg)	(ug/Kg)	·····
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	103 %	
	1,4-difluorobenzene	100 %	
	Bromochlorobenzene	100 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 28-5 #2C

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	10-28-10
Laboratory Number:	56326	Date Sampled:	10-27-10
Chain of Custody:	8989	Date Received:	10-27-10
Sample Matrix:	Soil	Date Analyzed:	10-28-10
Preservative:	Cool	Date Extracted:	10-28-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilution.	10	
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.0	
Toluene	ND 15.4	0.9 1.0	
Ethylbenzene p,m-Xylene	. ND	1.0	
o-Xylene	159 36.8	1.2 0.9	
Total BTEX	211		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	103 %	
	1,4-difluorobenzene	103 %	
	Bromochlorobenzene	108 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

S.J. 28-5 #2C

Analyst

Raviow



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	1028BBLK QA/QC	Date Reported:	10-28-10
Laboratory Number:	56324	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	10-28-10
Condition:	N/A	Analysis:	BTEX
		Dilution:	10

Calibration and	I+CallRF	C:OaliRF:	%Dlff	Blafik	Defect	
Detection Limits (ug/L)		Accept Rang	je 0 = 15%	Cone	Limit	
Benzene	5.3261E+005	5.3367E+005	0.2%	ND	0.1	
Toluene	6.2054E+005	6.2179E+005	0.2%	ND	0.1	
Ethylbenzene	5,5195E+005	5.5305E+005	0.2%	ND	0.1	
p,m-Xylene	1.3075E+006	1.3101E+006	0.2%	ND	0.1	
o-Xylene	5.1016E+005	5.1118E+005	0.2%	ND	0.1	

Duplicate Gonc. (ug/Kg). Sample Duplicate Wildin Accept Range Detect Limit					
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ИD	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Splke@onc:(ug/Kg)	Sample Amo	ount Spiked Spi	ked Sample - %	Recovery *	AcceptiRange
Benzene	ND	500	508	102%	39 - 150
Toluene	ND	500	503	101%	46 - 148
Ethylbenzene	ND	500	503	101%	32 - 160
p,m-Xylene	ND	1000	1,000	100%	46 - 148
o-Xylene	ND	500	515	103%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 56324-56327, 56330-56331

Analyst

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	10-28-10
Laboratory Number:	56325	Date Sampled:	10-27-10
Chain of Custody No:	8989	Date Received:	10-27-10
Sample Matrix:	Soil	Date Extracted:	10-28-10
Preservative:	Cool	Date Analyzed:	10-28-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

63.3

6.5

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 28-5 #2C

Analyst

Dominiu

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	10-28-10
Laboratory Number:	56326	Date Sampled:	10-27-10
Chain of Custody No:	8989	Date Received:	10-27-10
Sample Matrix:	Soil	Date Extracted:	10-28-10
Preservative:	Cool	Date Analyzed:	10-28-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

226

6.5

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

S.J. 28-5 #2C

Analyst

· .·

Boldow



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

Client:	QA/QC	Project #:	N/A ¯
Sample ID:	QA/QC	Date Reported:	10-28-10
Laboratory Number:	10-28-TPH.QA/QC 56324	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	10-28-10
Preservative:	N/A	Date Extracted:	10-28-10

Condition: N/A Analysis Needed: TPH

 Calibration
 I-Cal Date
 C-Cal Date
 I-Cal RF:
 % Difference
 Accept: Range

 10-28-10
 10-28-10
 1,610
 0.0%
 +/- 10%

Blank-Conc. (mg/Kg) Concentration Detection Limit
TPH ND 6.5

Duplicate Conc. (mg/Kg) Sample Duplicate % Différence Accept. Range 323 310 4.0% +/- 30%

 Spike Gonc (mg/Kg)
 Sample
 Spike Added
 Spike Result
 % Recovery
 Accept Range

 TPH
 323
 2,000
 2,000
 86.1%
 80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 56324-56326

Review



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Back Ground	Date Reported:	10-28-10
Lab ID#:	56325	Date Sampled:	10-27-10
Sample Matrix:	Soil	Date Received:	10-27-10
Preservative:	Cool	Date Analyzed:	10-28-10
Condition:	Intact	Chain of Custody:	8989

Parameter Concentration (mg/Kg)

Total Chloride

60

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

The Evaluation of The Evaluation of Trace Trace Trace, Total Cas, Total

Comments: S.J. 28-5 #2C

Analyst

Review



Chloride

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Reserve Pit	Date Reported:	10-28-10
Lab ID#:	56326	Date Sampled:	10-27-10
Sample Matrix:	Soil	Date Received:	10-27-10
Preservative:	Cool	Date Analyzed:	10-28-10
Condition:	Intact	Chain of Custody:	8989

Parameter	Concentration (mg/Kg)

Total Chloride 140

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **S.J. 28-5 #2C**

Analyst R

Submit To Appropriate District Office Two Copies District I			Fn	State of New Mexico Energy, Minerals and Natural Resources						Form C-105 July 17, 2008					
1625 N. French Dr. District II 1301 W. Grand Ave									1. WELL API NO. 30-039-30608						
District III 1000 Rio Brazos Re		Oil Conservation Division 1220 South St. Francis Dr.							2 Type of Lease						
District IV						Jr.		3. State Oil		FEE No.		D/INDI	AN		
1220 S. St. Francis	Dr., Santa F	e, NM 87505			Santa Fe, N	NIVI C	1303			SF - 0805					
WELL COMPLETION OR RECOM 4. Reason for filing:					ETION RE	POR	T ANI	LOG	1	5. Lease Name or Unit Agreement Name					
☐ COMPLET	oxes #1 thro	ıgh #31	for State and Fe	e wells	only)			SAN JUAN 28-5 UNIT 6 Well Number:							
☑ C-144 CLOS #33; attach this a	SURE AT	TACHMENT to the C-144	(Fill in box	es #1 thi in acco	rough #9, #15 Dardance with 19.1	ate Rig 15.17.13	Released	and #32 (C)	and/or	2C					
7. Type of Comp	oletion:									OTHER					
8. Name of Open		WORKOVE	K 🔲 DEEP	ENING	□PLUGBACI	<u>к П г</u>	JIFFERE	NI KESI	ERVOII	9. OGRID					
Burlington R	esource	s Oil Gas	Company	LP				·		14538					
10. Address of O PO Box 4298, Fa		NM 87499								11. Pool nam	e or W	ildcat			
12.Location	Unit Ltr	Section	Town	ship	Range	Lot		Feet fro	om the	N/S Line	Feet	from the	E/W L	ine	County
Surface:															
BH:															
13. Date Spudded		te T.D. Reach	6/14	/2010	g Released		16	. Date Co	mplete	d (Ready to Pro	duce)			Elevations (DF and RKB, GR, etc.)	
18. Total Measur	red Depth o	of Well	19.	Plug Bac	ck Measured De	pth	20	. Was Di	rection	al Survey Made	?	21. Typ	e Electric	c and Ot	her Logs Run
22. Producing In	terval(s), o	f this complet	ion - Top, Bo	ttom, Na	ame							ı		v.	,
23.				CAS	ING REC	ORI	(Rep	ort all	strin	gs set in w	rell)				· · · · · · · · · · · · · · · · · · ·
CASING SI	ZE	WEIGHT	LB./FT.							CEMENTING RECORD AMOUNT PULLED					
				ļ	"										
												-			

				L											
SIZE	TOP	·-	воттом	LIN	ER RECORD SACKS CEM	IENT	SCREE	N	25 SI	ZE	_	NG REC		PACKI	R SET
	1.05		201.701.1		5.10.15 02	2.112	JOREDE		1		<u> </u>	31 111 02	•	111010	JK UD1
26. Perforation	record (in	iterval, size, a	nd number)					ID, SHO		ACTURE, C					
								INTERV	AMOUNT AND KIND MATERIAL USED						
										<u> </u>					
28. Date First Produc		l D.	advation Ma	thad (El	owing, gas lift, p			TION		Well Statu	o (Puo	d on Chest	(iv.)		
Date Pilst Floque	Cuon		oduction wie	mod (Fri	owing, gas iiji, p	штұлқ	g - Size ai	ια ιγρε ρι	anp)	Well State	IS (1 70)	i. or shut	-111)		
Date of Test	Hours	Tested	Choke Size	;	Prod'n For Test Period		Oil - Bl	ol	G	ias - MCF		Water - Bbl.		Gas - C	il Ratio
Flow Tubing Press.	Casing	g Pressure	Calculated Hour Rate	24-	Oil - Bbl.		Gas	Gas - MCF		Water - Bbl.		Oil Gravity - API - (Corr.)			r.)
29. Disposition of	of Gas (Sold	d, used for fue	l, vented, etc.)	<u> </u>						30. 1	Test Witne	essed By		
31 List Attachm	ents										٠		· · ·		
32. If a temporar	y pit was u	sed at the we	l, attach a pla	t with th	ne location of the	tempo	rary pit.								
33. If an on-site	burial was	used at the we	ell, report the	exact lo	cation of the on-	site bu	rial:		· · · · · · · · · · · · · · · · · · ·						
		Latitude	36.66237°N	Lon	gitude 107.320	46°W	NAD 🗌	1927 🛛	1983						
I hereby certi	fy that th	`	1 .	Pri	nted						of my	knowle	dge and	t belief	
Signature /	Jam	re Go	oduðu	⊸Nar	ne Jamie Go	oodwi	n Tit	le: Re	gulato	ry Tech.	Date	e: 6/6/20)11		
E-mail Addre	ss iamie	e.l.goodwin	@conocor	hillips	.com										

ConocoPhillips

Pit Closure Form:
Date: 11/24/10
Well Name: SJ 28-5 101P, 28-5 2C
Footages: 2260 FNL, 318 FEL Unit Letter: H
Section: 14, T-28-N, R-5 -W, County: <u>R.A.</u> State: <u>NM</u>
Contractor Closing Pit: Riffer
Construction Inspector: Norman Fave— Date: 11/24/18 nspector Signature: Norman Fave— Date: 11/24/18

Revised 11/4/10

Office Use Only: Subtask _____ DSM _____ Folder ____

Goodwin, Jamie L

From: Sent:

Payne, Wendy F

Friday, November 19, 2010 9:01 AM

To:

(Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; 'tevans48@msn.com';

(bko@digii.net); (davidblakley@alltel.blackberry.com); Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; 'Steve McGlasson'; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads, Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com); Blair.

Maxwell O; Blakley, Mac; Clark, Joni E; Farrell, Juanita R; Gillette, Steven L (Gray Surface

Specialties and Consulting, Ltd.); Greer, David A; Hines, Derek J (Finney Land Co.); Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt, Elmo F; Stallsmith, Mark R

'JDRITT@aol.com' Cc:

Subject:

Reclamation Notice: San Juan 28-5 Unit 101P & San Juan 28-5 Unit 2C

Importance:

High

Attachments:

San Juan 28-5 Unit 101P.pdf

JD Ritter will move a tractor to the San Juan 28-5 Unit 101P and San Juan 28-5 Unit 2C to start the reclamation process on Tuesday, November 23, 2010. Please contact Norm Faver (320-0670) if you have any questions. Please insure that all charges are split between the 2 network numbers listed below. Thank you.



San Juan 28-5 Unit 101P.pdf (2...

Burlington Resources Well - Network # 10244514 - Activity code - D250 (reclamation) & D260 (pit closure) PO: Kaitlw Rio Arriba County, NM

San Juan 28-5 Unit 101P - BLM surface / BLM minerals

Twin: San Juan 28-5 Unit 2C 2260' FNL. 318' FEL Sec. 14, T28N, R5W

Unit Letter 'H'

Lease #: SF-079250

Latitude: 36° 39' 44" N (NAD 83) Longitude: 107° 19' 14" W (NAD 83)

Elevation: 7415'

Total Acres Disturbed: 1.74 acres

Access Road: 170' API #: 30-039-30641 Pit Lined: YES

Burlington Resources Well - Network # 10237850 - Activity code - D250 (reclamation) & D260 (pit closure) PO: Kaitlw Rio Arriba County, NM

San Juan 28-5 Unit 2C - BLM surface / BLM minerals

Twin: San Juan 28-5 Unit 101P

2317' FNL, 270' FEL

Sec. 14, T28N, R5W

Unit Letter 'H'

Lease #: USA SF-080516-B Latitude: 36° 39' 44" N (NAD 83) Longitude: 107° 19' 14" W (NAD 83)

Elevation: 7415'

Total Acres Disturbed: n/a

Access Road: n/a API #: 30-039-30608


Pit Lined: YES


Wendy Payne
ConocoPhillips-SJBU
505-326-9533
Wendy.F.Payne@conocophillips.com


ConocoPhillips

Reclamation Form:	٠.
Date: 5/13/2011	`
Well Name: <u>\$3 28-5 2C</u>	128-5 1011
Footages: 2317 FNL, 270 FE	Unit Letter: H
Section: 14, T- 28-N, R-5 -W, Count	y: RA State: MM
Reclamation Contractor: Riffer	· · · · · · · · · · · · · · · · · · ·
Reclamation Date: 5/3/20	211
Road Completion Date: $\frac{5/5/26}{5}$	
Seeding Date: <u>5/10/20</u>	211
**PIT MARKER STATUS (When Required): Pi	
MARKER PLACED: 5/H/20	
LATATUDE: 36 39,737	
LONGITUDE: 107 19, 219	
Pit Manifold removed Fall 20	-
Construction Inspector: Norman	A
Inspector Signature:	tar
Office Use Only: Subtask DSM Folder Pictures Revised 11/4/10	









	WELL NAME: San Juan 28-5 Unit 2C & 101P	OPEN P	IT INSPE	ECTION	FORM			ConocoPhillips		
	INSPECTOR DATE	<u> </u>	Elmer Perry 06/14/10	Elmer Perry 06/17/10	Elmer Perry 06/29/10	Jon Berenz 07/07/10	Jon Berenz 07/09/10	Jon Berenz 07/15/10	Jon Berenz 07/27/10	Jon Berenz 07/30/10
*Please request for pit extention after 26 weeks PIT STATUS		Week 1 Drilled Completed Clean-Up	Week 2 Drilled Completed Clean-Up	Week 3 Drilled Completed Clean-Up	Week 4 Drilled Completed Clean-Up	Week 5 Drilled Completed Clean-Up	Week 6 Drilled Completed Clean-Up	Week 7 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 8 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 9 Drilled Completed Clean-Up
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
10C/	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No
	ls the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No
	Is the top of the location bladed and in good operating condition?	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☑ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No			
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No
_	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes □ No			
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes □ No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No			
ENV	Are the pits free of trash and oil?	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No
	Are there diversion ditches around the pits for natural drainage?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
ပ္က ၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No						
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No						
	T T	on Loc. No	Drilling Rig No	, , ,	Fence loose Liner		Stains on location.		Liner tears .stains on location.	Tears in liner.

	WELL NAME:									
	San Juan 28-5 Unit 2C & 101P INSPECTOR	Jon Berenz	Jon Berenz	Jon Berenz	Jon Berenz	Jon Berenz	Jon Berenz	Jon Berenz	Jon Berenz	Jon Berenz
	DATE		08/12/10	08/20/10	08/27/10	09/03/10	09/10/10	09/17/10	09/24/10	10/01/10
	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☐ Completed ☐ Clean-Up			
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
10C/	is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No
	Are the culverts free from debris or any object preventing flow?	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes ☐ No	☑ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No
NCE	is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes 🗌 No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No
COMPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☑ No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
_	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗋 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No
RON/	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No ·	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No					
Ì	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No
	Is there a Manifold on location?	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Tears in liner, road needs bladed.		Liner tears,fence loose.	Location good.	Location good.	Liner tears.	Location good.	Rig on location.	Rig on location.

WELL NAME: San Juan 28-5 Unit 2C & 101P						The test				
INSPECTOR			Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver	Norman Faver	
Ŀ	DATE		10/19/10	10/27/10	10/30/10	11/10/10	11/17/10	11/24/10	11/30/10	
	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
1		☐ Completed	✓ Drilled ☐ Completed	✓ Drilled ✓ Completed	✓ Drilled ✓ Completed	☑ Drilled ☑ Completed	✓ Drilled ✓ Completed	✓ Drilled ✓ Completed	✓ Drilled ✓ Completed	☐ Drilled☐ Completed☐
1	PIT STATUS	I `	,		i '	Clean-Up	☐ Clean-Up		1	
		Clean-Up	☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	☐ Clean-Up	☑ Clean-Up	☐ Clean-Up	☐ Clean-Up
NOIT	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes, ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
LOCATION	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes 🗌 No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
1 -	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
N N N	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there a Manifold on location?	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
၁၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	☐ Yes ☐ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	COMMENTS	Rig on location.		facility crew on location	facilitys setting	facilitys being set	Facilitys set	Pit CLOSED	location partialy reclaimed pit is closed	