

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR Initial Report Final Report

Name of Company Williams Production	Contact Michael K. Lane
Address PO Box 640	Telephone No. 505-634-4219
Facility Name Cox Canyon #016 (API: 30-045-21582)	Facility Type Well Site

Surface Owner BLM	Mineral Owner BLM	Lease No.
--------------------------	--------------------------	-----------

LOCATION OF RELEASE

Unit Letter I	Section 16	Township 32 N	Range 11W	Feet from the	North/South Line	Feet from the	East/West Line	County San Juan
-------------------------	----------------------	-------------------------	---------------------	---------------	------------------	---------------	----------------	---------------------------

Latitude 36.98208 Longitude -107.98801



NATURE OF RELEASE

Type of Release Dissolved Phase Hydrocarbons in Produced Water	Volume of Release UNK	Volume Recovered
Source of Release Below-grade Tank	Date and Hour of Occurrence UNK	Date and Hour of Discovery During BGT Closure
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom? Brandon Powell-NMOCD (email)	
By Whom? Myke Lane	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.
Describe Cause of Problem and Remedial Action Taken.
Lab results from BGT closure indicated historic release occurred. No visual evidence of spill observed at time of tank removal. Impacted soils above RALS excavated and taken to offsite commercial landfarm. Confirmation samples taken following excavation and removal following Soil Rule. Pit area to be reclaimed following approved Pit Closure Plan. Composite sample results and site map attached.

Criteria		Site Condition	Ranking Score
Depth to Groundwater		>=100 (Cathodic - >=100 ft BGS)	0
Wellhead Protection Area		None	0
Surface Water Body		>1000 ft	0
Total Ranking			0
Lab	Results		Remediation Action Level
	Tank Removal	Following Soil Removal	
Benzene (ppb)	<0.9	<0.9	10,000
BTEX (ppb)	417	<5.0	50,000
TPH by EPA - 418.1 (ppm)	1920	31	5000
Cl (ppm)	10	10	--

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Michael K. Lane	Approved by District Supervisor: 	
Title: SJB EH&S Specialist	Approval Date: 8/15/11	Expiration Date:
E-mail Address: myke.lane@williams.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 8/23/10 Phone: (505) 330-3198		

* Attach Additional Sheets If Necessary

nJK1123156181

17



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	WPX	Project #:	01408-0136
Sample ID:	BGT Excavation Resample	Date Reported:	07-23-10
Laboratory Number:	55267	Date Sampled:	07-21-10
Chain of Custody No:	10020	Date Received:	07-22-10
Sample Matrix:	Soil	Date Extracted:	07-22-10
Preservative:		Date Analyzed:	07-23-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Cox Cyn #16



Analyst



Review



**EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	07-23-10 QA/QC	Date Reported:	07-23-10
Laboratory Number:	55256	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-23-10
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	6.6	6.9	4.5%	0 - 30%
Diesel Range C10 - C28	11.9	12.3	3.4%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	6.6	250	267	104%	75 - 125%
Diesel Range C10 - C28	11.9	250	277	106%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 55256, 55259-55260, 55265-55268, 55280, 55282-55284


Analyst


Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client: WPX Project #: 01408-0136
Sample ID: BGT Excavation Resample Date Reported: 07-23-10
Laboratory Number: 55267 Date Sampled: 07-21-10
Chain of Custody: 10020 Date Received: 07-22-10
Sample Matrix: Soil Date Analyzed: 07-23-10
Preservative: Date Extracted: 07-22-10
Condition: Intact Analysis Requested: BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Cox Cyn #16



Analyst



Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	0723BBLK QA/QC	Date Reported:	07-23-10
Laboratory Number:	55259	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-23-10
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF: Accept. Range 0 - 15%	%Diff.	Blank Conc	Detect. Limit
Benzene	7.9569E+006	7.9728E+006	0.2%	ND	0.1
Toluene	6.3187E+006	6.3314E+006	0.2%	ND	0.1
Ethylbenzene	4.4309E+006	4.4398E+006	0.2%	ND	0.1
p,m-Xylene	1.0725E+007	1.0746E+007	0.2%	ND	0.1
o-Xylene	3.7310E+006	3.7384E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	51.7	103%	39 - 150
Toluene	ND	50.0	49.3	98.7%	46 - 148
Ethylbenzene	ND	50.0	50.6	101%	32 - 160
p,m-Xylene	ND	100	100	99.6%	46 - 148
o-Xylene	ND	50.0	49.8	99.6%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 55259-55260, 55265-55268, 55279-55280, 55282-55283

Analyst

Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS


Client: WPX Project #: 04108-0136
Sample ID: BGT Excavation Resample Date Reported: 07-23-10
Laboratory Number: 55267 Date Sampled: 07-21-10
Chain of Custody No: 10020 Date Received: 07-22-10
Sample Matrix: Soil Date Extracted: 07-23-10
Preservative: Date Analyzed: 07-23-10
Condition: Intact Analysis Needed: TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	31.0	10.3

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Cox Cyn #16


Analyst


Review



Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	07-23-10
Laboratory Number:	07-23-TPH.QA/QC 55282	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	07-23-10
Preservative:	N/A	Date Extracted:	07-23-10
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	07-15-10	07-23-10	1,846	1,770	4.1%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	10.3

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	3,180	3,470	9.1%	+/- 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	3,180	2,000	5,170	99.8%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 55265-55268, 55282


Analyst


Review



Client:	WPX	Project #:	04108-0136
Sample ID:	BGT Excavation Resample	Date Reported:	07-23-10
Lab ID#:	55267	Date Sampled:	07-21-10
Sample Matrix:	Soil	Date Received:	07-22-10
Preservative:		Date Analyzed:	07-23-10
Condition:	Intact	Chain of Custody:	10020

Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

10

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Cox Cyn #16**


Analyst


Review



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


Client:	Williams Production	Project #:	04108-0136
Sample ID:	BGT Cox Canyon 16	Date Reported:	07-09-10
Laboratory Number:	55084	Date Sampled:	07-07-10
Chain of Custody No:	9855	Date Received:	07-08-10
Sample Matrix:	Soil	Date Extracted:	07-08-10
Preservative:		Date Analyzed:	07-08-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	456	0.2
Diesel Range (C10 - C28)	584	0.1
Total Petroleum Hydrocarbons	1,040	0.2


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Cox Canyon #16**



Analyst



Review



**EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	07-08-10 QA/QC	Date Reported:	07-09-10
Laboratory Number:	55056	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-08-10
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.9960E+002	1.0000E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	258	103%	75 - 125%
Diesel Range C10 - C28	ND	250	257	103%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste; SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 55056-55059; 55041-55043; 55072-55073; 55084


Analyst


Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	Williams Production	Project #:	04108-0136
Sample ID:	BGT Cox Canyon 16	Date Reported:	07-09-10
Laboratory Number:	55084	Date Sampled:	07-07-10
Chain of Custody:	9855	Date Received:	07-08-10
Sample Matrix:	Soil	Date Analyzed:	07-09-10
Preservative:		Date Extracted:	07-08-10
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	2.5	1.0
Ethylbenzene	16.4	1.0
p,m-Xylene	321	1.2
o-Xylene	76.9	0.9
Total BTEX	417	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	100 %
	1,4-difluorobenzene	100 %
	Bromochlorobenzene	100 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Cox Canyon #16


Analyst


Review



**EPA METHOD 8021
AROMATIC VOLATILE ORGANICS**

Client:	N/A	Project #:	N/A
Sample ID:	0709BBLK QA/QC	Date Reported:	07-09-10
Laboratory Number:	55041	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-08-10
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
		Accept. Range 0 - 15%			
Benzene	4.7025E+006	4.7119E+006	0.2%	ND	0.1
Toluene	4.0356E+006	4.0437E+006	0.2%	ND	0.1
Ethylbenzene	3.0406E+006	3.0467E+006	0.2%	ND	0.1
p,m-Xylene	7.3692E+006	7.3840E+006	0.2%	ND	0.1
o-Xylene	2.7144E+006	2.7198E+006	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	4.6	5.2	13.0%	0 - 30%	1.0
Ethylbenzene	8.8	8.7	1.1%	0 - 30%	1.0
p,m-Xylene	124	125	0.2%	0 - 30%	1.2
o-Xylene	34.9	32.6	6.6%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	50.0	51.4	103%	39 - 150
Toluene	4.6	50.0	49.3	90.3%	46 - 148
Ethylbenzene	8.8	50.0	51.3	87.2%	32 - 160
p,m-Xylene	124	100	112	49.7%	46 - 148
o-Xylene	34.9	50.0	54.7	64.4%	46 - 148


ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 55041-55043; 55056-55059; 55072-55073 and 55084



Analyst



Review




Client:	Williams Production	Project #:	04108-0136
Sample ID:	BGT Cox Canyon 16	Date Reported:	07-09-10
Laboratory Number:	55084	Date Sampled:	07-07-10
Chain of Custody No:	9855	Date Received:	07-08-10
Sample Matrix:	Soil	Date Extracted:	07-09-10
Preservative:		Date Analyzed:	07-09-10
Condition:	Intact	Analysis Needed:	TPH-418.1


Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	2,200	17.9

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Cox Canyon #16**


Analyst


Review



**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS
QUALITY ASSURANCE REPORT**

Client:	QA/QC	Project #:	N/A
Sample ID:	QA/QC	Date Reported:	07-09-10
Laboratory Number:	07-09-TPH.QA/QC 55065	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	07-09-10
Preservative:	N/A	Date Extracted:	07-09-10
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
	06-30-10	07-09-10	1,716	1,770	3.1%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	17.9

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	166	161	2.9%	+/- 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	166	2,000	2,200	102%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 55065-55067; 55084; 55055; 55058-55059


Analyst


Review




Client:	Williams Production	Project #:	04108-0136
Sample ID:	BGT Cox Canyon 16	Date Reported:	07-09-10
Lab ID#:	55084	Date Sampled:	07-07-10
Sample Matrix:	Soil	Date Received:	07-08-10
Preservative:		Date Analyzed:	07-09-10
Condition:	Intact	Chain of Custody:	9855


Parameter	Concentration (mg/Kg)
Total Chloride	30

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Cox Canyon #16



Analyst



Review

CHAIN OF CUSTODY RECORD

09855 *Rush*

Client: <i>Williams Production</i>		Project Name / Location: <i>Cox Canyon # 116</i>		ANALYSIS / PARAMETERS															
Client Address: <i>7215. main Arto</i>		Sampler Name: <i>Woot Snyder</i>		TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE					Sample Cool	Sample Intact
Client Phone No.: <i>6344219</i>		Client No.: <i>84188-0136</i>																	

Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix		No./Volume of Containers	Preservative		TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE					Sample Cool	Sample Intact	
							HgCl ₂	HCl																	
<i>BLST Cox Canyon 116</i>	<i>7/7/10</i>	<i>1350</i>	<i>55084</i>	<i>Soil</i>	<i>Sludge</i>	<i>1,40g</i>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>														<i>N</i>	<i>Y</i>
				<i>Soil</i>	<i>Sludge</i>																				
				<i>Soil</i>	<i>Sludge</i>																				
				<i>Soil</i>	<i>Sludge</i>																				
				<i>Soil</i>	<i>Sludge</i>																				
				<i>Soil</i>	<i>Sludge</i>																				
				<i>Soil</i>	<i>Sludge</i>																				
				<i>Soil</i>	<i>Sludge</i>																				
				<i>Soil</i>	<i>Sludge</i>																				

Relinquished by: (Signature) <i>Natalia Meador</i>	Date <i>7/8/10</i>	Time <i>1445</i>	Received by: (Signature) <i>[Signature]</i>	Date <i>7/8/10</i>	Time <i>1445</i>
Relinquished by: (Signature)			Received by: (Signature)		
Relinquished by: (Signature)			Received by: (Signature)		



5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com