District [ 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

District II 1301 W. Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

tanks, submit to the appropriate NMOCD District Office

District IV appropriate NMOCD District Office 1220 S St Francis Dr , Santa Fe, NM 87505 Pit, Closed-Loop System, Below-Grade Tank, or Alternative Method Permit or Closure Plan Application

<u> F10þ</u>	osed Alternative Method Fernitt of Closure Fran Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment Nor does approval relieve the operator of its res	oonsibility to comply with any oth	ner applicable governments	al authority's rules, r	egulations or ordinan	ces
Operator: Burlington Resources Oil & Gas Company	, LP	OGRID	)#. <u>14538</u>		]
Address: PO Box 4289, Farmington, NM 87499					
facility or well name: Allison Unit Com 150 (Lateral					
API Number: 30-045-30154	OCD Pe	ermit Number			
J/L or Qtr/Qtr: O(SW/SE) Section: 8 Tow	nship: 32N Ra	ange: 6W	County: Rio	Arriba	
Center of Proposed Design: Latitude: 36.990	99 °N Long	itude:107.47	764 °W	NAD: X 19	27 1983
Surface Owner: X Federal State	Private Tribal Tr	ist or Indian Allotm	ent		
Pit: Subsection F or G of 19.15 17.11 NMAC			<u></u>		
Temporary: Drilling Workover					
Permanent Emergency Cavitation P&A					
Lined Unlined Liner type Thicknet	ss mil 🔲 L	.LDPE HDPE	PVC Ot	her	
String-Reinforced					
Liner Seams Welded Factory Other	Volum	nebbl I	Dimensions L _	x W	x D
X Closed-loop System: Subsection H of 19.15 17 11  Type of Operation P&A X Drilling a new well  X Drying Pad X Above Ground Steel Tanks  X Lined Unlined Liner type Thicknet  Liner Seams X Welded X Factory Other	Workover or Drilling notice of intent)  Haul-off Bins Other		PVD Othe	1718 197	202122 A FIVED
1				017 CO	2010
Below-grade tank: Subsection I of 19 15 17 11 NM	AC			2	NS. DIV. DIST. 3
Volumebbl Type of flu	d	······	<del></del>	S OIL CO	N3. Di
Tank Construction material.	21 1 21 21 22 2	Lib and automore		68/	-\-
Secondary containment with leak detection V  Visible sidewalls and liner Visible sidew	sible sidewalls, liner, 6-inchalls only	i iiit and automatic ov	cillow shut-off	1.99	34500
	DPE PVC	Other			ĺ
Alternative Method:					
Submittal of an exception request is required Exceptions in	ust be submitted to the San	ta Fe Environmental B	Sureau office for	consideration of a	pproval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, instit Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify	tution or churc	:h)
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
8  Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15.3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi  (Fencing/BGT Liner)  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	deration of app	proval
Siting Criteria (regarding permitting) 19 15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	☐Yes ☐NA	No
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	····	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - 1WATERS database search, Visual inspection (certification) of the proposed site		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15 17 9 NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9  NMAC and 19 15.17 13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17 9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC
Quality Control/Quality Assurance Construction and Installation Plar
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17 11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan  Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Closure Train - based upon the appropriate requirements of subsection C of 15 15 17 5 NVIAC and 15 15 17 15 NVIAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC

16		1			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Ta Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids are required		lities			
Disposal Facility Name Dis	sposal Facility Permit #				
Disposal Facility Name. Dis	sposal Facility Permit #	···			
Will any of the proposed closed-loop system operations and associated activities occ  Yes (If yes, please provide the information No	ur on or in areas that will not be used for future servi	ce and operations?			
Required for impacted areas which will not be used for future service and operations					
Soil Backfill and Cover Design Specification - based upon the appropriate recommendation Plan - based upon the appropriate requirements of Subsection	<u>.</u>				
Site Reclamation Plan - based upon the appropriate requirements of Subsection					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions: Each sting criteria requires a demonstration of compliance in the closure plan Recomm siting criteria may require administrative approval from the appropriate district office or may be consideration of approval Justifications and/or demonstrations of equivalency are required Please references.	idered an exception which must be submitted to the Santa Fe En				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - IWATERS database search, USGS Data obtained	from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	^	Yes No			
- NM Office of the State Engineer - IWATERS database search, USGS; Data obtained	from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - tWATERS database search, USGS, Data obtained	from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant v (measured from the ordinary high-water mark)	watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existe	ence at the time of initial application	Yes No			
- Visual inspection (certification) of the proposed site, Aerial photo, satellite image		∏Yes ∏No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water well for pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No			
- Written confirmation or verification from the municipality, Written approval obtained	I from the municipality				
<ul> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspectic</li> </ul>	on (certification) of the proposed site	YesNo			
Within the area overlying a subsurface mine		∏Yes ∏No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area		Yes No			
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Minera Topographic map</li> </ul>	l Resources, USGS, NM Geological Society;				
Within a 100-year floodplàin - FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the check mark in the box, that the documents are attached.	e following items must bee attached to the closure p	lan. Please indicate, by a			
Siting Criteria Compliance Demonstrations - based upon the appropriate requ	uirements of 19.15.17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of	Subsection F of 19 15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying page)	Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15	5.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requ					
Waste Material Sampling Plan - based upon the appropriate requirements of					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and d		ot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection I  Re-vegetation Plan - based upon the appropriate requirements of Subsection					
Site Reclamation Plan - based upon the appropriate requirements of Subsection					

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Title:
Signature Date
e-mail address Telephone.
OCD Approval: Permit Application (including closure/plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  X Closure Completion Date: 12/1/2008
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only;  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name. Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliane to the items below)  X No (Original Approved Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installatior  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude Longitude:  NAD 1927 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  Name (Print):  Crystal Tafoya  Title  Regulatory Technician
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.