State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office
4852	Pit, Closed-Loop System, Below-Grade Tank, or
Prop	osed Alternative Method Permit or Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
The state of the state of	below-grade tank, or proposed alternative method
	ne application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
	leve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources O	il & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmingto	
Facility or well name. Blanco 30-12	! 100S
API Number 3	0-045-34802 OCD Permit Number.
U/L or Qtr/Qtr: O(SW/SE) Secti	on: 10 Township: 30N Range: 12W County: San Juan
Center of Proposed Design: Latitude	e: 36.82294 °N Longitude: 108.08457 °W NAD: 1927 X 1983
Surface Owner: Federal	State X Private Tribal Trust or Indian Allotment
Lined Unlined L String-Reinforced Liner Seams Welded F	Cavitation P&A Iner type. Thickness mil LLDPE HDPE PVC Other Cactory Other Volume bbl Dimensions L x W x D
X Closed-loop System: Subsec	tion H of 19 15 17 11 NMAC
Type of Operation P&A	X Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or
X Drying Pad X Above Grou	notice of intent) und Steel Tanks Haul-off Bins Other
= -	or type Thickness 20 mil VII DE THOPE TOUR Other 1819202730
— —	actory Other
4	Tot 19 15 17 11 NMAC Type of fluid:
Below-grade tank: Subsection	1 of 19 15 17 11 NMAC 2010
Volume -	obl Type of fluid
Tank Construction material	OIL CONS. DIV. DIST. 3
Secondary containment with leak d	
Visible sidewalls and liner Liner Type Thickness	Visible sidewalls only Other mil HDPE PVC Other
Liner Type Thickness	IIII LIDLE LILAC LIOUEI
5 Alternative Method:	
Submittal of an exception request is re	quired Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

6 Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate Please specify					
7					
Netting: Subsection E of 19.15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other		ļ			
Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
9					
Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)					
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval					
Siting Criteria (regarding permitting). 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for					
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - (WATERS database search; USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa	Yes	□No			
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site					
	□Yes	П			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∏NA				
- Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	_				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
(Applied to permanent pits)	NA				
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image		_			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	İ	ĺ			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No			
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	_	_			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		□No			
Within an unstable area.	Yes	□No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map		J			
Within a 100-year floodplain - FEMA map	Yes	□No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17 9 NMAC and 19 15 17 13 NMAC				
Previously Approved Design (attach copy of design) APIor Permit Number				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9				
NMAC and 19 15 17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessmen				
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC				
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15 17 11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plar				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17 11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC				
14				
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Burial				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures, besed when the consensate requirements of 10.15.17.13 NMAC.				
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T.	anks or Haul-off Rins Only (1915 1713 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluid are required.	ds and drill cuttings. Use attachment if more than two fac	ilities			
Disposal Facility Name Disposal Facility Permit #					
Disposal Facility Name. Disposal Facility Permit #					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19.15 17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - iWATERS database search, USGS. Data obtained	d from nearby wells	□N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained	from nearby wells	∏n/A			
Ground water is more than 100 feet below the bottom of the buried waste		☐Yes ☐No			
NM Office of the State Engineer - iWATERS database search, USGS, Data obtained	I from nearby wells	□ N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).	watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in exis - Visual inspection (certification) of the proposed site; Aerial photo, satellite image	tence at the time of initial application	Yes No			
, , , , , ,		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than fi purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	e at the time of the initial application				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Yes No			
 Written confirmation or verification from the municipality; Written approval obtains Within 500 feet of a wetland 	to from the municipality	□Yes □No			
US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspects	on (certification) of the proposed site				
Within the area overlying a subsurface mine		Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division		m. m.			
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Miner	al Resources USGS NM Geological Society	YesNo			
Topographic map	an resources, obdo, rivir deological bookey,				
Within a 100-year floodplain - FEMA map		Yes No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the check mark in the box, that the documents are attached.	he following items must bee attached to the closure p	olan. Please indicate, by a			
Siting Criteria Compliance Demonstrations - based upon the appropriate rec	·				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Compliance Plan (if applicable), based upon the appropriate requirements of Subsection F. of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection					
	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

19					
Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print) Title					
Signature Date					
e-mail address Telephone					
20					
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)					
OCD Representative Signature: Approval Date: Approval Date:					
Title: 6m0 and Otto (OCD Permit Number:					
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report.					
is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved					
closure plan has been obtained and the closure activities have been completed					
X Closure Completion Date: 4/20/2009					
Closure Method:					
If different from approved plan, please explain					
23					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:					
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.					
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number NM-01-005					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)					
Required for impacted areas which will not be used for future service and operations:					
Site Reclamation (Photo Documentation)					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
24					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in					
the box, that the documents are attached.					
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location Latitude Longitude NAD 1927 1983					
25					
Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that					
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan					
Name (Print) Crystal Tafoya Title Regulatory Technician					
10-11					
Signature Constal / Alona Date. 1192010.					
e-mail address crystal.tafoya@conocphillips.com Telephone 505-326-9837					