District I 1625 N. French Dr., Hobbs, NM 88240

1301 W Grand Ave, Artesia, NM 88210 District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S St Francis Dr., Santa Fe, NM 87505		пррторги		1
9121	it, Closed-Loop System			
Propose	ed Alternative Method I	Permit or Closure Pla	<u>m Application</u>	
Type of action:	Permit of a pit, closed-loop sys	tem, below-grade tank, or pro	oposed alternative method	
<u> </u>	Closure of a pit, closed-loop sy	stem, below-grade tank, or p	roposed alternative method	
	Modification to an existing per	mit		
L	Closure plan only submitted for below-grade tank, or proposed		n-permitted pit, closed-loop syste	m,
Instructions: Please submit one appli			helow-arade tank or alternative	ranuast
	request does not relieve the operator of liab		· ·	requesi
environment Nor does approval relieve t	he operator of its responsibility to comply w	ith any other applicable governmental	authority's rules, regulations or ordinances	
Operator: Burlington Resources Oil &	Gas Company, LP	OGRID#	#: <b>14538</b>	
Address: PO Box 4289, Farmington,				
Facility or well name: Schumachar 1A				
API Number: 30-0-	45-26639	OCD Permit Number:		
U/L or Qtr/Qtr: C(NE/NW) Section:		Range: 10W	County: San Juan	
Center of Proposed Design: Latitude:	36.81648 °N	Longitude:107.91	05 °W NAD: X 1927	1983
Surface Owner: X Federal	State Private T	ribal Trust or Indian Allotme	nt	
Permanent Emergency Cavi Lined Unlined Liner String-Reinforced Liner Seams Welded Facto	type Thickness mil	LLDPE HDPE  Volume:bbl D	PVC Otherx Wx E	
	H of 19.15.17.11 NMAC  Prilling a new well Workover of notice of int		which require prior approval of a peri	mit or
Drying Pad X Above Ground Lined Unlined Liner ty Liner Seams: Welded Factor	Steel Tanks Haul-off Bins pe: Thickness mil	Other	PVD Other	123456
Below-grade tank: Subsection I of Volume. bbl Tank Construction material:	19.15.17.11 NMAC  Type of fluid		- VIL CONS.	EIVED 2010 DIV. DIST. 3
Secondary containment with leak detec  Visible sidewalls and liner  Liner Type: Thickness	<u> </u>	er, 6-inch lift and automatic over therOther	rflow shut-off	3181173
5 Alternative Method:				
	ad. Europations myset be authorized to	the Cente En Environmental D.	real affice for consideration of annu-	oval
Submittal of an exception request is require	a. Exceptions must be submitted to	uic santa re environmental Bu	read office for consideration of appre	ovai

Page 1 of 5

Form C-144

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify					
Netting: Subsection E of 19 15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3.103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	e for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting crit does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or play (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	a lake Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes No				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
<ul> <li>(Applied to permanent pits)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock water</li> </ul>	atering Yes No				
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No				
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed					
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.	Yes No				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geologics Society; Topographic map					
Within a 100-year floodplain - FEMA map	Yes No				

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC				
Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9  NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Closure Fiant - based upon the appropriate requirements of subsection 6 of 15.15.17.5 Number and 15.15.17.15 Number				
Proposed Closure: 19.15 17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative  Decreased Cleaver Methods				
Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.	sel Tanks or Haul-off Bins Only:(19.15.17 13 D NMAC) g fluids and drill cuttings Use attachment if more than two			
•	Disposal Equility Pormit #:	`		
Disposal Facility Name:	Disposal Facility Permit #:			
Disposal Facility Name Disposal Facility Permit #: Use of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future service and				
Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate to the service and operations.		MAC		
Re-vegetation Plan - based upon the appropriate requirements of Subse		WITC		
Site Reclamation Plan - based upon the appropriate requirements of Sul	bsection G of 19.15 17 13 NMAC			
Siting Criteria (Regarding on-site closure methods only: 19 15.17.10 NMA) Instructions Each stiting criteria requires a demonstration of compliance in the closure plan Recertain stiting criteria may require administrative approval from the appropriate district office or office for consideration of approval Justifications and/or demonstrations of equivalency are required.	ecommendations of acceptable source material are provided below r may be considered an exception which must be submitted to the Sa			
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - tWATERS database search; USGS: Data ob	tained from nearby wells			
	·			
Ground water is between 50 and 100 feet below the bottom of the buried wa  - NM Office of the State Engineer - iWATERS database search, USGS; Data obt		∐Yes ∐No		
- NW Office of the State Engineer - tw A LERS database search, OSOS, Data obt	amed from nearby wens	∐N/A		
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signif (measured from the ordinary high-water mark)	icant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map: Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	• • •	Yes No		
		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certif	stence at the time of the initial application.			
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended	·	Yes No		
- Written confirmation or verification from the municipality. Written approval ob	tained from the municipality			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual ins	pection (certification) of the proposed site	∐Yes ∐No		
Within the area overlying a subsurface mine.		□Yes □No		
- Written confirantion or verification or map from the NM EMNRD-Mining and	Mineral Division			
Within an unstable area.		Yes No		
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; N Topographic map</li> </ul>	fineral Resources; USGS, NM Geological Society;			
Within a 100-year floodplain FEMA map		Yes No		
18				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the clos	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropri	ate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon	the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a di	• • • •			
Protocols and Procedures - based upon the appropriate requirements of				
	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Sub-	section I of 19.15.17.13 NMAC			
Site Peolamation Plan - based upon the appropriate requirements of S	ubsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Continues
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print) Title:
Signature: Date:
e-mail address: Telephone:
20
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 9/201
Title: COMOS Cauce Office OD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15 17 13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.    X   Closure Completion Date: 5/13/2009
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.  Disposal Facility Name Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B
Disposal Facility Name. Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location Latitude: Longitude: NAD 1927 1983
25
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan    Condition   Property   P
Name (Print): Jamie Goodwin Title Regulatory Technician
Signature: /
e-mail address: Jamie.L.Goodwin@conocophillips.com Telephone: 505-326-9784