

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

**Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application**

Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.


1. Operator: Chevron Midcontinent, LP OGRID #: 241333
Address: Post Office Box 36366, Houston, TX 77236
Facility or well name: Rincon Unit No. 303
API Number: 30-039-25403 OCD Permit Number: _____
U/L or Qtr/Qtr Qtr/Qtr E Section 33 Township 27N Range 7 W County: Rio Arriba
Center of Proposed Design: Latitude 36.530653° Longitude -108.588509° NAD: ☐ 1927 ☐ 1983
Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2. ☐ Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary: ☐ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☐ String-Reinforced
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

3. ☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other _____
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____

4. ☒ Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: 95 bbl Type of fluid: Produced Water
Tank Construction material: Steel
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☒ Visible sidewalls only ☐ Other _____
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☒ Other None

5. ☐ Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.



26

6.
Fencing: Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)

☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)

☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet

☐ Alternate. Please specify _____

7.
Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

☐ Screen ☐ Netting ☐ Other _____

☐ Monthly inspections (If netting or screening is not physically feasible)

8.
Signs: Subsection C of 19.15.17.11 NMAC

☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

☒ Signed in compliance with 19.15.3.103 NMAC

9.
Administrative Approvals and Exceptions:
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.
Please check a box if one or more of the following is requested, if not leave blank:

☐ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.
Siting Criteria (regarding permitting): 19.15.17.10 NMAC
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to temporary, emergency, or cavitation pits and below-grade tanks</i>) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to permanent pits</i>) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

11. **Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12. **Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
- ☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____

☐ Previously Approved Operating and Maintenance Plan API Number: _____ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13. **Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Climatological Factors Assessment
- ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Quality Control/Quality Assurance Construction and Installation Plan
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- ☐ Emergency Response Plan
- ☐ Oil Field Waste Stream Characterization
- ☐ Monitoring and Inspection Plan
- ☐ Erosion Control Plan
- ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14. **Proposed Closure:** 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Closed-loop System
☐ Alternative

Proposed Closure Method: ☐ Waste Excavation and Removal
☐ Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15. **Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. **Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____
 Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?
☐ Yes (If yes, please provide the information below) ☐ No

Required for impacted areas which will not be used for future service and operations:
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17. **Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

18. **On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19. **Operator Application Certification:**
 I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

20. **OCD Approval:** ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: Jonathan D. Kelly Approval Date: 10/18/2011

Title: Compliance Officer OCD Permit Number: _____

21. **Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: August 2, 2011

22. **Closure Method:**
☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain.

23. **Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:
☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24. **Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

☒ Proof of Closure Notice (surface owner and division) See Attached
☐ Proof of Deed Notice (required for on-site closure) Not Required
☐ Plot Plan (for on-site closures and temporary pits) Not Required
☒ Confirmation Sampling Analytical Results (if applicable) See Attached
☐ Waste Material Sampling Analytical Results (required for on-site closure) Not Required
☐ Disposal Facility Name and Permit Number Envirotech's Landfarm #2, permit #: NM-01-001
☒ Soil Backfilling and Cover Installation See Attached
☒ Re-vegetation Application Rates and Seeding Technique Pursuant to the BLM MOU and Approved Closure Plan
☒ Site Reclamation (Photo Documentation) See Attached

On-site Closure Location: Latitude _____ Longitude _____ NAD: ☐ 1927 ☐ 1983

25. **Operator Closure Certification:**
 I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Ms. Laura Clenney Title: Facilities Engineer

Signature: [Signature] Date: 10/4/11

e-mail address: laura.clenney@chevron.com Telephone: (281) 881-0322



October 10, 2011

Project Number 92270-0821

Mr. Brandon Powell
New Mexico Oil Conservation Division
1000 Rio Brazos Road
Aztec, New Mexico 87410

Phone (505) 334-6178
brandon.powell@state.nm.us

**RE: BELOW-GRADE TANK CLOSURE DOCUMENTATION FOR THE RINCON #303 WELL
SITE, RIO ARRIBA COUNTY, NEW MEXICO**


Dear Mr. Powell:


On behalf of Chevron North America please find enclosed the Below Grade Tank (BGT) Closure Plan, Form C-141, and Form C-144 and required documents for BGT closure activities conducted at the Rincon #303 well site located in Section 33, Township 27 North, Range 7 West, Rio Arriba County, New Mexico.

This report details sample results above the regulatory limit for total petroleum hydrocarbons (TPH), confirming a release had occurred; see attached *Analytical Results*. However, the sample returned results below the cleanup standards determined for the site. Envirotech, Inc. recommends no further action in regards to this incident.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,
ENVIROTECH, INC.


Toni McKnight, EIT
Environmental Project Manager
tmcknight@envirotech-inc.com



Enclosures: Below Grade Tank Closure Plan
Form C-141
Form C-144 and Required Documentation

Email Cc: Ms. Laura Clenney – Chevron NA
Mr. Don Lindsey – Chevron NA

BELOW GRADE TANK (BGT) CLOSURE PLAN

SITE NAME:

**RINCON #303 WELL SITE
UNIT LETTER E, SECTION 33, TOWNSHIP 27 NORTH, RANGE 7 WEST
RIO ARriba COUNTY, NEW MEXICO
LATITUDE: N36.530653⁰ LONGITUDE: W107.588509⁰**

SUBMITTED TO:

**MR. BRANDON POWELL
NEW MEXICO OIL CONSERVATION DIVISION
1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO 87410
(505) 334-6178 EXT 15**

SUBMITTED BY:

**MR. DON LINDSEY
CHEVRON NORTH AMERICA
POST OFFICE BOX 370
AZTEC, NEW MEXICO 87410
(432) 687-7123**

**INITIALLY SUBMITTED WITH BGT PERMIT
MARCH 2010**

**BELOW GRADE TANK (BGT) CLOSURE PLAN
CHEVRON NORTH AMERICA
RINCON #303 WELL SITE
RIO ARriba COUNTY, NEW MEXICO**

TABLE OF CONTENTS

<u>INTRODUCTION</u>	1
<u>SCOPE OF CLOSURE ACTIVITIES</u>	1
<u>REPORTING</u>	3

INTRODUCTION

Chevron North America would like to submit a closure plan for the below grade tank (BGT) at the Rincon #303 well site located in the SW ¼ NW ¼ of Section 33, Township 27 North, Range 7 West, Rio Arriba County, New Mexico. This closure plan has been prepared in conformance with New Mexico Oil Conservation Division (NMOCD) procedures.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the BGT at the Rincon #303 well site. The following scope of closure activities has been designed to meet this objective:

- 1) Chevron North America shall submit a closure plan to the division's environmental bureau. Upon receipt of this plan the division shall review the current closure plan for adequacy and accordance with 19.15.17.9 Subsection C NMAC and 19.15.17.13 NMAC.
 - a. Closure Plan was submitted on March 1, 2010, to the division's environmental bureau, in accordance with 19.15.17.9 Subsection C NMAC and 19.15.17.13 NMAC. The closure plan was approved on September 13, 2011, by Mr. Brad Jones of the NMOCD, Santa Fe Office.
- 2) No less than 72 hours and no greater than one (1) week prior to BGT removal, Chevron North America will provide written notification to the appropriate division district office, as in accordance with 19.15.17.13 Subsection J Paragraph (2) NMAC.
 - a. Please find attached the written notification to the district office sent on July 20, 2011.
- 3) Chevron North America shall provide written notification to the surface owner no later than 24 hours prior to BGT removal. BLM will receive notification per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC.
 - a. A Sundry Notice was sent via certified mail to the BLM Farmington field office on July 20, 2011.
- 4) Chevron North America or a contractor acting on behalf of Chevron will remove all liquids, and/or sludge, if applicable, prior to closure. Material will be disposed of at Envirotech's Landfarm, Permit # NM-01-0011, as in accordance with 19.15.17.13 Subsection E Paragraph (1) NMAC.
 - a. All waste material was removed from the BGT by Riley Industrial Services and transported to Envirotech's NMOCD permitted Landfarm #2 as listed above; see attached Bill of Lading.
- 5) Chevron North America or a contractor acting on behalf of Chevron will remove the BGT and all on-site equipment associated with the BGT that cannot or will not be reused on-site, as in accordance with 19.15.17.13 Subsection E Paragraphs (2) and (3) NMAC.
 - a. Chevron has removed the BGT and associated equipment that will not be reused on-site; see attached Site Photography.

- 6) Once the BGT is removed, a five (5) - point composite sample will be collected from directly below the tank or below the leak detection system if present. An additional discrete sample will be collected from any area that is wet, discolored, or showing other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX using USEPA Method 8021, TPH using USEPA Method 418.1, and chlorides using USEPA Method 300.1, as in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.

Sample ID	TPH (418.1)	Benzene	BTEX	Total Chlorides
5-Pt. Composite	156 ppm	<0.0009 ppm	0.0064 ppm	60 ppm

- 7) Depending on soil sample results, the area will be either backfilled or the area will be excavated.
- If soil samples pass the regulatory standards of 0.2 ppm benzene, 50 ppm BTEX, 100 ppm TPH, and 250 ppm or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.
 - Chevron North America or a contractor acting on behalf of Chevron will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC.
 - BGT pit was backfilled with clean earthen material in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC.**
 - Upon decommissioning of the well site Chevron North America or a contractor acting on behalf of Chevron will construct a division-prescribed soil cover, substantially restore, recontour and re-vegetate the site, in accordance with 19.15.17.13 Subsections G, H, and I NMAC.
 - Well site is still in use – re-vegetation will occur upon the decommissioning of the well site.**
 - If soil samples exceed the regulatory standards stated above.
 - Chevron North America will submit a Release Notification by Form C-141 to the appropriate division district office, in accordance with 19.15.17.13 Subsection E Paragraph (4) NMAC.
 - C-141 release notification form is attached.**
 - Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.
 - Upon Envirotech's arrival, the closure standard for the site was determined to be 1,000 ppm TPH and 100 ppm organic vapors in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for the Remediation of Leaks, Spills, and Releases. Therefore, no remedial action was taken.**


REPORTING

Reporting will occur within 60 days following the BGT closure and will consist of a form C-144 with all supporting data, and a form C-141 with all supporting data, if necessary. The supporting data will include analytical results, a site diagram, and other information related to the onsite activities.

We appreciate the opportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-0615.

Respectfully Submitted:

Chevron North America



Don Lindsey
Chevron North America
Exploration & Production Company

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company: Chevron Midcontinent, LP	Contact: Ms. Laura Clenney
Address: Post Office Box 36366, Houston, TX 77236	Telephone No. (281) 881-0322
Facility Name: Rincon Unit No. 303	Facility Type: Gas Well

Surface Owner: Federal	Mineral Owner:	Lease No.: N/A
------------------------	----------------	----------------

LOCATION OF RELEASE

Unit Letter E	Section 33	Township 27N	Range 7W	Feet from the 2180	North/South Line North	Feet from the 535	East/West Line West	County Rio Arriba
------------------	---------------	-----------------	-------------	-----------------------	---------------------------	----------------------	------------------------	----------------------

Latitude 36.530653° Longitude -107.588509°

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: Historical	Volume Recovered: Not Applicable
Source of Release: Below Grade Tank	Date and Hour of Occurrence: Unknown	Date and Hour of Discovery: August 2, 2011
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*
No Release


Describe Cause of Problem and Remedial Action Taken *

Produced water from gas well at the above mentioned location formerly discharged into a Below Grade Tank (BGT) on location. The Below Grade Tank was removed on August 2, 2011. Soil sampling from directly beneath the tank in accordance with Subsection E of 19.15.17.13 NMAC was performed on August 2, 2011, and indicated that a release had occurred. However, the composite sample collected from below the BGT returned results below the regulatory cleanup standards determined for the site.


Describe Area Affected and Cleanup Action Taken.*

A five (5)-point composite sample was collected from directly beneath the former BGT immediately once it was removed. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) using USEPA Method 418.1, and in Envirotech's Analytical Laboratory for benzene and total BTEX using USEPA Method 8021 and for total chlorides using USEPA Method 4500B. The sample returned results above the "Pit Rule" standard of 100 mg/kg TPH, confirming that a release had occurred. A brief site assessment was conducted and the regulatory cleanup standards were determined to be 1000 ppm TPH and 100 ppm organic vapors pursuant to NMOCD Guidelines for Remediation of Spills, Leaks, and Releases. The sample returned results below the regulatory cleanup standards for all constituents analyzed. Analytical results are attached for your reference.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 		OIL CONSERVATION DIVISION	
Printed Name: Laura Clenney		Approved by District Supervisor:	
Title: Facilities Engineer		Approval Date:	Expiration Date:
E-mail Address: laura.clenney@chevron.com		Conditions of Approval:	Attached <input type="checkbox"/>
Date: 10/4/11 Phone: 281-881-0322			

* Attach Additional Sheets If Necessary



District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2013

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company: Chevron Midcontinent, LP	Contact: Ms. Laura Clenney	
Address: Post Office Box 36366, Houston, TX 77236	Telephone No. (281) 881-0322	
Facility Name: Rincon Unit No. 303	Facility Type: Gas Well	
Surface Owner: Federal	Mineral Owner:	Lease No.: N/A

LOCATION OF RELEASE

Unit Letter E	Section 33	Township 27N	Range 7W	Feet from the 2180	North/South Line North	Feet from the 535	East/West Line West	County Rio Arriba
------------------	---------------	-----------------	-------------	-----------------------	---------------------------	----------------------	------------------------	----------------------

Latitude 36.530653° Longitude -107.588509°

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: Historical	Volume Recovered: Not Applicable
Source of Release: Below Grade Tank	Date and Hour of Occurrence: Unknown	Date and Hour of Discovery: August 2, 2011
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	
If a Watercourse was Impacted, Describe Fully.* No Release		


Describe Cause of Problem and Remedial Action Taken.*

Produced water from gas well at the above mentioned location formerly discharged into a Below Grade Tank (BGT) on location. The Below Grade Tank was removed on August 2, 2011. Soil sampling from directly beneath the tank in accordance with Subsection E of 19.15.17.13 NMAC was performed on August 2, 2011, and indicated that a release had occurred. However, the composite sample collected from below the BGT returned results below the regulatory cleanup standards determined for the site.

Describe Area Affected and Cleanup Action Taken.*

A five (5)-point composite sample was collected from directly beneath the former BGT immediately once it was removed. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) using USEPA Method 418.1, and in Envirotech's Analytical Laboratory for benzene and total BTEX using USEPA Method 8021 and for total chlorides using USEPA Method 4500B. The sample returned results above the "Pit Rule" standard of 100 mg/kg TPH, confirming that a release had occurred. A brief site assessment was conducted and the regulatory cleanup standards were determined to be 1000 ppm TPH and 100 ppm organic vapors pursuant to NMOCD Guidelines for Remediation of Spills, Leaks, and Releases. The sample returned results below the regulatory cleanup standards for all constituents analyzed. Analytical results are attached for your reference.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Laura Clenney	Approved by District Supervisor:	
Title: Facilities Engineer	Approval Date:	Expiration Date:
E-mail Address: laura.clenney@chevron.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 10/4/11	Phone: 281-881-0322	

* Attach Additional Sheets If Necessary



Date: 8/02/11

LOCATION

NAME Rincon 303 API# 3003925403
QUAD/UNIT E SEC 33 TWP: 27N RNG 7W PM NM
COUNTY Rio Arriba STATE New Mexico
LATITUDE 36.53067325 LONGITUDE -107.5879823

BACKGROUND READING PROBE 1 0.06 ALLOWABLE CONCENTRATION (2 TIMES BACKGROUND): 0.12
PANCAKE PROBE

BACKGROUND READING PROBE 2: 10 ALLOWABLE CONCENTRATION (2 TIMES BACKGROUND): 20
SCINTILLATION PROBE

[illegible]

Crystal Arguiri
Analyst Signature

Crystal Delgai
Printed Name

8/2/11
Date

GSM-115/20277 ~~588#~~
GSM-110/6888 5#
 Instrument I.D.



August 8, 2011

Project No. 92270-0821

Mr. Don Lindsey
Chevron North America
P.O. Box 730
Aztec, New Mexico 87410

Email: llin@chevron.com

Fax: (505) 334-7134
Phone: (505) 320-3549

RE: LEAD SAMPLING REPORT FOR THE RINCON #303 LOCATED IN RIO ARriba COUNTY, NEW MEXICO

Dear Mr. Lindsey,

On August 2, 2011, Certified Inspector Donald Ortiz collected one (1) suspect sample of lead paint from the Rincon #303 located in Rio Arriba County, New Mexico.

The sample was shipped priority overnight for analysis under Chain of Custody Record No. L42717 to EMC Laboratories, Phoenix, Arizona, EMC is a NVLAP Certified Analytical Laboratory, NVLAP No. 101926-0.

The following table shows a detailed breakdown of the sampling results:

SAMPLE #	LOCATION / DESCRIPTION	RESULTS (%Pb)
O-5474	Rincon #303 - Paint	BRL

*BRL=Below Recordable Limits

As per the attached results, the one (1) sample of paint collected from the Rincon #303 resulted in **Below Recordable Limits (BRL) for lead based paint**. This material is designated as non-lead containing paint and can be removed or disturbed by regular construction personnel using the proper personal protection equipment.

We appreciate the opportunity to provide service and look forward to working with you in the future. If you have any questions or need additional information, please contact us at (505) 632-0615.

Sincerely,

ENVIROTECH, INC.

Donald P. Ortiz
Field Operations Manager
dortiz@envirotech-inc.com

Attachment: Analytical Results

DPO:rjm/Office/Client/ACM/92270/Chevron/92270-0821/Rincon#303/LeadSamplingResults.doc



9830 South 51st Street, Suite B-109 / PHOENIX, ARIZONA 85044 / 480-940-5294 or 800-362-3373 / FAX 480-893-1726
emclab@emclabs.com

LEAD (Pb) IN PAINT CHIP SAMPLES
EMC SOP METHOD #L01/1 EPA SW-846 METHOD 7420

EMC LAB #: L42717		DATE RECEIVED: 08/04/11	
CLIENT: Envirotech		REPORT DATE: 08/04/11	
		DATE OF ANALYSIS: 08/04/11	
CLIENT ADDRESS: 5796 US Hwy 64 Farmington, NM 87401		P.O. NO.: 1222	
PROJECT NAME: Chevron North America/Rincon 303		PROJECT NO.: 92270-0821	
EMC # L42717-	SAMPLE DATE /11 08/02	CLIENT SAMPLE # O-5474	DESCRIPTION Rincon 303-Paint
			REPORTING LIMIT (%Pb by weight)
			%Pb BY WEIGHT
			0.010
			BRL


^A = Dilution Factor Changed ^{*} = Excessive Substrate May Bias Sample Results **BRL** = Below Reportable Limits [#] = Very Small Amount Of Sample Submitted, May Affect Result

This report applies to the standards or procedures identified and to the samples tested only. The test results are not necessarily indicative or representative of the qualities of the lot from which the sample was taken or of apparently identical or similar products, nor do they represent an ongoing quality assurance program unless so noted. Unless otherwise noted, all quality control analyses for the samples noted above were within acceptable limits.

Where it is noted that a sample with excessive substrate was submitted for laboratory analysis, such analysis may be biased. The lead content of such sample may, in actuality, be greater than reported. EMC makes no warranty, express or implied, as to the accuracy of the analysis of samples noted to have been submitted with excessive substrate. Resampling is recommended in such situations to verify original laboratory results.

These reports are for the exclusive use of the addressed client and are rendered upon the condition that they will not be reproduced wholly or in part for advertising or other purposes over our signature or in connection with our name without special written permission. Samples not destroyed in testing are retained a maximum of sixty (60) days.

ANALYST: 
Jason Thompson

QA COORDINATOR: 
Kurt Kettler

10. In the event of any dispute between the above parties for these services or otherwise, parties agree that jurisdiction and venue will be in Phoenix, Arizona and prevailing party will be entitled to attorney's fees and court costs. Crystal



Field Chloride

Client:	Chevron North America	Project #:	92270-0821
Sample No.:	1	Date Reported:	9/17/2011
Sample ID:	BGT Composite	Date Sampled:	8/2/2011
Sample Matrix:	Soil	Date Analyzed:	8/2/2011
Preservative:	Cool	Analysis Needed:	Chloride
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------

Field Chloride

ND

33.0

ND = Parameter not detected at the stated detection limit.


References: "Standard Methods for the Examination of Water and Wastewater", 18th ed., 1992
Hach Company Quantab Titrators for Chloride

Comments: **Rincon Unit #303**


Analyst

Crystal Delgai

Printed


Review

Toni McKnight, EIT

Printed



**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS**

Client:	Chevron North America	Project #:	92270-0821
Sample No.:	1	Date Reported:	9/17/2011
Sample ID:	BGT Composite	Date Sampled:	8/2/2011
Sample Matrix:	Soil	Date Analyzed:	8/2/2011
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	156	5.0

ND = Parameter not detected at the stated detection limit.


References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: **Rincon Unit #303**

Instrument calibrated to 200 ppm standard. Zeroed before each sample


Analyst

Crystal Delgai
Printed


Review

Toni McKnight, EIT
Printed



CONTINUOUS CALIBRATION
EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

Cal. Date: 2-Aug-11

Parameter	Standard Concentration mg/L	Concentration Reading mg/L
TPH	100	
	200	189
	500	
	1000	

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Crystal Delgai
Analyst

8/12/2011
Date

Crystal Delgai
Print Name

Toni McKnight
Review

8/12/2011
Date

Toni McKnight, EIT
Print Name



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client:	Chevron	Project #:	92270-0821
Sample ID:	BGT Composite	Date Reported:	08-03-11
Laboratory Number:	59147	Date Sampled:	08-02-11
Chain of Custody:	12287	Date Received:	08-02-11
Sample Matrix:	Soil	Date Analyzed:	08-03-11
Preservative:	Cool	Date Extracted:	08-03-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	1.9	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	3.1	1.2
o-Xylene	1.4	0.9
Total BTEX	6.4	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	87.3 %
	1,4-difluorobenzene	84.0 %
	Bromochlorobenzene	93.9 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rincon 303

Analyst 

Review 

Client:	N/A	Project #:	N/A
Sample ID:	0803BBLK QA/QC	Date Reported:	08-03-11
Laboratory Number:	59141	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-03-11
Condition:	N/A	Analysis:	BTEX
		Dilution:	10

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect. Limit
		Accept: Range 0 - 15%			
Benzene	3.0118E+006	3.0178E+006	0.2%	ND	0.1
Toluene	3.0583E+006	3.0825E+006	0.2%	ND	0.1
Ethylbenzene	2.7366E+006	2.7420E+006	0.2%	ND	0.1
p,m-Xylene	7.3827E+006	7.3774E+006	0.2%	ND	0.1
o-Xylene	2.5088E+006	2.5138E+006	0.2%	ND	0.1

Duplicate Conc: (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	3.4	3.4	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc: (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	500	577	115%	39 - 150
Toluene	ND	500	528	106%	46 - 148
Ethylbenzene	3.4	500	557	111%	32 - 160
p,m-Xylene	ND	1000	1,140	114%	46 - 148
o-Xylene	ND	500	515	103%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996
 Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 59141, 59144-59145, 59147

Analyst

Review

Client:	Chevron	Project #:	92270-0821
Sample ID:	BGT Composite	Date Reported:	08/03/11
Lab ID#:	59147	Date Sampled:	08/02/11
Sample Matrix:	Soil	Date Received:	08/02/11
Preservative:	Cool	Date Analyzed:	08/03/11
Condition:	Intact	Chain of Custody:	12287

Parameter	Concentration (mg/Kg)
-----------	-----------------------

Total Chloride**60**

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: **Rincon 303**



Analyst
Review

12287


ACCENT Printing • Form 28-0807

ACCENT Printing • Form 28-1212

Site Photography
Chevron North America
Rincon #303 Well Site
Below Grade Tank Closure
Project Number 92270-0821
August 2, 2011



Picture 1: Former Below Grade Tank



Picture 2: Backfilled Below Grade Tank Pit

From: Lindsey, Don (LLIN)
To: Powell, Brandon, EMNRD;
cc: Clenney, Laura E; Goldstein, Kevin J; Toni McKnight; Greg Crabtree;
Subject: FW: OCD Notification: Chevron Rincon 303, Below Ground Tank Removal planned next week
Date: Wednesday, July 20, 2011 8:48:29 AM

Brandon,

I am sending this note to satisfy our OCD notification requirement, regarding our planned removal next week, of the Below Ground Pit Tank at this location.

The Surface Owner (Farmington BLM Office) has been notified via Certified Mail.

We will have Envirotec on site next week during the removal for sampling & remediation identification (if needed), and data gathering for the Final Report. I am CCing Envirotec with this e-mail as well.

Location specifics:

Rincon Unit #303

API 30-039-25403

Section 33 T27N R7W

San Juan County, New Mexico.

Please contact me at the numbers below, should you have any questions.

Thank you,

Don Lindsey

Environmental & Health Specialist

Aztec, NM

Office 505-333-1920

Cell 505-301-5576

llin@chevron.com



VIA CERTIFIED MAIL

July 20, 2011

Farmington Field Office
Bureau of Land Management
1235 La Plata Highway, Suite A
Farmington, NM 87401


RE: RINCON 303 WELL SITE: BELOW GRADE TANK CLOSURE NOTIFICATION

To Whom It May Concern,



This letter serves as surface owner notification for Below Grade Tank closure activities at the Rincon 303 well site, owned and operated by Chevron Midcontinent, L.P. The Rincon 303 is located in Section 33 T27N R7W, San Juan County, New Mexico. Closure activities are anticipated to begin during the week of July 25, 2011.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact me at (505) 333-1920.

Respectfully Submitted,



Don Lindsey
Environmental Specialist
Chevron Mid-Continent
llin@chevron.com

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION FOR DELIVERY	
<p>1. Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</p> <p>2. Print your name and address on the reverse so that we can return the card to you.</p> <p>3. Attach this card to the back of the mailpiece, or on the front if space permits.</p>		<p>A. Signature X  <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p>	
<p>1. Article Addressed to:</p> <p>Bureau of Land Management 1235 La Plata Hwy Ste. A Farmington NM 87401</p>		<p>B. Received by (Print Name) </p>	
<p>2. Article Number (Transfer from service label)</p> <p>7010 1870 0003 6388 4006</p>		<p>C. Date of Delivery 7/21/11</p>	
<p>3. Service Type</p> <p><input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.</p>		<p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>	
<p>4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes</p>			