Form C-144 July 21, 2008

District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

×6	_
	3

Pit, Closed-Loop System, Below-Grade Tank, or								
Proposed Alternative Method Permit or Closure Plan Application RCVD DEC 2'11								
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method								
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request								
Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.								
1. Operator: XTO Energy, Inc OGRID #: 5380								
Address: #382 County Road 3100, Aztec, NM 87410								
Facility or well name: Holiday SWD #1								
API Number: 30-045-35231 OCD Permit Number:								
U/L or Qtr/Qtr I Section 22 Township 25N Range 10W County: San Juan								
Center of Proposed Design: Latitude								
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment								
Temporary Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness 20 mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 200 x W 60 x D 8-12 S. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) To be used during completion operations Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Scams: Welded Factory Other Other DECEIVED System PECEIVED Syst								
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:								
s. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.								

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Tour foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3 103 NMAC					
9. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Fencing-Hogwire Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate of fice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	Yes No				
 Visual inspection (certification) of the proposed site; Aerial photo, Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	☐ Yes ☐ No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological - Society; Topographic map	Yes No				
Within a 100-year floodplain FEMA map	☐ Yes ☐ No				

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. □ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 □ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC □ Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Preeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC
14.
Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: M Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method. Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Oil Conservation Division Page 3 of 5

Form C-144

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions: Please indentify the facility or facilities for the disposal of liquids, drill	el Tanks or Haul-off Bins Only: (19.15.17.13.1) NMAC) more than two				
facilities are required.						
	posal Facility Permit Number: NM01-00					
	posal Facility Permit Number: NM01-00					
Will any of the proposed closed-loop system operations and associated activities occur ☐ Yes (If yes, please provide the information below) ☐ No	on or in areas that will not be used for future ser-	vice and operations?				
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection I of Re-vegetation Plan - based upon the appropriate requirements of Subsection Countries of Subsection	19.15 17.13 NMAC	С				
Siting Criteria (regarding on-site closure methods only); 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the clos provided below. Requests regarding changes to certain siting criteria may require acconsidered an exception which must be submitted to the Santa Fe Environmental Budemonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for g	lministrative approval from the appropriate dist reau office for consideration of approval. Just	rict office or may be				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells	☐ Yes ☒ No ☐ NA				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells	☐ Yes 🛛 No ☐ NA				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells	X Yes □ No □ NA				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significance (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	cant watercourse or lakebed, sinkhole, or playa	☐ Yes 🛛 No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in e - Visual inspection (certification) of the proposed site; Aerial photo; Satellite im		☐ Yes 🛛 No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that watering purposes, or within 1000 horizontal feet of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database; Visual inspection (cert	g, in existence at the time of initial application.	☐ Yes 🗓 No				
Within incorporated municipal boundaries or within a defined municipal fresh water w adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval o		Yes X No				
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual in	spection (certification) of the proposed site	☐ Yes 🖾 No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and	d Mineral Division	☐ Yes 🛛 No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Society; Topographic map	Mineral Resources; USGS; NM Geological	☐ Yes 🛛 No				
Within a 100-year floodplain FEMA map		☐ Yes 🏻 No				

Operator Application Certification: I hereby certify that the information submitted with this application is true, accur	rate and complete to the best of my knowledge and belief.
Name (Print): Malia Villers	Title: Permitting Tech.
Signature: malia tillera	Date: 2/24/2011
e-mail address: malia_villers@xtoenergy.com	Telephone: (505) 333-3100
20. OCD Approval: Permit Application (including closure plan Closure)	lan (only) (OCD Gonditions (see attachment)
OCD Representative Signature: Brand Still	Opnatt (). Kelly 12/02/201 3/1/1
Title:Enviro/spec	OCD Permit Number:
21. <u>Closure Report (required within 60 days of closure completion)</u> : Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of a section of the form until an approved closure plan has been obtained and the closure.	to implementing any closure activities and submitting the closure report. The completion of the closure activities. Please do not complete this
22. Closure Method: Waste Excavation and Removal On-Site Closure Method Altern: If different from approved plan, please explain.	ative Closure Method Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, drit two facilities were utilized. Disposal Facility Name:	lling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on on Yes (If yes, please demonstrate compliance to the items below) \(\subseteq \text{No} \)	
Required for impacted areas which will not be used for future service and operat Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:
	tude107.787568 NAD: □1927 ☑ 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requirer Name (Print): Signature. e-mail address: Janes - McDaniel G Voenevau. containing the con	report is true, accurate and complete to the best of my knowledge and ments and conditions specified in the approved closure plan. Title: EH4S SuperVISOV TARDON 11/3-6/11
	15676 7 3

District I 1625 N French Dr., Hobbs, NM 88240 District II
1301 W Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

					OPERATOR Initial Report Final Rep								
Name of Co	mpany: X'	TO Energy,	Inc.		(Contact: James McDaniel							
Address: 38	2 Road 31	00, Aztec, N	ew Mexi	co 87410	-	Telephone No.: (505) 333-3701							
Facility Nan	ne: Holida	y SWD #1 (:	30-045-3	5231)	I	Facility Type: Injection Well							
Surface Own	ner: Federa	al		Mineral O	wner:				Lease N	lo.: NMNM	I-12092	23	
LOCATION OF RELEASE													
Unit Letter	Section	Township	Range	Feet from the	North/	South Line	Feet from the	East/W	lest Line	County			
I	22	25N	10W	2257		FSL	1038	F	FEL	San Juan			
	Latitude: 36.385513 Longitude: -107.878565												
				NAT	URE	OF RELI	EASE						
Type of Relea	ise: None					Volume of	Release NA		Volume R	ecovered: N	١A		
Source of Rel							our of Occurrence	e: NA	Date and	Hour of Disc	overy: l	NA	
Was Immedia	ite Notice C	iven?				If YES, To	Whom?						
			Yes [No 🛛 Not Re	quired	ł							
By Whom?	-	· -				Date and H	our						
Was a Watero	ourse Reac	hed?				If YES, Vo	lume Impacting the	he Wate	rcourse.				
			Yes 🗵	No									
If a Watercou	rse was Imp	pacted, Descri	be Fully.*	:		L							
returned resul the 500 ppm t closure report	t the Holida ts below the otal chlorid	ay SWD #1 wa e 0.2 ppm ben le standard. T	as closed zene stan he conten	on 9/1/2011. A codard, the 2500 ppr ts of the drill pit w	n TPH s	tandard, the	500 ppm DRO/GI	RO stand	dard, the 50) ppm total E	STEX st	andard, and	
Describe Area No release ha				en.*									
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.								langer iability an health					
Signature: /					OIL CONSERVATION DIVISION								
Printed Name	James Mc	Daniel, CHM	<i>– /</i> M #15670	5	F	Approved by District Supervisor:							
Title: EH&S	Supervisor				1	Approval Dat	Date: Expir			piration Date:			
E-mail Addre	ss: James_N	McDaniel@xt	oenergy.c	om		Conditions of Approval:				Attached			
Date: 11/28/2011 Phone: 505-333-3701 Attach Additional Short Time State Additional Sho													

XTO Energy Inc. San Juan Basin Closure Report

Lease Name: Holiday SWD #1 API No.: 30-045-35231

Description: Unit I, Section 22, Township 25N, Range 10W, San Juan County, NM

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144.

• Proof of Closure Notice

- Proof of Deed Notice (Not Required)
- Plot Plan
- C-105
- Sampling Results
- Details on Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation Photos (Including Steel Marker)
- 1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division-approved facility or recycled, reused, or reclaimed in a manner that the Aztec Division office approves.

Fluids were pulled from the reserve pit on June 23, 2011 and June 27, 2011 and were disposed of at Basin Disposal NM01-005.

2. The preferred method of closure for all temporary pits will be on-site, in-place burial, assuming that all criteria listed in Subsection (B) of 19.15.17.13 are met.

On-site, in-place burial plan for this location was approved by the Aztec Division office on March 1, 2011.

3. The surface owner shall be notified of XTO proposed closure plan using a means that provides proof of notice, i.e., Certified Mail, return receipt requested.

The surface owner was notified of on-site burial by email, February 24, 2011, and by certified mail, return receipt requested, August 17, 2011. (attached).

4. Within 6 months of Rig Off status occurring XTO will ensure that temporary pits are closed, recontoured, and reseeded.

Rig moved off location June 22, 2011. Pit closed September 1, 2011.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's Name
 - ii. Well Name and API Number
 - iii. Location by Unit Letter, Section. Township, Range

Notification was sent to the Aztec Office of the OCD on August 16, 2011, Closure activities began on August 19, 2011.

6. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve appropriate solidification. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Pit contents were mixed with non-waste containing, earthen material in order to achieve

appropriate solidification. The solidification process was accomplished using a combination of natural drying and mechanically mixing using a dozer and track-hoe. Pit contents were mixed with non-waste, earthen material to a consistency that was deemed safe and stable. The mixing ratio did not exceed 3 parts clean soil to 1 part pit contents.

7. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

8. A five point composite sample will be taken using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e. dig and haul. Disposal facilities to be utilized should this method be required will be Envirotech, Permit No. NM01-0011 or IEI, Permit No. NM01-0010B

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	< 0.049
BTEX	EPA SW-846 8021B or 8260B	50	< 0.245
TPH	EPA SW-846 418.1	2500	66
GRO/DRO	EPA SW-846 8015M	500	69
Chlorides	EPA 300.1	500 or background	270

9. Upon completion of solidification and testing, the pit area will be backfilled with compacted, non-waste containing earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

Upon completion of solidification and testing, the pit area was backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover was achieved and the cover included one foot of background topsoil suitable for establishing vegetation at the site or natural levels, whichever was greater. Backfill and cover were placed to match existing grade.

10. Re-contouring of the location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, ponding prevention, and erosion prevention. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with a smooth surface, fitting the natural landscape.

Re-contouring of location matches fit, shape, line, form and texture of the surrounding area. Re-shaping of the location included drainage control, ponding prevention, and erosion prevention. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final re-contour has a uniform appearance with smooth surface, fitting the natural landscape.

11. Notification will be sent to OCD when the reclaimed area is seeded.

A C-103 is attached to this report. The site was reseeded using the BLM -10 seed mixture on August 26, 2011.

12. XTO shall seed the disturbed areas the first growing season after the pit is closed. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM of Forest Service stipulated seed mixes will be used on Federal Lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover

through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Notification via C-103 will be sent to OCD when the reclaimed area successfully achieves revegetation for two successive growing seasons.

13. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the on-site burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time all wells on the pad are abandoned. The operator's information will include the following: Operator's Name, Lease Name, Well Name and Number, Unit Number, Section, Township, Range and an indicator that the marker is an on-site burial location.

The temporary pit was located with a steel marker, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker includes the operators information. The marker was set in a way to not impede reclamation activities. The operator's information includes the following: XTO Energy Inc., Holiday SWD #1, Sec. 22(1)-T25N-R10W "Pit Burial".

14. XTO shall file a deed notice identifying the exact location of the on-site burial with the county clerk in the county where the on-site burial occurs.

Not required on state, federal, or tribal land according to FAQ dated October 30, 2008 and posted on the OCD website.

15. Daily pit inspections were performed of the drill pit and liner as required during drilling activities, but the form documenting the daily inspections cannot be located. In the future, XTO Energy, Inc. will strive to track records and documents more carefully as to not misplace these inspections logs again.

Submit To Appropri Two Copies	nate District	Office				State of No					Form C-105						
District I 1625 N French Dr	, Hobbs, NM	1 88240		Energy, Minerals and Natural Resources							July 17, 2008 1. WELL API NO.						
District II 1301 W Grand Av District III	enue, Artesia	ı, NM 88210	,		Oi	l Conserva	ition :	Divisio	on		30-045-35231						
1000 Rio Brazos R	d , Aztec, NN	M 87410				20 South S					2 Type of Lease STATE FEE FED/INDIAN						
District IV 1220 S St Francis	1220 S St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505								3. State Oil	& Gas	Lease No)					
		ETION	OR F	RECC	MPL	ETION RE	POR	RT AND	LOG								
4 Reason for file	0											ease Na oliday		nıt Agre	eement Na	me	
COMPLETI	ION REPO	ORT (Fill ii	n boxes	#1 throu	igh #31	for State and Fe	e wells	only)			6. Well Num	iber:					
Z C-144 CLOS #33, attach this at 7 Type of Comp	nd the plat	TACHMENT to the C-14	NT (Fill 4 closur	in boxe e report	s #1 thi	rough #9, #15 D	ate Rig 15 17.1	Released 3 K NMA	and #32 and/ .C)	or							
NEW \	WELL	WORKO	VER 🗌	DEEPE	ENING	□PLUGBAC	K 🗆 E	DIFFERE	NT RESERV	OIR	OTHER			7070	Marie		
8 Name of Opera XTO Energy, In											9 OGRID 5380						
10 Address of O											11 Pool nam	e or W	ıldcat				
Aztec, New Mex																	
505-333-3100 12.Location	Unit Ltr	Section	n	Towns	hıp	Range	Lot		Feet from th	ıe	N/S Line	Feet	from the	E/W	Line	County	
Surface:														<u> </u>			
BH:																	
13. Date Spudded	i 14 Dat	te T D. Rea	ched	15 E 6/22/		g Released		16	Date Comple	eted	l (Ready to Pro	duce)		7. Eleva T, GR,		and RKB,	
18 Total Measure	ed Depth of	f Well		19. P	lug Ba	ck Measured De	pth	20	Was Directi	ona	l Survey Made	?	21 Ty	pe Elect	tric and Ot	ther Logs Run	
22 Producing Int	erval(s), of	this compl	etion - 1	Γop, Bot	tom, Na	ame			· · · · · · · · · · · · · · · · · · ·			-	J				
23.					CAS	ING REC	ORI	(Rep	ort all str	ing	gs set in w	rell)				·	
CASING SIZ	ZE	WEIGH	IT LB./I	-T		DEPTH SET		HC	DLE SIZE		CEMENTIN	NG RE	CORD		MOUNT	PULLED	
24.					LIN	ER RECORD	L			25.	. <u>l</u> ,	TUBI	NG REC	ORD			
SIZE	TOP		BOT	ТОМ		SACKS CEM	1ENT	SCREE	4	SIZ	ZE	DEPTH SET		ET PACKER SET		ER SET	
			-														
26 Perforation	record (int	erval, sıze,	and nur	nber)						FR.	ACTURE, C						
								DEPTH	INTERVAL		AMOUNT.	AND I	CIND MA	TERIA	AL USED		
																-	
Date First Produc	etion.	1	Product	ion Met	hod /F/	owing, gas lift, p		DUC'			Well Statu	s (Pro	d or Shu	1-112	·		
Date First Floude	211011		rioduci	ion ivien	nou (r n	owing, gas tijt, p	umping	g - Size an	и туре ритр)		Wen State	is (170)	u or snu	-111)			
Date of Test	Hours	Tested	Cho	oke Sıze		Prod'n For Test Period		Oıl - Bb	i	Gas	s - MCF	w	ater - Bb	l.	Gas - C	Oil Ratio	
Flow Tubing Press	Casing	Pressure		culated 2 ir Rate	24-	Oil - Bbl.		Gas	- MCF		Water - Bbl		Oıl Gr	avity - A	API - (Cor	r)	
29 Disposition o	f Gas (Sold	, used for f	uel, veni	ed, etc)		···-		J				30. 1	est Witn	essed B	у		
31. List Attachme	ents											<u> </u>					
32. If a temporary	y pit was us	sed at the w	ell, attac	ch a plat	with th	e location of the	e tempo	rary pit	attached				······································			 	
33 If an on-site b	ourial was u	ised at the	well, rep itude 3	ort the e	xact loc	cation of the on-	site bur	rial.	ngitude -10	7.7	87568 NAF	1927	1983				
I hereby certif Signature	fy that the				n boti	h sides of this inted Name:		is true	and comple				knowle	dge ar EH&S	<i>nd beliej</i> Supervi	sor	
E-mail Addre	ss James	McDan	iel@x	> / toener					ite: 11/28/	201	11				•		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southe	astern New Mexico	Northy	Northwestern New Mexico				
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"				
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"				
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"				
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"				
T. 7 Rivers	T. Devonian_	T. Cliff House	T. Leadville				
T. Queen	T. Silurian	T. Menefee	T. Madison				
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert				
T. San Andres	T. Simpson_	T. Mancos	T. McCracken				
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte				
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite				
T. Blinebry	T. Gr. Wash	T. Dakota					
T.Tubb	T. Delaware Sand	T. Morrison					
T. Drinkard	T. Bone Springs	T.Todilto					
T. Abo	T	T. Entrada					
T. Wolfcamp	Т	T. Wingate					
T. Penn	T.	T. Chinle					
T. Cisco (Bough C)	Т.	T. Permian_	OIL OR GAS				

			SANDS OR	
No. 1, from	tot	No. 3, from	to	
No. 2, from	to	No. 4, from	tot	
·	IMPOI	RTANT WATER SANDS		
Include data on rate of	water inflow and elevation to w	hich water rose in hole.		
No. 1, from	to	feet		
No. 2, from	to	feet		
•		feet		
•				

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
	-						

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 86240 DISTRICT II

1301 W. Grand Avenue, Artesia, N.M. 88210 DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, N.M. 87505 State of New Mexico Energy, Minerals & Natural Resources Department


> OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

		w.	ELL LO)CATIO	N AND	ACRI	EAGE DED	ነ የ	ום מחוד.		AMU	NUEU REPURI	
1 API	Number			Pool Code			MOL DED		Pool Name				
⁴ Property (HOLID		SWD		° Well Number				
OGRID N	No.				XTO EN	ERGY			Elevation 6592				
					10 Surfac	ce Lo	cation		.,				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from th	10 1	orth/South line	Fe	et from the	East/West		County	
	22		10 W		2257		SOUTH	<u> </u>	1038	EAS	<u>T</u>	SAN JUAN	
UL or lot no.	1 2 1	· · · · · · · · · · · · · · · · · · ·	11 Botton				Different Fro			n			
UL OF LOL NO.	Section	Township	Range	Lot Idn	Feet from th	re 1	orth/South line	Fe	et from the	East/West	line	County	
18 Dedicated Acre	es	13 Joint or Inf	ill		14 Consolidati	on Code		140	rder No.			I	
NO ALLOW	ABLE W						UNTIL ALL I APPROVED				EEN	CONSOLIDATED	
.0°04.21° W	0'28" W	2634	.66'	S 89	9°56'25" W		2640.95'	0°02'43" W 2640.72'	I hereby certify true and comple and that this or or unleased min proposed bottom well at this loce owner of such o	that the in- to to the be- ganization or production of the total t	formatic ist of m rither or t in the n or ha mit to a workin t or a c	RTIFICATION m contained herein is y knowledge and bolis, uns a working interest land including the ss a right to drull this contract with an g interest, or to a compulsory pooling order Date	
z			SECT	ION 22				o z			o over	l	
2641.93				NG: 107 LAT. 36	5.385513° 1 .878565° V NAD 8 .385503° 1 .877947° V NAD 2	V 3 V	1038	2645.06	i hereby certify was plotted from	that the we i field notes pervision, as st of my bo	il locate of acti nd that lief.	RTIFICATION on shown on this plat wal surveys mode by ma the came is true and	
S 89°556.	55 ' W	2637.	02'	S 89°5	54'20 " W	2257	2639.36'	M .57.10.0 N	707	18		7078 ONAL SURVE	





COVER LETTER

Monday, August 01, 2011

James McDaniel XTO Energy 382 County Road 3100 Aztec, NM 87410

TEL: (505) 333-3100 FAX (505) 333-3280

RE: Holiday SWD #1

Dear James McDaniel:

Order No.: 1107A69

Hall Environmental Analysis Laboratory, Inc. received 1 sample(s) on 7/28/2011 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. Below is a list of our accreditations. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated.

Please do not hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

Andy Freeman, Laboratory Manager

NM Lab # NM9425 NM0901 AZ license # AZ0682



Hall Environmental Analysis Laboratory, Inc.

Date: 01-Aug-11
Analytical Report

CLIENT:

XTO Energy

Client Sample ID: Drill Pit

Lab Order:

1107A69

dent Sample 1D. Dim i it

Project:

10/110/

Collection Date: 7/27/2011 10:30:00 AM

Lab ID:

Holiday SWD #1 1107A69-01 Date Received: 7/28/2011

Matrix: SOIL

Analyses	Result	PQL Q	ual Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG	E ORGANICS				Analyst: JB
Diesel Range Organics (DRO)	69	9.8	mg/Kg	1	7/29/2011 9:30:47 AM
Surr: DNOP	84.9	73.4-123	%REC	1	7/29/2011 9:30:47 AM
EPA METHOD 8015B: GASOLINE RA	ANGE				Analyst: RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	7/29/2011 4:22:12 PM
Surr: BFB	102	75.2-136	%REC	1	7/29/2011 4:22:12 PM
EPA METHOD 8021B: VOLATILES			,		Analyst: RAA
Benzene	ND	0.049	mg/Kg	1	7/29/2011 4·22:12 PM
Toluene	ND	0.049	mg/Kg	1	7/29/2011 4:22:12 PM
Ethylbenzene	ND	0.049	mg/Kg	1	7/29/2011 4:22:12 PM
Xylenes, Total	ND	0.098	mg/Kg	1	7/29/2011 4:22:12 PM
Surr: 4-Bromofluorobenzene	108	92-130	%REC	1	7/29/2011 4:22:12 PM
EPA METHOD 300.0: ANIONS					Analyst: SRM
Chloride	270	15	mg/Kg	10	7/28/2011 9:55:04 PM
EPA METHOD 418.1: TPH					Analyst: JB
Petroleum Hydrocarbons, TR	66	19	mg/Kg	1	7/29/2011

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Estimated value
- J Analyte detected below quantitation limits
- NC Non-Chlorinated
- PQL Practical Quantitation Limit

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- MCL Maximum Contaminant Level
- ND Not Detected at the Reporting Limit
- S Spike recovery outside accepted recovery limits

Date: 01-Aug-11

QA/QC SUMMARY REPORT

Client:

XTO Energy

Holiday SWD #1 Project:

Work Order: 1107A69

Project: Holiday Sw	D #1								WOLK	Orger: 1	10/A69
Analyte	Result	Units	PQL	SPK Va S	PK ref	%Rec L	owLimit Hi	ghLimit	%RPD	RPDLimit	Qual
Method: EPA Method 300.0: A	nions									7/00/0044	4 = 0 00 DV
Sample ID: MB-27815		MBLK				Batch ID:	27815	Analysi	s Date:	//28/2011	4:59:26 PM
Chloride	ND	mg/Kg	1.5								
Sample ID: LCS-27815		LCS				Batch ID:	27815	Analysi	s Date:	7/28/2011	5:16:49 PN
Chloride	14.51	mg/Kg_	1.5	15	0	96.7	90	110			
Method: EPA Method 418.1: Ti	PH										
Sample ID: MB-27813		MBLK				Batch ID:	27813	Analysi	s Date:		7/29/2011
Petroleum Hydrocarbons, TR	ND	mg/Kg	20								
Sample ID: LCS-27813		LCS				Batch ID:	27813	Analysi	s Date:		7/29/2011
Petroleum Hydrocarbons, TR	99.84	mg/Kg	20	100	0	99.8	87.8	115			
Sample ID: LCSD-27813		LCSD				Batch ID:	27813	Analysi	s Date:		7/29/2011
Petroleum Hydrocarbons, TR	97.18	mg/Kg	20	100	0	97.2	87.8	115	2.70	8 04	
Method: EPA Method 8015B: [Diesel Range	Organics									
Sample ID: MB-27814	J	MBLK				Batch ID:	27814	Analysi	s Date:	7/29/2011	7:4 7 :35 AM
Diesel Range Organics (DRO)	ND	mg/Kg	10								
Sample ID: LCS-27814		LCS				Batch ID:	27814	Analysi	s Date:	7/29/2011	8:21:58 AM
Diesel Range Organics (DRO)	58.93	mg/Kg	10	50	0	118	66.7	119			
Sample ID: LCSD-27814		LCSD				Batch ID:	27814	Analysi	s Date:	7/29/2011	8:56:23 AM
Diesel Range Organics (DRO)	59.03	mg/Kg	10	50	0	118	66.7	119	0.176	18.9	
Method: EPA Method 8015B: 0	Sasoline Rar	nge									
Sample ID: MB-27807		MBLK				Batch ID:	27807	Analysi	is Date:	7/29/2011 1:	2:04:17 PM
Gasoline Range Organics (GRO)	ND	mg/Kg	5.0								•
Sample ID: LCS-27807		LCS				Batch ID:	27807	Analysi	is Date:	7/29/2011 1	1:08:03 AM
Gasoline Range Organics (GRO)	30.27	mg/Kg	5.0	25	0	121	88.8	124			
Method: EPA Method 8021B: V	/olatiles										
Sample ID: MB-27807		MBLK				Batch ID:	27807	Analysi	is Date.	7/29/2011 1:	2:04:17 PM
Benzene	ND	mg/Kg	0.050								
Toluene	ND	mg/Kg	0.050								
Ethylbenzene	ND	mg/Kg	0.050								
Xylenes, Total	ND	mg/Kg	0.10								
Sample ID: LCS-27807		LCS				Batch ID:	27807	Analysi	is Date:	7/29/2011 1	1 35:26 AM
Benzene	0.9585	mg/Kg	0.050	1	0	95.9	83.3	107			
Toluene	1.030	mg/Kg	0.050	1	0	103	74.3	115			•
	4.050		0.050		^	105	80.9	122			
Ethylbenzene	1.052	mg/Kg	0.050	1	0	105	00.9	122			

Δ	1155
Oua	miers

Е Estimated value

j Analyte detected below quantitation limits

ND Not Detected at the Reporting Limit

Holding times for preparation or analysis exceeded Н

NC Non-Chlorinated

RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory, Inc.

Sample Receipt Checklist

Client Name XTO ENERGY	Λ			Date Received	1:	7/28/2011
Work Order Number 1107A69	//			Received by:	JMB II	1
Checklist completed by: Signature	L		Date	7/28///	bels checked by:	ATT
Matrix:	Carrier name:	<u>Grey</u> i	<u>hound</u>			
Shipping container/cooler in good condition?		Yes	\checkmark	No 🗆	Not Present)
Custody seals intact on shipping container/cooler	>	Yes	\checkmark	No 🗆	Not Present	Not Shipped
Custody seals intact on sample bottles?		Yes		No 🗌	N/A] .
Chain of custody present?		Yes	V	No 🗆		
Chain of custody signed when rellnquished and re	ceived?	Yes		No 🗆		
Chain of custody agrees with sample labels?		Yes	\checkmark	No 🗆		
Samples in proper container/bottle?		Yes	\checkmark	No 🗌		
Sample containers intact?		Yes		No 🗆		
Sufficient sample volume for indicated test?		Yes	V	No 🗀		
All samples received within holding time?		Yes	✓	No 🗆		Number of preserved
Water - VOA vials have zero headspace?	No VOA vials subm	itted	$ \checkmark $	Yes 🗌	No 🗌	bottles checked for pH:
Water - Preservation labels on bottle and cap mate	ch?	Yes		No 🗆	N/A 🗹	
Water - pH acceptable upon receipt?		Yes		No 🗆	N/A 🗹	<2 >12 unless noted
Container/Temp Blank temperature?		4.6	6°	<6° C Acceptable		below.
COMMENTS:				If given sufficient	time to cool.	•
		<u> </u>				=
Client contacted D	ate contacted:			Perso	on contacted	
	egarding:					
Contacted by R						
	agarving.					V
Contacted by. R Comments:	agaronig.					
	agaroning.					
	sgaronig.					
	sgaronig.					
	sgaronig.					
Corrective Action	sgaronig.					
Corrective Action						

Chain-of-Custody Record Client: Standard Rush Next DAY Project Name: Next DAY Mailling Address: 282 RD 3/60 Aztrc. Nm 87410 Project #: Total Standard Rush Next DAY Project #: Total Standard Rush Next DAY Avw., hallenvironmental.com 4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107 Analysis Request Accreditation Nector Rush Rush Rush Rush Rush Rush Rush Rush	
Mailing Address: 380 RO 3160 HOLDAY SWD # 1 Phone #: 797 0 19 Email or Fax#: Omes - Mcdone 2 QA/QC Package: Xtoenes Sample: Toures - Mcdone 2 Accreditation NELAP Other Onice Sample: Toures No. Onice Sample: Toures No. Onice Nelap Nelap No. Onice Nelap Ne	
Actec. Nm 87410 Phone #: 787 0 19 Email or Fax#: Ones - ncdonel e Project Manager: Accreditation NELAP Other Other Date Time Matrix Sample Request ID Date Time Matrix Sample Request ID Container Type Type and # Type Type and # Type	-
Phone #: 187 0 19 Email or Fax#: Ones - Mcdonse @ Project Manager: OA/OC Package: Xtoeners Carres	
email or Fax#: Ones nectorie @ Project Manager: QA/QC Package: Xtoeness can	
email or Fax#: Ones nectorie @ Project Manager: QA/QC Package: Xtoeness can	
Accreditation Date Time Matrix Sample Request ID Sample Temperature: Container Type Accreditation Date Time Matrix Sample Request ID Sample Request ID Container Type Type	
Accreditation Date Time Matrix Sample Request ID Sample Temperature: Container Type Accreditation Date Time Matrix Sample Request ID Sample Request ID Container Type Type	
	٤ ا
	Air Bubbles (Y or N)
	+++
	1-1-1
	+++
	
	┈╎┈├┈╎ ┈
Date: Time: Relinquished by: Received by: Date Time Remarks:	
921 630 / Mestublete 7/27/11 1630	
Date: Time: Received by: Date/ Time	
1724 Must Watter Lame 1 729 665 If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical	



Malia Villers/FAR/CTOC 02/24/2011 09:24 AM

To Mark Kelly

CC

bcc

Subject Holiday SWD #1

RE: Holiday SWD #1

Sec. 22 (1), T25N-R10W, San Juan County

Dear Mr. Kelly,


This submittal is pursuant to Rule 19.15.17.13 requiring operators to notify surface owners of on site burial of temporary pits. XTO Energy Inc. (XTO) is hereby providing written documentation of our intention to close the temporary pit associated with the aforementioned location by means of in place burial.

Should you have any questions or require additional information please feel free to contact me at your earliest convenience (505) 333-3100.

Malia Villers Permitting Tech. XTO Energy Inc. 505-333-3100 Direct: 505-333-3698

Cell: 505-787-7700

malia_villers@xtoenergy.com



To brandon.powell@state.nm.us

СС

bcc James McDaniel/FAR/CTOC@CTOC, Scott Baxstrom/FAR/CTOC@CTOC, Brent Beaty/FAR/CTOC@CTOC

Subject Holiday SWD #1

Brandon,

Please accept this e-mail as the required notification for closure of the drill pit located at the Holiday SWD #1 well site (API # 30-045-35231) located in

Unit I, Section 22, Township 25N, Range 10W, San Juan County, NM. Closure activities are scheduled to begin Friday, August 19, 2011.

Thank you for your time in regards to this matter.

Kim-Marie Espinosa
Sr. Regulatory Compliance Technician
XTO Energy, Inc.
San Juan Division
382 CR 3100
Aztec, NM. 87410
505-333-3683
Cell 505-787-7670
Kim-Marie_Espinosa@xtoenergy.com



August 16, 2011

Mark Kelly Bureau of Land Management Farmington Field Office 1235 La Plata Hwy Farmington, NM 87401 (505) 599-8900

Regarding:

Holiday SWD #1 - API #30-045-35231

Unit I, Section 22, Township 25N, Range 10W, San Juan County, NM

Dear Mr. Kelly,

Pursuant to NMAC Rule 19.15.17.13 requiring operators to notify surface owners of on site burial of temporary pits, XTO Energy Inc. (XTO) is hereby providing written documentation of closure of the temporary pit associated with the aforementioned location by means of in place on site burial. This temporary pit was closed in accordance to NMAC Rule 19.15.17.13.

Should you require any further information feel free to contact me at (505) 333-3683

Respectfully submitted,

Kim-Marie Espinosa

Sr. Regulatory Compliance Technician

XTO Energy Inc. San Juan Division

Cc:

OCD File U.S. Postal Service TM PROBLEM CERTIFIED MAIL TM RECEIPT DE (Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.coms

FARMINGTON IM 8740 A L S E

Postage \$ \$0.44 FORA

Postage \$ \$0.44 F

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
 Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	A. Signature, Agent Addressee B. Received by (Printed (Name) C. Dafe of Deflivery D. Is delivery address different from item 17 Yes
1. Article Addressed to:	If YES, enter delivery address below:
Mark Kelly Go BSM 1235 Lallata Herry Sarmington NM 81401	
1235 Lallata Huy Farmington NM	Service Type □ Certifled Mail □ Express Mail □ Registered □ Return Receipt for Merchandise □ Insured Mail □ C.O.D.
y1481	4. Restricted Delivery? (Extra Fee)
2. Article Number , 7010 1870	0003 3184 1475
DC Form 3811 February 2004 Demostic Pot	urn Popoint 103505 00 M 1540

5-4. s

Submit I Copy To Appropriate Distr	State of	New Mexico	Form C-103
District I 1625 N French Dr , Hobbs, NM 882	.	and Natural Resources	October 13, 2009 WELL API NO.
District II	OIL CONCEDA	VATION DIVISION	30-045-35231
1301 W. Grand Ave., Artesia, NM 8 District III	1220 South	n St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd, Aztec, NM 87 District IV	410	e, NM 87505	STATE FEE 6. State Oil & Gas Lease No.
1220 S St Francis Dr., Santa Fe, NN 87505	M		NMNM-120923
SUNDRY (DO NOT USE THIS FORM FOR F	NOTICES AND REPORTS OF PROPOSALS TO DRILL OR TO DEE APPLICATION FOR PERMIT" (FOR	PEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name Holiday SWD
1. Type of Well: Oil Well	☐ Gas Well ☒ Other		8. Well Number 1
2. Name of Operator XTO	Energy, Inc.		9. OGRID Number 5380
3. Address of Operator			10. Pool name or Wildcat
	, Aztec, New Mexico 874	10	SWD, Entrada
4. Well Location		~	
Unit Letter I Section 22	: 2257 feet from the Township 25N Range		1038 feet from the <u>East</u> line 1 San Juan County
Section 22	i	hether DR, RKB, RT, GR, et	
	6592 Feet		English the state of the state of
10 (1		P AND CNI	D (OIL D (
12. Ch	eck Appropriate Box to Ir		•
	F INTENTION TO:		BSEQUENT REPORT OF:
PERFORM REMEDIAL WOR TEMPORARILY ABANDON	RK PLUG AND ABANDON CHANGE PLANS		PRK ☐ ALTERING CASING ☐ RILLING OPNS.☐ PAND A ☐
PULL OR ALTER CASING	☐ MULTIPLE COMPL	☐ CASING/CEME	
DOWNHOLE COMMINGLE			
		_	
OTHER:		OTHER: Re	seed Drill Pit Area ⊠
13. Describe proposed or	completed operations. (Clearly	y state all pertinent details,	and give pertinent dates, including estimated date
13. Describe proposed or of starting any proposed	sed work). SEE RULE 19.15.7	y state all pertinent details,	
13. Describe proposed or	sed work). SEE RULE 19.15.7	y state all pertinent details,	and give pertinent dates, including estimated date
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7 or recompletion.	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7 or recompletion.	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7 or recompletion.	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7 or recompletion.	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7 or recompletion.	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7 or recompletion.	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7 or recompletion.	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date Completions: Attach wellbore diagram of
13. Describe proposed or of starting any proposed completion The reclaimed area was	sed work). SEE RULE 19.15.7 or recompletion. reseeded using the BLM	y state all pertinent details, and 14 NMAC. For Multiple Co. 14 -10 seed mix on 9/26	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011.
13. Describe proposed or of starting any proposed completion	sed work). SEE RULE 19.15.7 or recompletion. reseeded using the BLM	y state all pertinent details, and 14 NMAC. For Multiple C	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011.
13. Describe proposed or of starting any proposed completion The reclaimed area was	sed work). SEE RULE 19.15.7 or recompletion. reseeded using the BLM	y state all pertinent details, and 14 NMAC. For Multiple Co. 14 -10 seed mix on 9/26	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011.
13. Describe proposed or of starting any proposed completion The reclaimed area was Spud Date: 5/24/2011	sed work). SEE RULE 19.15.7 or recompletion. reseeded using the BLM	y state all pertinent details, 2.14 NMAC. For Multiple Conference of the conference	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011.
13. Describe proposed or of starting any proposed completion The reclaimed area was Spud Date: 5/24/2011	sed work). SEE RULE 19.15.7 or recompletion. reseeded using the BLM Rig	y state all pertinent details, 2.14 NMAC. For Multiple Conference of the conference	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011.
13. Describe proposed or of starting any proposed completion The reclaimed area was Spud Date: 5/24/2011	reseeded using the BLM Rig Rig	y state all pertinent details, 2.14 NMAC. For Multiple Conference of the conference	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011.
13. Describe proposed or of starting any proposed completion The reclaimed area was Spud Date: 5/24/2011 I hereby certify that the information of starting any proposed completion The reclaimed area was	reseeded using the BLM Rig Rig TIT	y state all pertinent details, 2.14 NMAC. For Multiple Control of the seed mix on 9/26 Release Date: 6/22/20 Ete to the best of my knowle of the best of my knowle of the seed mix on 9/26.	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011. Date
13. Describe proposed or of starting any proposed completion The reclaimed area was Spud Date: 5/24/2011 I hereby certify that the information of starting any proposed completion The reclaimed area was	reseeded using the BLM Rig Rig TIT	y state all pertinent details, 2.14 NMAC. For Multiple Control of the seed mix on 9/26 Release Date: 6/22/20 Ete to the best of my knowle of the best of my knowle of the seed mix on 9/26.	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011.
13. Describe proposed or of starting any proposed proposed completion The reclaimed area was Spud Date: 5/24/2011 I hereby certify that the information of starting any proposed completion SIGNATURE Type or print name James M	Rig ation above is true and completion. TIT IcDaniel E-mail address:	y state all pertinent details, 2.14 NMAC. For Multiple Control of the seed mix on 9/26 Release Date: 6/22/20 Ete to the best of my knowle of the best of my knowle of the seed mix on 9/26.	and give pertinent dates, including estimated date completions: Attach wellbore diagram of /2011. Date 11/28/2011 Try.com PHONE: 505-333-3701

XTO Energy, Inc. Holiday SWD #1 Section 22, Township 25N, Range 10W Closure Date 9/1/2011




Photo 1: Holiday SWD #1 Reclamation




Photo 2: Holiday SWD #1 Reclamation

			TEMPO	DRARY PIT I	NSPECTIO	ON FORM	-	-			
Well Name:	Holiday	SWD #1		API No.:	30-045-3523	1	,				
Legals: Lat: 36°23' 7.8102" N Lo	Sec:			Township:	25N		Range:	10W	- -		
Inspector's	Inspection	Any visible		HC's on top of	Temp. pit free of misc solid waste/	Discharge line	Fence	Any dead	Freeboard		
Name	Date	(Y/N)	spills (Y/N)	temp. pit (Y/N)	debris (Y/N)	integrity (Y/N)	integrity (Y/N)	wildlife/stock (Y/N)	Est. (ft)		
Luke McCollum	6/22/2011	N	N	N	Y	NA	ΥΥ	N	6		
Brent Beaty	6/30/2011	N	N	N	Υ	NA	ΥΥ	N	6		
1) Luke McCollum	7/25/2011	N	N_	N	Y	NA	Y	N	6		
2) Luke McCollum	8/2/2011	N	N	N	Y	NA	Y	N	6		
3) Luke McCollum	8/8/2011	N	N	N	Υ	NA	Υ	N	6		
Luke McCollum	9/1/2011	1/2011 RESERVE PIT CLOSED									
Notes:	Provide De	2) Rain acc	ready for clo	diversion berm c	onstruction sc	heduled 8/3/20	11				

-