Pestrict I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back side of form

X Final Report

☐ Initial Report

Release Notification and Corrective Action

OPERATOR

| Name of Co | | | | TOU COLD | | Contact | | agrelius | |
|-----------------|--------------|----------------|---------------|----------------------|----------|---------------|--------------------|---------------------------------------|--|
| Address | | P.O. Box | | | | Telephone N | | 25-1821 | |
| Facility Nar | ne (| Gold Med | dal # <u></u> | (Prod T | nk) | Facility Typ | e Perman | ent Pit | |
| Surface Ow | ner I | rederal | | Mineral O | wner | Federa | 1 | Lease N | lo. NM-22044 |
| | | | | LOCA | OIT | N OF REI | LEASE | | |
| Unit Letter | Section | Township | Range | Feet from the | North/ | South Line | Feet from the | East/West Line | County |
| 0 | 31 | 24N | 10W | 660 | S | outh | 1980 | East | San Juan |
| | | | Lat | itude 36 - 26 | 465 | N Longitud | e 107.934 | 1 1 W | |
| | | | | | | OF RELI | | | |
| Type of Relea | ase Spil | l Clean- | Up and | Pit Closur | | | Release Unkno | wn Volume R | ecovered Unknown |
| | | | | ent pit rel | | | our of Occurrence | | Hour of Discovery Unknown |
| Was Immedia | | iven? | | | | If YES, To | Whom? | | |
| | | | Yes | No 🗓 Not Re | quired | | N/A | | 1234567 |
| By Whom? | | | | | | Date and H | | | /co/ A 9/ |
| Was a Water | course Reac | | Yes X | No | | If YES, Vo | lume Impacting the | he Watercourse. | RECEIVED |
| If a Watercou | ırse was Im | pacted, Descr | ibe Fully.* | , | | 1 | | | JAN 2010 G |
| N/A | | | | | | | | / | RECEIVED 34 2010 ST. 3 25 SC. 25 25 25 25 25 25 25 25 25 25 25 25 25 |
| | | em and Reme | | | impa | act was d | liscovered | | nt composite |
| 1 | | | | | | | | | 9.15.17.13.C. |
| _ | | ample res | | | | | | | |
| Describe Are | a Affected | and Cleanup A | Action Tak | en.* Contami | inati | on was a | ddressed un | der the "sp | ill rule" 19.15.30. irotech Landfarm. |
| C-144 ra | | | | | | | | | er contamination. |
| | | | | l" and invo | | | a ciircae c | o grodiawac | ci concamination. |
| | | | | | | | | | uant to NMOCD rules and |
| | | | | | | | | | eases which may endanger eve the operator of liability |
| | | | | | | | | | surface water, human health |
| | | | | | | | | | ompliance with any other |
| federal, state. | or local lay | vs and/or regu | llations. | | | | | | |
| | // _ | 11 | | _ | | | OIL CONS | SERVATION | DIVISION |
| Signature | 11w1 | 12910 | de | | | | | 0 110 | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| Printed Name | : Kurt | Fagrel | ius | | | Approved by | District Superviso | or prett | I kelly |
| Title: | VP E | xplorat | ion | | | Approval Dat | e. 11/30/25 | Expiration 1 | Date: |
| E-mail Addre | ss: kfagı | relius@dı | ıganpro | duction.com | m | Conditions of | Approval: | | Attached |
| Date: | 12/13/ | 2010 | Phono | 505-325 - 18: | 21 | | | | . Educated |
| | | ts If Necess | | <u> 505-325-18.</u> | Z | | | · · · · · · · · · · · · · · · · · · · | <u> </u> |

NJK 1133448461

PHONE (575) 393-2326 • 101 E, MARLAND • HOBBS, NM 88240

December 31, 2009

Fred Cornish **Dugan Production Corporation** 4100 Piedras Street Farmington, NM 87401

5753932476

Re: Earth Pit Closure

Enclosed are the results of analyses for sample number H18942, received by the laboratory on 12/23/09 at 11:15 am.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021 Method SW-846 8260 Benzene, Toluene, Ethyl Benzene, and Total Xylenes Benzene, Toluene, Ethyl Benzene, and Total Xylenes

Method TX 1005

Total Petroleum Hydrocarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accredited though the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethancs (TTHM)

Method EPA 524.2

Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

Total Number of Pages of Report: 6 (includes Chain of Custody)

Sincerely,

Celcy D. Keene Laboratory Director

This report conforms with NELAP requirements.



PHONE (575) 393-2326 • 101 E MARLAND • HOBES, NM 88240

ANALYTICAL RESULTS FOR DUGAN PRODUCTION CORP.

ATTN: FRED CORNISH 4100 PIEDRAS ST.

FARMINGTON, NM 87401 FAX TO: (505) 325-4873

Receiving Date: 12/23/09 Reporting Date: 12/31/09

Project Number: NOT GIVEN

Project Name: EARTH PIT CLOSURE

Project Location: NOT GIVEN

Sampling Date: 12/21/09 Sample Type: SOIL

Sample Condition: COOL & INTACT @ 6°C

Sample Received By: CK

Analyzed By: ZL

LAB NO. SAMPLE.ID BENZENE TOLUENE BENZENE XYLENES (mg/kg) (mg/kg) (mg/kg) (mg/kg)

| · | | | | | |
|----------------------|--------------------------|----------|----------|----------|----------|
| ANALYSIS D | * ** *\ | 12/30/09 | 12/30/09 | 12/30/09 | 12/30/09 |
| H18942-1 | ST. MORITZ #1 | <0.050 | <0.050 | <0.050 | < 0.300 |
| H18942-2 | AUGUST #1 SEP. | <0.050 | <0.050 | <0.050 | <0.300 |
| H18942-3 | GOLD MEDAL #1 | <0.050 | <0.050 | <0.050 | <0.300 |
| H18942-4 | SILVER MEDAL #1 SEP. | <0.050 | <0.050 | <0.050 | <0,300 |
| H18942-5 | GOLD MEDAL #2 SEP. | <0.050 | <0.050 | <0.050 | < 0.300 |
| H18942-6 | CHAMP #1 T.B. PROD, T. | <0.050 | <0.050 | 0.223 | <0.300 |
| H18942-7 | CHAMP #1 T.B. SEP. | <0.050 | <0.050 | <0.050 | <0.300 |
| H18942-8 | CHAMP #7 T.B. PROD. T. | <0.050 | <0.050 | <0.050 | <0.300 |
| H18942-9 | CHAMP #7 T.B. SEP. | <0.050 | <0.050 | <0.050 | <0.300 |
| H18942-10 | MARY LOU T. BON #1 | <0.050 | <0.050 | <0.050 | < 0.300 |
| H18942-11 | CALGARY#88 T.B., P.T. | <0.050 | <0.050 | < 0.050 | <0.300 |
| H18942-12 | CALGARY #88 T.B. SEP. | <0.050 | <0.050 | <0.050 | <0.300 |
| H18942-13 | GOLD MEDAL #5 T B., P.T. | <0.050 | <0.050 | < 0.050 | < 0.300 |
| H18942-14 | GOLD MEDAL #5 T.B., SEP. | <0.050 | <0.050 | <0.050 | < 0.300 |
| H18942-15 | FLO JO #1 PROD. T. | < 0.050 | <0.050 | <0.050 | <0.300 |
| Quality Contr | ol | 0.049 | 0.047 | 0.048 | 0:130 |
| True Value C | ic | 0.050 | 0.050 | 0.050 | 0.150 |
| % Recovery | | 98.0 | 94.0 | 96.0 | 86.7 |
| Relative Perc | ent Difference | <1.0 | <1.0 | ≼1.0 | <1.0 |

METHODS: BTEX - SW-846 8021B.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE. TOLUENE, ETHYL BENZENE, AND TOTAL XYLENES. Reported on wet weight.

H18942 BTEX DUGAN

PLEASE NOTE, Liability and Damages. Cardinar's liability and client's exclusive remody for any claim arising, whether based in contract or tort, shall be limited to the amount pair by client for energy and any other cause whatsoever shall be decimal waived unless made in writing and received by Cardinar within thiny (30) days after completion of the applicable service in no event shall Cardinar be liable for incidental or nonsequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its substitutions, affiliation or nuccessors arising out of or related to the performance of services boundarily. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approvel of Cardinal Laboratories.

Date 2/3//09



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

ANALYTICAL RESULTS FOR DUGAN PRODUCTION CORP. ATTN: FRED CORNISH 4100 PIEDRAS ST, FARMINGTON, NM 87401

FAX TO: (505) 325-4873

Receiving Date: 12/23/09 Reporting Date: 12/30/09

Project Number: NOT GIVEN

Project Name: EARTH PIT CLOSURE

Project Location: NOT GIVEN

Sampling Date: 12/21/09 Sample Type: SOIL

Sample Condition: COOL & INTACT @ 6°C

Sample Received By: CK

Analyzed By: AB

418.1 TOTAL TPH

| LAB NUMBEI | R SAMPLE ID | (mg/kg) |
|---------------|--------------------------|----------|
| ANALYSIS D | ATE | 12/28/09 |
| H18942-1 | ST. MORITZ #1 | <100 |
| H18942-2 | AUGUST #1 SEP. | <100 |
| H18942-3 | GOLD MEDAL #1 | <100 |
| H18942-4 | SILVER MEDAL #1 SEP. | <100 |
| H18942-5 | GOLD MEDAL #2 SEP. | <100 |
| H18942-6 | CHAMP #1 T.B. PROD. T. | 8,800 |
| H18942-7 | CHAMP #1 T.B. SEP. | <100 |
| H18942-8 | CHAMP #7 T.B. PROD. T. | <100 |
| H18942-9 | CHAMP #7 T.B. SEP. | <100 |
| H18942-10 | MARY LOU T. BON #1 | <100 |
| H18942-11 | CALGARY #88 T.B., P.T. | 141 |
| H18942-12 | CALGARY #88 T.B. SEP. | <100 |
| H18942-13 | GOLD MEDAL #5 T.B., P.T. | <100 |
| H18942-14 | GOLD MEDAL #5 T.B., SEP. | 713 |
| H18942-15 | FLO JO #1 PROD. T. | 900 |
| | | |
| Quality Contr | | 306 |
| True Value Q | <u>C</u> | 300 |
| % Recovery | | 102 |
| Relative Perc | ent Difference | 3.1 |

METHODS: EPA 418.1

Not accredited for TPH 418.1. Reported on wet weight.

H18942 418.T DUGAN

/2/31/09 Date



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 89240

ANALYTICAL RESULTS FOR DUGAN PRODUCTION ATTN: FRED CORNISH 4100 PIEDRAS STREET FARMINGTON, NM 87401 FAX TO: (505) 325-4873

Receiving Date: 12/23/09 Reporting Date: 12/30/09 Project Number: NOT GIVEN

Project Name: EARTH PIT CLOSURE

Project Location: NOT GIVEN

Analysis Date: 12/30/09 Sampling Date: 12/21/09 Sample Type: SOIL

Sample Condition: COOL & INTACT @ 3.5°C

Sample Received By: CK

Analyzed By: HM

| | | CI |
|-----------------------------|--------------------------|---------|
| LAB NUMBER | SAMPLE ID | (mg/kg) |
| H18942-1 | ST. MORITZ #1 | 8,200 |
| H18942-2 | AUGUST #1 SEP. | 6,800 |
| H18942-3 | GOLD MEDAL #1 | 1,340 |
| H18942-4 | SILVER MEDAL #1 SEP. | 992 |
| H18942-5 | GOLD MEDAL #2 SEP. | 448 |
| H18942-6 | CHAMP #1 T.B. PROD T. | 752 |
| H18942-7 | CHAMP #1 TB SEP. | 1,120 |
| H18942-8 | CHAMP #7 TB PROD T. | 864 |
| H18942-9 | CHAMP #7 TB SEP. | 608 |
| H18942-10 | MARY LOUT, BON #1 | 880 |
| H18942-11 | CALGARY #88 T.B., P.T. | 1,760 |
| H18942-12 | CALGARY #88 T.B. SEP. | 352 |
| H18942-13 | GOLD MEDAL #5 T.B., P.T. | 2,240 |
| H18942-14 | GOLD MEDAL #5 T.B., SEP. | 1,550 |
| H18942-15 | FLOJO #1 PROD, T | 1,100 |
| Quality Control | | 500 |
| True Value QC | | 500 |
| % Recovery | | 100 |
| Relative Percent Difference | é | < 0.1 |

METHOD: Standard Methods

4500-CIB

Note: Analyses performed on 1:4 w:v aqueous extracts. Not accredited for Chloride.

Date

H18942 Dugan

| Analytical Laboratories |
|-------------------------|
| l aroratories |

CHAIN OF CUSTODY RECORD

| Page | 2 | of | 2 | |
|-------|---|-------|---|--|
| 1 022 | _ | . \/1 | _ | |

| Client Dugan | PRODUCTION | |
|------------------|--------------|--|
| Contact: FRED | CornisH | |
| Address: | | |
| | | |
| Phone Number, SE | 75-330-0929 | |
| FAX Number: 50 | 5- 325- 4873 | |

NOTES:

- 1) Ensure proper container packaging.
- 2) Ship samples promptly following collection.
- 3) Designate Sample Reject Disposition.

PO#

Project Name:

Table 1. - Matrix Type

1 = Surface Water, 2 = Ground Water

3 = Soil/Sediment, 4 = Rinsate, 5 = Oil

6 = Waste, 7 = Other (Specify)

Samplers Signature:

FOR GAL USE GALY

GAL JOB #

Green Analytical Laboratories (970) 247-4220 Analyses Required FAX (970) 247-4227 Lab Name: 75 Suttle Street, Durango, CO 81303 Address: Collection Miscellaneous Preservative(s) Unpreserved (Ice Only) Sample Filtered 7 Y/N 900 Collected by: (Init.) No. of Containers Chloric Other (Specify) Sample ID Date Time Comments Matrix Typc From Table 1 H2S04 NAOH HNO3 HCL 12-21-09 12:25 PM GALY#887.BPT 12-21-09 12:35 PW 1:25 PM 12-21-09 Deld Meda 1 255 B, Sep 12-21-09 /135 P.M Flow # 1 ProdiT 12-21-01 Timey 1481 Recorded Wille Date 12-21-09 Received by Religiuished by

^{*} Sample Reject: [] Return [] Dispose [] Store (30 Days)

Envirotech 5796 US Hwy 64 Farmington, NM 87401 Phone: 505-632-0615 Fax: 505-632-1865



To:

Dugan Production Corp

PO Box 420

Farmington, NM 87401

Invoice

Invoice Number.

22796

Job

06094-0053

DATE.

February 10,2009

Gold Medal #5- accept exempt

contaminated soil and oil from production

stream

Ordered by Fred Cornish

Project Manager:

April Pohl

| | | | | | | t |
|-------------------|---------------|-------------------|--------------|----|-------------|--------------|
| <u>Employee</u> | Staff Type | Description | <u>Units</u> | | <u>Rate</u> | <u>Total</u> |
| 02/03/2009 | | | | | | |
| Landfarm | | | | | | |
| | | BOL# 32564 | 3.00 | ea | 10.00 | 30.00 |
| Paint Filter Test | | | | | | |
| | | BOL# 32564 | 3 00 | ea | 15.00 | 45.00 |
| Chloride Analys | ıs-Water | | | | | |
| | | BOL# 32564 | 36 00 | су | 18.00 | 648.00 |
| Contaminated S | Soil Receival | | | | | |
| | | Landfarm Total: | 42.00 | | • | 723.00 |
| | | 02/03/2009 Total: | 42.00 | | _ | 723.00 |
| 02/04/2009 | | | | | - - | |
| Landfarm | | | | | | |
| | | BOL# 32580 | 2.00 | ea | 10 00 | 20.00 |
| Paint Filter Test | | | | | | |
| | | BOL# 32580 | 2.00 | ea | 15 00 | 30.00 |
| Chloride Analysi | is-Water | | | | | |
| | | BOL# 32580 | 24.00 | су | 18.00 | 432 00 |
| Contaminated S | oil Receival | | | | | |
| | | Landfarm Total: | 28.00 | | • | 482.00 |
| | | 02/04/2009 Total: | 28.00 | | = | 482.00 |
| | | Invoice Sub-total | | | | 1,205 00 |

Invoice # 22796 Job # 06094-0053


| <u>Total</u> |
|------------------|
| 74.56 |
| \$ \$1,279.56 |
| 9 = |

All invoices are due upon receipt A late charge of 1.5% will be added to any unpaid balance after 30 days.

This may not be the final bill - if charges are received after this invoice has been mailed, you will receive a separate invoice for those costs

Dugan Production Gold Medal #5 Tank Pit





13'W X9'L X14'D

From Reference Poin Go S 60 Degrees SW for a Distance of 135' to Center of Pit.

Permanent pit: Gold Medal #5 (Production Tank)

API number: 30-045-26823

Results of sample analysis on the five-point composite sample collected on the subject permanent pit exceeded limits permissible under the "pit rule" (19.15.17.13.C) (see attached C-141 with analytic results).

The Environmental Bureau of the Oil Conservation Division (OCD) in Santa Fe is hereby provided a C-144 (closure report) and an "initial" C-141 (release notification) with analytic results of soil testing. The closure date on the C-144 (box 21) shows the date that the soil analysis did not meet pit rule standards. Also, this letter hereby provides notice that the subject permanent pit will be closed according to the requirements of the "spill rule" (19.15.30).

The OCD district office in Aztec is hereby provided a copy of the "initial report" C-141 (release notification) with analytic results of soil testing and also notice that the subject permanent pit will be closed according to the requirements of the "spill rule" (19.15.30). Assessment, clean-up and remediation of the reported spill will be done in accordance with the spill rule under the authority of the Aztec District office of the OCD. The "final report" C-141 with photo documentation of site reclamation will be sent to the Aztec District office of the OCD.

Following clean-up of the reported release and determination that the release is not a threat to groundwater contamination, the permanent pit will be closed in accordance with the approved C-144 (closure plan) and will include the following:

- 1. Stockpiled sub-surface soil will be used to backfill pit and re-contour (to a final or intermediate cover that blends with the surrounding topography). A minimum of fourfeet of compacted, non-waste containing, earthen material will be used as backfill.
- 2. Stockpiled surface soil will be used as a cover over the backfilled pit and disturbed area no longer needed for production operations. The soil cover will include either the background thickness of top soil or one-foot of suitable material to establish vegetation at the site whichever is greater. The soil cover will be constructed to the sites existing grade and prevent water collection or ponding and erosion of the cover material.
- 3. Disturbed areas will be seeded the first growing season after the pit is closed. Seeding will be accomplished by drilling on contour whenever possible or by other division approved methods. BLM stipulated seed mixes will be used on all Federal lands and OCD approved seed mixes (administratively approved if required) will be used on all State or private lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two consecutive growing seasons. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. Seeding or planting will be continued until successful vegetative growth occurs.
- 4. The Aztec District office of the OCD will be notified after each re-seeding operation and after successful re-vegetation has been achieved.

Kurt Fagrelius VP – Exploration, Dugan Production Corp. Farmington, New Mexico 87401 505-325-1821 (O), 505-320-8248 (C) kfagrelius@duganproduction.com

| Lease Name: | Gold Me | dal #5 (Production) | | | | |
|-----------------|-----------|------------------------|----------------------|---|------------------|---------------|
| API No.: 30-04 | 15-26823. | | | | | |
| | | | | | | |
| Site Specific I | nfromatio | on | | | | |
| Depth to | 110-ft | Distance to Surface | 1550-ft | Wellhead Protection Area | >1000-ft | |
| Groundwater | | Water Body | | Distance from Water Source | | |
| Total Ranking | Score | | | | | |
| Depth to | Ranking | Distance to Surface | Ranking | Wellhead Protection Area | Ranking Score | Total Ranking |
| Groundwater | Score | Water Body | Score | Distance from Water Source | Yes =20, No=0 | Score |
| <50-feet | 20 | <200-feet | 20 | <1000-feet from water source | 0 | |
| 50 - 99 | 10 | 200 - 1000 | 10 | <200-feet domestic water | 0 | |
| >100-feet | 0 | >1000-feet | 0 | | | 0 |
| | | Total | Ranking | Score | Sample | |
| | | >19 | 10 - 19 | 0 - 9 | Analysis | |
| Benzene (mg/k | (g) | 10 | 10 | 10 | <0.050 | |
| BTEX (mg/kg) | | 50 | 50 | 50 | <0.300 | |
| TPH (mg/kg) | | 100 | 1000 | 5000 | <100 | |
| Chorides (mg/k | (g) | N.A. | N.A. | N.A. | 2240 | - |
| Note: Analytica | al method | s used for Benzene S | <u> </u> W-846, B | <u> </u> TEX SW-846, TPH 418.1 and (| Chlorides 4500-C | 1-B. |
| | | | | | | |
| | | | | | | |
| C-144 ranking | = 0. Chl | oride release does not | pose a tl | hreat to groundwater contamina | tion. | |
| | | | | | | |

,

1

Gold Medal #5 Hydrogeologic Report

The Gold Medal #5 is located on Federal land on the Chaco Slope area in San Juan County, New Mexico. The region is characterized as a high arid mesa broken by numerous, deep cutting arroyos. Vegetation in the area is predominantly short stands of sage and sparse grass.

A records search of the NM Office of the State Engineer –iWATERS database was conducted on a three square mile area centered on the Gold Medal #5 location (Exhibit 2). One water well was located 9,500-feet to the northeast (total depth 640', depth to water 595'). The results of the search are shown on Exhibit 1.

The main source of stock water in the region is encountered in valley-fill deposits in existing arroyos at shallow depths of approximately 15-50 feet below the surface and stock tanks constructed on surface shale layers at the confluences and upper reaches of arroyos. The below grade tank is not located in an arroyo; the closest arroyo is 1,550 feet to the north (Exhibit 2).

The Nacimiento Formation extends from the surface down to a depth of approximately 110 feet. Thin silty sands can occur near the base. However, the sands are discontinuous, have high silt content and would not be expected to contain any water.


The underlying Ojo Alamo Sandstone ranges from approximately 110 feet down to a depth of approximately 200 feet and is comprised of a coarse grained alluvial sandstone inter-bedded with lenses of mudstone and occasional conglomeratic sandstone. The Ojo Alamo may yield marginal quantities of water for livestock; however, the water quality is typically greater than 1,000 ppm total dissolved solids and high in sulfate (Stone, 1983).


The underlying Kirtland and Fruitland shale layers do not have reservoir rocks capable of storing ground water. The Fruitland Coal and Pictured Cliffs Sandstone from 970-1060 contain groundwater and natural gas. The water quality is very poor (>15,000 ppm TDS), what is recovered with natural gas production is disposed of in nearby salt water disposal wells (analysis of this water is available upon request from Dugan Production).

Based on electric open hole logs, the iWATERS database and literature reviewed, a water well in the area encountered groundwater at 595 feet, lesser amounts of poor quality ground water might be found at a depth of approximately 110-200 feet from the Ojo Alamo Sandstone. A deeper source of poor quality groundwater is the Fruitland Coal / Pictured Cliffs interval from 970-1060.

This Hydrogeologic Report was prepared by Mr. Kurt Fagrelius, Geologist for Dugan Production. Mr. Fagrelius has been employed as a geologist for Dugan for the past 31-years, received a MS in Geology from NMIMT in Socorro, NM and a BS in Geology from FLC in Durango, CO.

- Stone, W.J., Lyford, F.P., Frenzel, P.F., Mizell, N.H., and Padgett, E.T., 1983, Hydrogeology and water resources of San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources Hydrologic Report 6, 70 p.
- Brown, D.R., and Stone, W.J., 1979, Hydrogeology of Aztec quadrangle, San Juan County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Hydrogeologic Sheet 1.
- Levings, G.W., Craigg, S.D., Dam, W.L. Kernodle, J.M., and Thorn, C.R., 1990, Hydrogeology of the San Jose, Nacimiento, and Animas Formations in the San Juan Structural Basin, New Mexico, Colorado, Arizona and Utah: U.S. Geological Survey, Atlas HA-720-A, Sheet 1 and 2.
- Thorn, C.R., Levings, G.W., Craigg, S.D., Dam, W.L., and Kernodle, J.M., 1990, Hydrogeology of the Ojo Alamo Sandstone in the San Juan Structural Basin, New Mexico, Colorado, Arizona and Utah: U.S. Geological Survey, Atlas HA-720-B, Sheet 1 and 2.





From: Kurt Fagrelius

Sent: Friday, December 10, 2010 9.06 AM

To: Powell, Brandon, EMNRD; dave_mankiewicz@nm.blm.gov; Mark_Kelly@nm.blm.gov; lucas_vargo@blm.gov; Spencer, Bertha

Cc: Johnny Lane, Mike Sandoval, Kurt Fagrelius
Subject: 72-hr Notice to Close 12-14 to 12-17-2010

Attachments: 72-Hour Notice to Close 12-14 to 12-17-2010.xls

Mr Brandon Powell, Mr Dave Mankiewicz, Mr Mark Kelly, Mr. Lucas Vargo and Ms. Bertha Spencer:

Dugan Production Corp. is hereby giving notice that Dugan will be closing the permanent pits on the following well pads.

- 1) Olympic #1 TB (Separator)
- 2) Olympic #1 TB (Prod Tank)
- 3) Calgary #88 (Prod Tank)
- 4) Calgary #88 (Separator)
- 5) Flo Jo #1 (Separator)
- 6) Gold Medal #1
- 7) Gold Medal #5 (Separator)
- 8) Gold Medal #5 (Prod. Tank)
- 9) Jim Thorpe #1 (Separator)
- 10) Road Runner #1

Site specific and soil analysis information for each permanent pit is included in the enclosed attachment.

Those highlighted in blue (#'s 1 - 4, 6 - 8 and #10) are located on Federal Surface; and those highlighted in red (# 5 and #9) are located on Navajo Allotted Surface.

Permanent pits will be closed starting Tuesday December 14, 2010 thru Friday December 17, 2010.

If you have any questions or require additional information, please contact me.

Kurt Fagrelius Dugan Production Corp. 709 East Murray Drive Farmington, New Mexico 87401 505-325-1821 (O), 505-320-8248 (C) kfagrelius@duganproduction.com

| Lease Name | Olympic #1 TB Sep. | Olympic #1 TB Prod. | Calgary #88 Prod. | Calgary #88 Sep. | Flo Jo #1 Sep. |
|--|--------------------|---------------------|-------------------|------------------|------------------|
| API Number | 30-045-26007 | 30-045-26007 | 30-045-26784 | 30-045-26784 | 30-045-27463 |
| Surface Owner - Notice Sent | Federal | Federal | Federal | Federal | ₁Navajo Allotted |
| Location - UL, Sec., Twp, Rge | 1-3-23N-10W | 1-3-23N-10W | A-6-23N-10W | A-6-23N-10W | A-1-23N-11W |
| Latitude | 36.2541 N | 36.2541 N | 36.77293 N | 36.77293 N | 36.26099 N |
| Longitude | 107.87613 W | 107.87613 W | 107.92965 W | 107.92965 W | 107.9463 W |
| C-144 Ranking Score | .0 | .0 | 0 | 0 | 0 |
| Benzene (mg/kg) | <0.050 | <0.050 | <0.050 | <0.050 | <0.050 |
| Betex (mg/kg) | <0.300 | <0.300 | <0.300 | < 0.300 | <0.300 |
| TPH (mg/kg) - Analy Mthd | <100 - 418.1 | <100 - 418.1 | 142 - 418.1 | <100 - 418.1 | 900 - 418.1 |
| Chlorides (mg/kg) | 928 | 2360 | 1760 | 352 | 1100 |
| Total Yards Contaminated Soil Hauled to Landfarm | 20 | :20 | 62 | N.Ā. | 160 |

.

| Gold Medal #1 | Gold Medal #5 Sep. | Gold Medal #5 Prod. | Jim Thorpe #1 Sep. | Road Runner #1 |
|---------------|--------------------|---------------------|--------------------|----------------|
| 30-045-26035 | 30-045-26823 | 30-045-26823 | 30-045-26587 | 30-045-27693 |
| Federal | : Federal | Federal | Navajo Allotted | Federal |
| H-34-24N-10W | O-31-24N-10W | O-31-24N-10W | G-3-23N-10W | O-36-24N-11W |
| 36.27290 N | 36.26465 N | 36.26465 N | 36.25796 N | 36.26461 N |
| 107.87657 W | 107.9341 W | 107.9341 W | 107.88081 W | 107.95187 W |
| 0 | 0 | 0 | 10 | 0 |
| <0.050 | <0.050 | <0.050 | <0.100 | <0.050 |
| <0.300 | <0.300 | <0.300 | <0.300 | <0.300 |
| <100 - 418.1 | 713 - 418.1 | <100 - 418.1 | <10 - 418.1 | <100 - 418.1 |
| 1340 | 1550 | 2240 | 1150 | 1440 |
| 30-yds | 60-yds | 60-yds | .30-yds | 90-yds |

!

From: Sent: postmaster@duganproduction.com Friday, December 10, 2010 9:06 AM

To:

Kurt Fagrelius

Subject:

Delivery Status Notification (Relay)

Attachments:

ATT32033.txt; 72-hr Notice to Close 12-14 to 12-17-2010





ATT32033.txt (407 B) 72-hr Notice to Close 12-14 to...

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

Brandon.Powell@state.nm.us

From: postmaster@duganproduction.com Sent: Friday, December 10, 2010 9:06 AM

To: Kurt Fagrelius

Delivery Status Notification (Relay) Subject:

ATT32045.txt; 72-hr Notice to Close 12-14 to 12-17-2010 Attachments:



ATT32045.txt (396 72-hr Notice to

B) Close 12-14 to...

This is an automatically generated Delivery Status Notification.

Your message has been successfully relayed to the following recipients, but the requested delivery status notifications may not be generated by the destination.

Bertha.Spencer@bia.gov

From:

Dave_Mankiewicz@blm.gov Friday, December 10, 2010 11:08 AM Sent:

Kurt Fagrelius To:

72-hr Notice to Close 12-14 to 12-17-2010 Subject:

Return Receipt

Your 72-hr Notice to Close 12-14 to 12-17-2010

document:

Dave Mankiewicz/FFO/NM/BLM/DOI was

received

by:

12/10/2010 11:07:32 AM at:

From:

Sent:

To:

Lucas_Vargo@blm.gov Friday, December 10, 2010 11:20 AM Kurt Fagrelius 72-hr Notice to Close 12-14 to 12-17-2010 Subject:

Return Receipt

Your 72-hr Notice to Close 12-14 to 12-17-2010

document:

Lucas Vargo/FFO/NM/BLM/DOI was

received

by:

at: 12/10/2010 11:19:49 AM

From:

System Administrator

To:

Johnny Lane, Kurt Fagrelius, Mike Sandoval

Sent:

Friday, December 10, 2010 9 06 AM

Subject:

Delivered 72-hr Notice to Close 12-14 to 12-17-2010

Your message

To.

Powell, Brandon, EMNRD; dave_mankiewicz@nm.blm.gov; Mark_Kelly@nm.blm.gov; lucas_vargo@blm.gov; Spencer, Bertha

Cc.

Johnny Lane, Mike Sandoval; Kurt Fagrelius

Subject.

72-hr Notice to Close 12-14 to 12-17-2010

Sent.

12/10/2010 9:06 AM

was delivered to the following recipient(s):

Johnny Lane on 12/10/2010 9.06 AM Kurt Fagrelius on 12/10/2010 9.06 AM Mike Sandoval on 12/10/2010 9:06 AM

From:

Sent:

Mark_Kelly@blm.gov Tuesday, December 14, 2010 5:59 AM Kurt Fagrelius

To:

Subject:

72-hr Notice to Close 12-14 to 12-17-2010

Return Receipt

72-hr Notice to Close 12-14 to 12-17-2010

document:

was

Mark Kelly/FFO/NM/BLM/DOI

received

by:

at:

12/14/2010 05:59:29 AM