OIL CONS. DIV.
Form C-144
DISPLY 8, 2008

District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rood, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

١

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator XTO Energy, Inc OGRID # 5380
Address #382 County Road 3100, Aztec, NM 87410
Faculty or well name. Breech A #136G
API Number30-039-30705 OCD Permit Number
U/L or Qtr/Qtr G Section 10 Township 26N Range 6W County Rio Arriba
Center of Proposed Design Latitude 36 50357 Longitude 107 45265 NAD □1927 ☒ 1983
Surface Owner K Federal State Private Tribal Trust or Indian Allotment
Pet: Subsection F or G of 19 15 17 11 NMAC Temporary Drilling Workover OIL CONS. DIV. Permanent Emergency Cavitation P&A Lined Unlined Liner type Thickness 20 mil LLDPE HDPE PVC Other String-Reinforced Liner Scams Weided Factory Other Volume. bbi Dimensions 200 x W 80 x D 8-12 String-Reinforced Volume Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) To be used during complision operations Drying Pad Above Ground Steel Fanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDPE HDPE PVC Other Liner Seams Welded Factory Other
Below-grade tank: Subsection Lof 19 15 17 11 NMAC Volume
s. Alternative Method: Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hi institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify	ospital,
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19 15.17 11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19 15 3 103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval. Fencing- Hogwire Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ffice for
Siting Criteria (regarding permitting): 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approp office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district proval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Fopographic map, Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)	☐ Yes ☐ No ☐ NA
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 fect of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map	☐ Yes ☐ No
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Mydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC Mydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC
and 19 15 17 13 NMAC Previously Approved Design (attach copy of design) API Number or Permit Number
Treviously Approved Design (attach copy of design) Art Number of Permit Number
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design) API Number
Previously Approved Operating and Maintenance Plan API Number(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan
Emergency Response Plan Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type \(\bigcirc Drilling \) Workover \(\bigcirc Emergency \) Cavitation \(\bigcirc P&A \) Permanent Pit \(\bigcirc Below-grade Tank \(\bigcirc Closed-loop System \) Alternative
Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15.17 13 D Instructions. Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if n facilities are required.	NMAC) nore than two
Disposal Facility Name Envirotech Disposal Facility Permit Number NM01-00	111
Disposal Facility Name IEI Disposal Facility Permit Number NM01-00	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future serv Yes (If yes, please provide the information below) No	rice and operations?
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only). 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate districtions of acceptable sour considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justif demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	ict office or may be
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes 🖾 No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☒ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	X Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site	Yes 🛭 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	☐ Yes 🖾 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - tWATERS database, Visual inspection (certification) of the proposed site	☐ Yes 🗵 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes X No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes 🛭 No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🖾 No
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	Yes 🛭 No
Within a 100-year floodplain - FEMA map	Yes 🛭 No
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Stiting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19 15 17 13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19 Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC	15 17 11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurately.	rate and complete to the best of my knowledge and belief
	Title Permitting Tech
Signature Malia Villera	Date 2/3/2011
e-mail addressmalia_villers@xtoenergy com	Telephone (505) 333-3100
OCD Approval: Permit Application (including closure plan) (Closure) OCD Representative Signature: Title: Compliance	Plan (only) POCD Gonditions (see attachment) ONE 1/05/20120/19/201 Approval Date: 9/19/201 OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the continuous continuo	to implementing any closure activities and submitting the closure report. The completion of the closure activities. Please do not complete this
Closure Method: Waste Excavation and Removal On-Site Closure Method Altern If different from approved plan, please explain	mative Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please indentify the facility or facilities for where the liquids, dr two facilities were utilized.	
Disposal Facility Name	Disposal Facility Permit Number.
Disposal Facility Name	Disposal l'acility Permit Number
Were the closed-loop system operations and associated activities performed on C Yes (If yes, please demonstrate compliance to the items below) \(\Bar{\text{No}} \) No	or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and opera Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation	itions
Re-vegetation Application Rates and Seeding Technique	
Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	
Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Long Operator Closure Certification:) 31 Tude
Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Long Onerator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief—I also certify that the closure complies with all applicable closure required.	e report is true, accurate and complete to the best of my knowledge and ements and conditions specified in the approved closure plan
Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude Long Onerator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief—I also certify that the closure complies with all applicable closure required.	NAD 1927 1983

<u>District I</u> 1625 N French Dr , Hobbs, NM 88240 District II
1301 W Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised October 10, 2003

Form C-141

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

			Rele	ease Notific	cation	and Co	rrective A	ction					
						OPERA	TOR	☐ Initia	l Report	\boxtimes	Final Report		
Name of Co	mpany. X	TO Energy,	Inc			Contact: Jar	nes McDaniel						
Address: 38	2 Road 31	00, Aztec, N	lew Mexi	ico 87410		Telephone No.: (505) 333-3701							
Facility Nar	ne [.] Breecl	1 A #136G (30-039-3	0705)		Facility Typ	e: Gas Well						
Surface Ow	ner: Feder	al		Mineral C)wner:			Lease N	o NMSF	-0790	35A		
				LOCA	ATIO!	N OF REI	LEASE						
Unit Letter	Section	Township	Range	Feet from the	the North/South Line Feet from the East/West Line County								
G	10	26N	6W	2055		FNL	1965	FEL	Rio Arriba				
		<u> </u>		Latitude: 36	5 50357	Longitud	e· -107 45265						
						_							
Tune of Polo	oco None			NAI	UKE			Volumo D	accusard 1	NI Å			
											NA		
								e NA Date and I	Tour of Dis	covery	- NA		
Name of Company, XTO Energy, Inc													
Was a Watercourse Reached? If YES, Volume Impacting the Watercourse													
	.,												
If a Watercou	ırse was Im	pacted, Descr	ibe Fully.	*									
Describe Cau	se of Probl	em and Reme	dial Actio	n Taken *									
2011, and ret	urned resul	ts below the 0	2 ppm be	nzene standard, th	he 500 p	pm DRO/GR	O standard, the 5	0 ppm total BTEX s	standard, the	500 p	pm total		
			PH stand	ard The contents	of the o	irill pit were s	tabilized and bur	ied in place Applic	able analyti	cal res	sults are		
included with	this report	•											
Describe Are	a Affected	and Cleanup	Action Tal	ken.*									
No release ha	s occurred	at this locatio	n										
I hereby certi	fy that the	information g	iven above	e is true and comp	lete to t	he best of my	knowledge and u	inderstand that purs	uant to NM	OCD r	ules and		
regulations a	ll operators	are required t	to report a	nd/or file certain r	release n	otifications a	nd perform correc	ctive actions for rele	eases which	may e	ndanger		
public health	or the envi	ronment The	acceptan	ce of a C-141 repo	ort by th	e NMOCD m	arked as "Fınal R	teport" does not reli	eve the oper	rator o	f liability		
				stance of a C-141	report o	loes not reliev	e the operator of	responsibility for co	ompliance v	ith an	y other		
rederal, state,	Of local la	7	7			OIL CONCEDIVATION DIVISION							
	///		Δ.	·]			OIL COIL	BLICVICION	DIVIDIC	<u>/1 \</u>			
Signature	/ -			· /							j		
Printed Name	e James M	cDaniel, CHN	1M #1567	6		Approved by	District Supervis	or					
Title EH&S	Supervisor					Approval Da	te	Expiration	Expiration Date				
2	P2							1	Ţ				
Address: 382 Road 3100. Azace, New Mexico 87410 Telephone No.: (505) 333-3701 Facility Name: Breech A #136G (30-039-30705) Facility Type: Gas Well Surface Owner: Federal Mineral Owner:													

Date 12/30/2011 * Attach Additional Sh



XTO Energy Inc. San Juan Basin Closure Report

Lease Name: Breech A #136G API No.: 30-039-30705

Description: Unit G, Section 10, Township 26N, Range 6W, San Juan County, NM

In accordance with Rule 19 15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144.

• Proof of Closure Notice

- Proof of Deed Notice (Not Required)
- Plot Plan
- C-105
- Sampling Results
- Details on Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation Photos (Including Steel Marker)
- 1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division-approved facility or recycled, reused, or reclaimed in a manner that the Aztec Division office approves.

Fluids were pulled from the reserve pit on October 20 through October 24, 2011 and disposed of at Basin Disposal, NM-01-005.

The preferred method of closure for all temporary pits will be on-site, in-place burial, assuming that all criteria listed in Subsection (B) of 19 15.17 13 are met

On-site, in-place burial plan for this location was approved by the Aztec Division office on September 23, 2011.

3 The surface owner shall be notified of XTO proposed closure plan using a means that provides proof of notice, i.e., Certified Mail, return receipt requested.

The surface owner was notified of on-site burial by email, February 3, 2011 (attached), and by email on December 1, 2011 (attached). Email notification was authorized to government agencies by Brandon Powell, NMOCD Aztec Office.

Within 6 months of Rig Off status occurring, XTO will ensure that temporary pits are closed, recontoured, and reseeded.

Rig moved off location September 19, 2011. Pit closed December 16, 2011.

- Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally The notification of closure will include the following
 - 1. Operator's Name
 - ii. Well Name and API Number
 - iii Location by Unit Letter, Section. Township, Range

Notification was sent to the Aztec Office of the OCD on December 1, 2011 (attached), Closure activities began on December 6, 2011.

6. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve appropriate solidification. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Pit contents were mixed with non-waste containing, earthen material in order to achieve

appropriate solidification. The solidification process was accomplished using a combination of natural drying and mechanically mixing using a dozer and track-hoe. Pit contents were mixed with non-waste, earthen material to a consistency that was deemed safe and stable. The mixing ratio did not exceed 3 parts clean soil to 1 part pit contents.

7. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

8. A five point composite sample will be taken using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e. dig and haul. Disposal facilities to be utilized should this method be required will be Envirotech, Permit No. NM01-0011 or IEI, Permit No. NM01-0010B

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	0.0036
BTEX	EPA SW-846 8021B or 8260B	50	0.0466
TPH	EPA SW-846 418.1	2500	499
GRO/DRO	EPA SW-846 8015M	500	8.9
Chlorides	EPA 300.1	500 or background	50

9 Upon completion of solidification and testing, the pit area will be backfilled with compacted, non-waste containing earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

Upon completion of solidification and testing, the pit area was backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover was achieved and the cover included one foot of background topsoil suitable for establishing vegetation at the site or natural levels, whichever was greater. Backfill and cover were placed to match existing grade.

10. Re-contouring of the location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, ponding prevention, and erosion prevention. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with a smooth surface, fitting the natural landscape.

Re-contouring of location matches fit, shape, line, form and texture of the surrounding area. Re-shaping of the location included drainage control, ponding prevention, and erosion prevention. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final re-contour has a uniform appearance with smooth surface, fitting the natural landscape.

11 Notification will be sent to OCD when the reclaimed area is seeded.

A C-103 will be submitted once the site has been re-seeded. The site will be re-seeded in the spring using the BLM -10 seed mixture.

12. XTO shall seed the disturbed areas the first growing season after the pit is closed. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM of Forest Service stipulated seed mixes will be used on Federal Lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover

through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Notification via C-103 will be sent to OCD when the reclaimed area successfully achieves revegetation for two successive growing seasons.

13. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the on-site burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time all wells on the pad are abandoned. The operator's information will include the following: Operator's Name, Lease Name, Well Name and Number, Unit Number, Section, Township, Range and an indicator that the marker is an on-site burial location

The temporary pit was located with a steel marker cemented in a hole three feet deep in the center of the onsite burial. The marker includes the operator's information. The marker was set in a way to not impede reclamation activities. The operator's information includes the following: XTO Energy Inc., Breech A 136G, Unit G, Sec. 10, T26N, R6W, Rio Arriba Co "In Place Burial".

14. XTO shall file a deed notice identifying the exact location of the on-site burial with the county clerk in the county where the on-site burial occurs

Not required on state, federal, or tribal land according to FAQ dated October 30, 2008 and posted on the OCD website.

15. Due to a misunderstanding from the drilling department, the pit inspections completed during drilling were completed on a daily basis, but were not recorded. No leaks or tears in the liner were discovered during drilling activities. Inspections completed by EH&S after the rig was released were completed and documented, and are attached with this report. XTO has cleared up the misunderstanding with the drilling department, and pit inspections will be documented in the future

Submit To Appropriate Two Copies	riate Distric	t Office				State of Ne						· · · · · ·				rm C-105
District I 1625 N French Dr	, Hobbs, N	M 88240		Ene	ergy,	Minerals an	d Nat	tural Re	esources	-	1. WELL	A DI 1	NO			July 17, 2008
District II 1301 W Grand Av	enue, Artes	aa, NM 8821	0		O:	l Congomio	tion '	Divisio	'n		30-039-30°		ΝΟ.			
District III 1000 Rio Brazos R				Oil Conservation Division 1220 South St. Francis Dr.						2 Type of Lease						
District IV 1220 S St Francis)5		12	Santa Fe, I			. .	ŀ			FEI & Gas I			IAN
				DECC	NADI				1100		NMSF-	07903	5A			
4 Reason for fil		LETION	<u>I OR</u>	RECC	MPL	ETION RE	POR	(I ANL	LOG		In the last the second second second		74.78	and the state of t	ement Na	NO STATE OF THE PARTY OF T
☐ COMPLET	•	ODT (E.II		#1 46	_1, #21	f C4-4 4 F-	11-	1			Br	eech A				
C-144 CLOS	SURE AT	ТАСИМЕ	NT (Fi	ll ın boxe	s #1 thr	ough #9, #15 Da	ate Rig	Released	and #32 and/o	or	6 Well Num 136G	ber				
7 Type of Comp	pletion															
8 Name of Oper	well L	_ WORKC	VER L	J DEEPI	ENING	PLUGBACI	КЦІ	JIFFERE!	VI RESERVO		OTHER 9 OGRID					
XTO Energy, In										\dashv	5380 11 Pool name	or W	Ideat			
382 County Roa Aztec, New Mex 505-333-3100	d 3100)									11 1 Oot Hank	OI W	nucai			
12 Location	Unit Ltr	Section	on	Towns	hıp	Range	Lot		Feet from th	e	N/S Line	Feet	from the	E/W	Line	County
Surface:			_				ļ .			\perp			_			
BH:	1 14 5	- T.D. D				<u> </u>		1.0		_	<u></u>	<u> </u>	₁ .			
13 Date Spudded	d 14 D	ate T D Re	ached)ate Rig / <mark>2011</mark>	Released		16	Date Comple	ted	(Ready to Prod	duce)	I	7 Eleva RT, GR,		and RKB,
18 Total Measur	ed Depth	of Well		19 F	lug Ba	k Measured De	pth	20	Was Direction	onal	Survey Made	7	21 Ty	pe Electi	ric and Ot	her Logs Run
22 Producing In	terval(s), o	of this comp	oletion -	Top, Bot	tom, Na	ame							<u> </u>			
23					CAS	ING REC	ORI	(Rep	ort all str	ing	gs set in w	ell)				
CASING SI	ZE	WEIG	HT LB	FT		DEPTH SET		HC	LE SIZE	_	CEMENTIN	IG RE	CORD	A	MOUNT	PULLED
																· · · · · · · · · · · · · · · · · · ·
				_												
					LIN	ED DECORD		-		25		CLIDD	JC DEC	CORD		
SIZE	TOP		BO	TTOM	LIN	ER RECORD SACKS CEM	ENT	SCREEN		25 SIZ			NG REC		PACK	ER SET
	1.3.					S. Torio S.S.										
26 Perforation	record (11	nterval, size	e, and nu	mber)					ID, SHOT, I INTERVAL	FR/	ACTURE, CE					
								בון ועם	INTERVAL		AMOUNT	WD I	CITYED IVIZ	TILITI	L OULD	
			-			· · · - · · · · · · · · · · · · · · · ·	DDC	DIC	TYON		<u> </u>					<u></u>
Date First Produc	ction		Produc	tion Met	hod (Fl	owing, gas lift, p		DUC'			Well Statu	s (Pro	d or Shu	t-in]		
Date 1 list 1 loud	ction		Troute	tion with	nou (1.1	owing, gas tiji, p	штрт	g - Dize un	и туре ритр)		Wen Statu	3 (1 70)	1 01 511 <i>a</i>	i-inj		
Date of Test	Hours	Tested	Ch	oke Sıze		Prod'n For Test Period		Oıl - Bbl		Gas	- MCF	W	ater - Bb	1	Gas - C	Oil Ratio
Flow Tubing Press	Casın	g Pressure		lculated our Rate	24-	Oıl - Bbl		Gas	- MCF		Water - Bbl	-1	Oıl Gı	avity - A	API - (Cor	r)
29 Disposition o	of Gas (So	d, used for	fuel, ver	ited, etc)		•						30 1	est Witr	essed B	у	
31 List Attachm	ents														-	<u> </u>
32 If a temporar	y pit was i	used at the	well, atta	ach a plat	with th	e location of the	tempo	rary pit a	ittached							
33 If an on-site l	ourial was	used at the	well, re	port the 6	xact lo	cation of the on-	site bur	rial	gitude -107	451	242 NAD 1	927 10	983			
I hereby certi. Signature	fy that t	he inform	ation	shown o	on bot	h sides of this inted Name:		is true	and comple			of my	knowle	edge ar EH&S	<i>id belie</i> Supervi	sor
E-mail Addre	ess Jame	es McDa	niel@:	/ ktoener	gy.coi	n		Da	ite: 12/30/2	201	1					

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

	astern New Mexico	Northy	Northwestern New Mexico					
T. Anhy	T. Canyon	T Ojo Alamo	T. Penn A"					
T. Sait	T. Strawn	T. Kirtland	T. Penn "B"					
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"					
T Yates	T Miss	T Pictured Cliffs	T. Penn "D"					
T 7 Rivers	T. Devonian	T. Cliff House	T. Leadville					
T. Queen	T Silurian	T Menefee	T Madison					
T Grayburg	T. Montoya	T. Point Lookout	T. Elbert					
T San Andres	T. Simpson	T. Mancos	T McCracken					
T. Glorieta	T McKee	T. Gallup	T. Ignacio Otzte					
T Paddock_	T. Ellenburger	Base Greenhorn	T.Granite					
T. Blinebry	T. Gr. Wash	T. Dakota						
T.Tubb	T. Delaware Sand	T Morrison						
T Drinkard	T. Bone Springs	T.Todilto						
T Abo	T	T Entrada						
T. Wolfcamp	T	T Wingate						
T Penn	T	T Chinle						
T. Cisco (Bough C)	T.	T. Permian	OH OB CAS					

		·	OIL OR GAS SANDS OR ZONE
No. 1, from	to	No. 3, from	to
No. 2, from	to	No. 4, from	to
	IMPOR	RTANT WATER SANDS	
Include data on rate of water	er inflow and elevation to when	hich water rose in hole.	
No. 1, from	tot	feet	
No. 2, from	to	feet	
		feet	
I	LITHOLOGY REC	ORD (Attach additional sheet i	f necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
			-				
					'		
					١		
					:		
	ı						
				I			
		į		ı			

DISTRICT | 1625 N. French Or , Hobbs, N.M. 88240

DISTRICT II 1301 W Grand Ave., Artesia, N.M 68210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-102 Revised October 12, 2005

Submit to Appropriate District Office


State Lease - 4 Copies

Fee Lease - 3 Copies

IRICT IV O South St. Fro	ncis Dr., So] AMEN	IDED REPOR
¹ API	Number	<u>V</u>		OCATIO	N AND	AC	REAGE DEDI	CAT	Pool Name	AT		
*Property Coo	de				3 Prop	erty N	Ome				8 W	ell Number
risperty ou		Property Name BREECH A								136G		
OGRID No.						ator N						Elevation
					XTO EN	1ERG	Y INC.					6593'
					10 Surfe	эсе	Location					
or lot no.	Section	Township	Ronge	Lot Idn	Feet from t	the	North/South line	Feet	from the	East/West	tine	County
G	10	26-N	6-W		2055		NORTH	L	965	EAS	<u> </u>	RIO ARRIBA
	1 6	T =	,	m Hole			f Different Fro			1 5 4 000-		T
, or lot no.	Section	Township	Range	Lot Idn	Feet from	the	North/South line	Feet	from the	East/Wes	it line	County
edicated Acres			3 Joint or In		14 Consolida			15 Orde				
O ALLOW	/ABLE \						ON UNTIL ALL EEN APPROVEI				EEN CO	ONSOLIDATE
LONG: 10	0 7.4526 36'30'12	SUR 7" N. (NAI 5" W. (NAI 283" N (NA 7.36" W. (NA	D 83) ND 27)	10 —	2055'		1965' FD 3 1/4 1957		shterest or timeluding the right to drill contract with interest, or compulsory idivision. Signatur Printed I hereby certinal provided interest or time or under the right of the right	inleased miner proposed both this well at the an owner of to a voluntary pooling order. In the second of the secon	rol enterest in term hole in the hole in this location is such a mix pooling against the rest of certain to the rest location es of actual in, and that	pursuant to a pursuant to a person to a person to a person or the pursuant to a netrol or working reement or a intered by the Date **RTIFICATION** Date **RTIFICATION** Shown on this plat surveye mode by the same is true
									Date of Signature		ME 17 894 894 894	2, 2008

XTO ENERGY INC.
BREECH A No. 136G, 2055 FNL 1965 FEL
SECTION 10, T26N, R6W, N.M.P.M., RIO ARRIBA COUNTY, N.M.
GROUND ELEVATION: 6593' DATE: SEPTEMBER 22, 2008

NAD 83 LAT. = 36.50357° N LONG. = 107.45265° W NAD 27 LAT. = 36°30°12.83° N LONG. = 107°27°07.36° W



RESERVE PIT DIKE TO BE 8' ABOVE DEEP SIDE (OVERFLOW - 3' WIDE AND 1' ABOVE SHALLOW SIDE)
BLOW PIT OVERFLOW PIPE HALFWAY BETWEEN TOP AND BOTTOM AND TO EXTEND OVER PLASTIC LINER AND INTO BLOW PIT

DAGGETT ENTERPRISES, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES NEW MEXICO ONE CALL TO BE NOTIFIED 48 HOURS PRIOR TO EXCAVATION OR CONSTRUCTION NOTE: C/L ELEV. A-A' 6610 6600 6590 6580 C/L ELEV. B-B' 6610 6600 1 Oil Flaid Services Fermington, NM 87499 6590 6580 Surveying and Oil F. P. O. Box 510 -Fermin Phore (505) 325-1772 - Fa C/L ELEV. C-C' 6610 6600 6590 6580

NOTE CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	·XTO	Project #:	98031-0528
Sample ID:	Drill Pit	Date Reported:	11-29-11
Laboratory Number:	60424	Date Sampled:	11-28-11
Chain of Custody No:	14001	Date Received:	11-28-11
Sample Matrix:	Soil	Date Extracted:	11-28-11
Preservative:	Cool	Date Analyzed:	11-28-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	2.5	0.2
Diesel Range (C10 - C28)	6.4	0,.1
Total Petroleum Hydrocarbons	8.9	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

Breech A #136 G

5796 US Highway 64, Farmington, NM 87401

Review

Ph (505) 632-0615 5/(800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	11-28-11 QA/QC	Date Reported:	11-30-11
Laboratory Number:	60420	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	11-28-11
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I⊧Cal∤RF::	C-Cal RF: *** %	6 Difference	Accept. Range
Gasoline Range C5 - C10	11-28-11	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	11-28-11	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	0.5	0.2
Diesel Range C10 - C28	0.9	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Range.
Gasoline Range C5 - C10	ND.	ND	0.00%	0 - 30%
Diesel Range C10 - C28	104	109	5.66%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept: Range
Gasoline Range C5 - C10	ND	250	253	101%	75 - 125%
Diesel Range C10 - C28	104	250	347	98.2%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References.

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 60420 and 60424



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client [.]	XTO	Project #;	98031-0528
Sample ID:	Drill`Pit	Date Reported:	11-29-11
Laboratory Number:	60424	Date Sampled:	11-28-11
Chain of Custody	14001	Date Received:	11-28-11
Sample Matrix.	Soil	Date Analyzed:	11-28-11
Preservative:	Cool	Date Extracted:	11-28-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilutioņ:	10
Parameter	Concentration (ug/Kg)	Deť. Limit (ug/Kg)
Benzene	3.6	0.9
Toluene	13.9	1.0
Ethylbenzene	4.1	1.0
p,m-Xylene	ND	1.2
o-Xylene	28.0	0.9
Total BTEX	46.6	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
Control of the contro	Fluorobenzene	108 %
	1,4-difluorobenzene	104. %
	Bromochlorobenzene	104 %

References.

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996

Comments:

Breech A #136 G

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client.	N/A		Project#:		N/A	
Sample ID:	1128BBLK QA/QC		Date Reported:		11-29-11	
Laboratory Number:	60423		Date Sampled:		N/A	
Sample Matrix:	Soil		Date Received:		N/A	
Preservative:	N/A		Date Analyzed:		11-28-11	
Condition:	N/A		Análysis:		BTEX	
			Dilution:		10	
Service of the Servic	ELPHANTING THE VALUE OF THE SEA O	A STATE OF THE PARTY AND ADDRESS OF THE PARTY			And the state of t	7.50
	LCalRF	C-Cal RF Accept: Rand	%Diff- je 0.= 15%	Blank Conc.	Detect. E Limit	
				eriese Lie Selection Make	CARLOTTE STATE OF THE STATE OF	
Calibration and Detection Limits (ug/L) Benzene Toluene		√, Accept⊹Ranc	je 0.≑(15%)	Conce	Limit	
Detection Limits (ug/L) Benzene	2 8527E+006	2 8584E+006	je 0/=(15%) 0.2%	Conci.	0.1	
Detection Limits (ug/L) Benzene Toluene	2 8527E+006 9.6740E+005	2 8584E+006 9.6934E+005	ge_0.≘ <u>15%</u> 0.2% 0.2%	Concis ND ND	0.1 0.1	

Duplicate Conc. (ug/Kg)	Sample Sample Communication (Dur	olicate 🐬	€%Diff	Accept Range	Detects Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0. 9

Spike,Conc: (ug/Kg)	Sample Visit Amo	ount Spiked Spi	ked Sample : %	Recovery	V Accept Range
Benzene	ND	500	529	106%	39 - 150
Toluene	ND	500	529	[.] 106%	46 - 148
Ethylbenzene	ND	500	542	108%	32 - 160
p,m-Xylene	ND	1000	1,080	108%	46 - 148
o-Xylene	ND	500	519	104%	46 - 148

ND - Parameter not detected at the stated detection limit

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996

Method 8021B, Aromatic and Haloĝenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments:

QA/QC for Samples 60423-60424



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	хто	Project'#:	98031-0528
Sample ID:	Drill Pit	Date Reported:	11-30-11
Laboratory Number:	60424	Date Sampled:	11-28-11
Chain of Custody No:	14001	Date Received:	11-28-11
Sample Matrix ¹	Soil	Date Extracted:	11-29-11
Preservative:	Cool	Date Analyzed:	11-29-11
Condition:	Intact	Analysis Needed:	TPH-418:1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

499

25.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Breech A #136G

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc com



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

QÃ/QC

Project #:

N/A

Sample ID:

Condition:

QA/QC

Date Reported:

11-29-11

Laboratory Number:

11-28-TPH.QA/QC 60157

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

11-28-11 11-28-11

Preservative:

N/A N/A

Date Extracted: Analysis Needed:

TPH

Calibration (I-Cal Date C-Cal Date

I-Cal RF: C-Cal RF: % Difference Accept. Range

11-16-11 11-28-11 1.565

1,720

9.9%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

25.0

Duplicate Conc. (mg/Kg)

Sample

Duplicate % Difference Accept. Range

TPH

TPH

499

562

12.5%

+/- 30%

Spike Conc. (mg/Kg)

Sample 499

Spike Added Spike Result % Recovery Accept Range 2,000

2,500

100%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 60424 and 60425

Review



Chloride

Client: **XTO** Project #: 98031-0528 Sample ID: Date Reported: Drill Pit 11-30-11 Lab ID#: 60424 Date Sampled: 11-28-11 Sample Matrix: Date Received: Soil 11-28-11 Preservative: Date Analyzed: 11-29-11 Cool Condition: Chain of Custody: 14001 Intact

Parameter Concentration (mg/Kg)

Total Chloride

50

Reference:

U.S.E P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Breech A #136 G

5796 US Highway 64, Farmington, NM 87401

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

14001

CHAIN OF CUSTODY RECORD

Client. Project Name / Location: BREECH A # 136 G Email results to: Sampler Name TOSHUS KIRCHNEIR								.7					Δ	\NAL`	YSIS	/ PÁI	RAM	ETEF	 3S					
Email results to: Sampler Name -					tus k	us KIRCHNEIR					4 8021)	8260)	S			,	-							
Client Phone No.: 787 05/9 Client No.: 98031					-0528				TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P	CO Table:910-1	TPH (418.1)	CHLORIDE				Sample Cool	Sample Intact	
Sample No./ Identifica	ıtion	Sample Date	Sample Time	I Lab No.		/Volume ontainers	Pr HgCl ₂	reservați HCI		TPH (ВТЕХ	No.	RCR/	Catio	RCI	TCLP	00 7		是			_	Samp	Samp
DRILL PIT		11-28-11	0911	60424	12	1402			υς J	V	V							V	レン				У	Υ
							-																+	
									 					ļ								+	1	
																						1		
`																	. 				1			_
Relinquished by: (Signatu	hte)	<u> </u>			Date	Time	Recei	ved b	 y. (Sig	l gnatu	ıre)	I			\equiv	1			1		Da	- 1	Tim	- 1
Belinquished by (Signatu	ıre)						Recei	ved b	y. (Siç	gnatu	ıre)		**						en en en				<u>/</u>	
Sample Matrix Soil Solid Sludg	је 🗌	Aqueous 🗌	Other								ß							``						
☐ Sample(s) dropped of	f after h	nours to sec	ure drop	off area.]€	PNV Anal	ÎT C) † (₽ €	• h			1	4	7)	5	五		,				
5795 US High	iway 64	• Farmingto	on, NM 87	7401 • 505-632-0615	Three Spri	ings • 65 h	Mercac	ļo Stre	ejt, Su	ite 11	15, Dຫ	ırang	a Co	ə 813	<u> </u>	aborc	ntory(@env	irotec	ch-inc	.com			



Malia Villers/FAR/CTOC 02/03/2011 11:07 AM

To mark_kelly@blm.gov

CC

bcc

Subject Breech A #136G Well Site

RE: Breech A #136G

Sec. 10 (G), T26N-R6W, Rio Arriba County

Dear Mr Kelly,

This submittal is pursuant to Rule 19.15.17 13 requiring operators to notify surface owners of on site burial of temporary pits. XTO Energy Inc. (XTO) is hereby providing written documentation of our intention to close the temporary pit associated with the aforementioned location by means of in place burial

Should you have any questions or require additional information please feel free to contact me at your earliest convenience (505) 333-3100.

Malia Villers
Permitting Tech.
XTO Energy Inc.
505-333-3100
Direct: 505-333-3698
Cell 505-787-7700
malia_villers@xtoenergy.com



James McDaniel /FAR/CTOC 12/01/2011 12 15 PM

To Mark_Kelly@blm.gov

CC

bcc Brent Beaty/FAR/CTOC@CTOC
Subject Drill Pit Closure notifications

Mark.

Please accept this email as the required notification for temporary pit closure activities at the following well sites:

Breech A #136G (API #30-039-30705) located in Unit G, Section 10, Township 26N, Range 6W, Rio Arriba County, New Mexico

Breech D #240G (API #30-039-31013) located in Unit D, Section 15, Township 26N, Range 6W, San Juan County, New Mexico

Closure activities are scheduled to begin next week. Thank you for your time in regards to this matter.



James McDaniel, CHMM #15676
EM&S Supervisor
XTO Energy, Inc.
Onice # 505-333-3701

Cell # 505-787-0519
James_Mcdanlet@xtoenergy.com



James McDaniel /FAR/CTOC 12/01/2011 12·14 PM

To brandon.powell@state nm.us

CC

bcc Brent Beaty/FAR/CTOC@CTOC

Subject Drill Pit Closure Notification

Brandon,

Please accept this email as the required notification for temporary pit closure activities at the following well sites.

Breech A #136G (API #30-039-30705) located in Unit G, Section 10, Township 26N, Range 6W, Rio Arriba County, New Mexico

Breech D #240G (API #30-039-31013) located in Unit D, Section 15, Township 26N, Range 6W, San Juan County, New Mexico

Closure activities are scheduled to begin next week. Thank you for your time in regards to this matter.



James McDaniel, CHMM #15676
EH&S Supervisor
XTO Energy, Inc.
omice # 505-333-3701
cell # 505-787-0519

James_Mcdanlel@xtoenergy.com

			TEMPO	RARY PIT II	NSPECTIO	N FORM			-
Well Name:	Breech /	A 136-G	-	API No.:	30-039-3070	5	•		
Legals: Lat 36° 30' 12 87" N Long	Sec: 1. 107° 27' 09 4]	Township:	26 N		Range:	6 W	- -
Inspector's	Inspection	Any visible liner breeches	Any fluid seeps/	HC's on top of	Temp pit free of misc solid waste/	Discharge line	Fence	Any dead	Freeboar
Name	Date	(Y/N)	spills (Y/N)	temp. pit (Y/N)	I .	integrity (Y/N)	ıntegrity (Y/N)	wildlife/stock (Y/N)	Est. (ft)
Brent Beaty	9/19/2011	N	N	N	Υ	NA	Υ	N	4
Luke McCollum	9/26/2011	N	N	N	Υ	NA	Υ	N	4
Luke McCollum	10/7/2011	N	N	N	Υ	NA	Υ	N	4
Luke McCollum	10/11/2011	N	N	N	Υ	NA	Y	N	4
Luke McCollum	10/17/2011	N	N	N	Υ	NA	Υ	N	4
Luke McCollum	10/27/2011	N	N	N	Y	NA	Υ	N	6
Luke McCollum	11/3/2011	N	N	N	Y	NA	Υ	N	6
Luke McCollum	11/11/2011	N	N	N	Y	NA	Υ	N	6
Brent Beaty	11/18/2011	N	N	N	Y	NA	Y	` N	6
Luke McCollum	11/22/2011	N	N	N	Y	NA	Y	N	6
Luke McCollum	11/29/2011	N	N	N	Υ	NA	Υ	N	6
	12/5/2011				Pit Clo	sure in progres	s		
	12/15/2011				т	Pit Closed	 -		
Notes:	Provide Det	ailed Descrip	otion.						
		, .							
	Misc:						· · · · · · · · · · · · · · · · · · ·		
.`									
-									

XTO Energy, Inc. Breech A #136G Section 10, Township 26N, Range 6W Closure Date 12/16/2011




Photo 1: Breech A #136G after Reclamation




Photo 2: Breech A #136G after Reclamation