

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

OCT 24 2011

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

Farmington Field Office

Bureau of Land Management

1a. Type of Work DRILL	5. Lease Number SF-078996
1b. Type of Well GAS	Unit Reporting Number
BLM'S APPROVAL OR ACCEPTANCE OF THIS ACTION DOES NOT RELIEVE THE LESSEE AND OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS ON FEDERAL AND INDIAN LANDS	
2. Operator ConocoPhillips Company	6. If Indian, All. or Tribe OIL CONS. DIV.
7. Unit Agreement Name DIST. 3 San Juan 32-7 Unit	
3. Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499 (505) 326-9700	8. Farm or Lease Name
9. Well Number 101	
4. Location of Well Surface: Unit K(NESW), 2571' FSL & 2045' FWL BHL : Unit F(SENW), 947' FNL & 2045' FWL Surface: Latitude: 36.928337° N (NAD83) Longitude: 107.578403° W BHL : Latitude: 36.928667° N (NAD83) Longitude: 107.578402° W	10. Field, Pool, Wildcat South Los Pinos Fruitland Sand Pictured Cliffs 11. Sec., Twn, Rge, Mer. (NMPM) Sec. 4, T31N, R7W API # 30-045-35316
14. Distance in Miles from Nearest Town 19.6 miles - Ignacio, CO	12. County San Juan
13. State. NM	
15. Distance from Proposed Location to Nearest Property or Lease Line 947'	
16. Acres in Lease 2537.370	17. Acres Assigned to Well 174.26 acres
18. Distance from Proposed Location to Nearest Well, Drlg, Compl, or Applied for on this Lease 71.7' - SJ 32-7 19M (MV/DK)	
19. Proposed Depth 3662	20. Rotary or Cable Tools Rotary
21. Elevations (DF, FT, GR, Etc.) 6616' GL	22. Approx. Date Work will Start
23. Proposed Casing and Cementing Program See Operations Plan attached	
24. Authorized by: Arleen Kellywood (Staff Regulatory Tech)	10/24/11 Date

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

Archaeological Report attached

A gas recovery unit may or may not be used on this location.

Threatened and Endangered Species Report attached

NOTE: This format is issued in lieu of U.S. BLM Form 3160-3

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or presentations as to any matter within its jurisdiction.

Example Master Plan Type 2

REMOVED

Numbers ES-0048 and ES-0085

DRILLING OPERATIONS AUTHORIZED ARE
SUBJECT TO COMPLIANCE WITH ATTACHED
"GENERAL REQUIREMENTS".

A

ca JAN 13 2012

This action is subject to technical and
procedural review pursuant to 43 CFR 3165.8
and appeal pursuant to 43 CFR 3165.4

PC

Hold C-104 for ASDRilled C102 & DR survey

NOTIFY AZTEC OGD 24 HRS.
PRIOR TO CASING & CEMENT

RECEIVED

OCT 28 2011

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Bureau of Land Management** Form C-102
 Energy, Minerals & Natural Resources Department **Farmington Field Office** Revised July 16, 2010
OIL CONSERVATION DIVISION Submit one copy to appropriate District Office
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045- 38316		² Pool Code 80690	³ Pool Name SOUTH LOS PINOS FRUITLAND SAND PICTURED CLIFFS
⁴ Property Code 31329	⁵ Property Name SAN JUAN 32-7 UNIT		⁶ Well Number 101
⁷ OGRID No. 217817	⁸ Operator Name CONOCOPHILLIPS COMPANY		⁹ Elevation 6616

¹⁰ SURFACE LOCATION

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	4	31-N	7-W		2571	SOUTH	2045	WEST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	4	31-N	7-W	7	947	NORTH	2045	WEST	SAN JUAN

¹² Dedicated Acres 174.26	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. R-6938-G1	SECTION 4: LOTS 7, 8 AND W/2SW/4 SECTION 5: LOT5
---	-------------------------------	----------------------------------	--------------------------------------	---

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ BASIS OF BEARING IS GRID NORTH, NEW MEXICO STATE PLANE COORDINATE SYSTEM, WEST ZONE, NAD83 DERIVED BY GPS OBSERVATION AND NGS/OPUS SOLUTION.

BOTTOM HOLE
 NAD 83
 LAT: 36.928667° N
 LONG: 107.578402° W
 NAD 27
 LAT: 36°55.719754' N
 LONG: 107°34.667573' W

WELL FLAG
 NAD 83
 LAT: 36.928337° N
 LONG: 107.578403° W
 NAD 27
 LAT: 36°55.699963' N
 LONG: 107°34.667639' W

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Arleen Kellywood 10/28/11
 Signature Date

Arleen Kellywood
 Printed Name

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey: 1/06/11
 Signature and Seal of Professional Surveyor:

Certificate Number: NM 11393

PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 32-7 UNIT 101

DEVELOPMENT

Lease:		AFE #: WAN.CDR.0138				AFE \$:	
Field Name: SAN JUAN		Rig: XXX 2015 Holding Rig		State: NM	County: SAN JUAN		API #:
Geologist:		Phone:		Geophysicist:		Phone:	
Geoscientist:		Phone:		Prod. Engineer:		Phone:	
Res. Engineer:		Phone:		Proj. Field Lead:		Phone:	
Primary Objective (Zones):							
Zone	Zone Name						
R20003	PICTURED CLIFFS(R20003)						
Location: Surface Datum Code: NAD 27 Directional							
Latitude: 36.928332	Longitude: -107.577794	X:	Y:	Section: 04		Range: 007W	
Footage X: 2045 FWL	Footage Y: 2571 FSL	Elevation: 6616	(FT)	Township: 031N			
Tolerance:							
Location: Bottom Hole Datum Code: NAD 27 Directional							
Latitude: 36.928662	Longitude: -107.577793	X:	Y:	Section: 04		Range: 007W	
Footage X: 2045 FWL	Footage Y: 947 FNL	Elevation:	(FT)	Township: 031N			
Tolerance:							
Location Type: Restricted		Start Date (Est.): 1/1/2015		Completion Date:		Date In Operation:	
Formation Data: Assume KB = 6631 Units = FT							
Formation Call & Casing Points	Depth (TVD in Ft)	SS (Ft)	MD (Ft)	Depletion (Yes/No)	BHP (PSIG)	BHT	Remarks
Surface Casing	200	6431		☐			8-3/4" hole. 7" 20 ppf, J-55 STC csg. Cement with 77 cuft. Circulate cement to surface.
NACIMIENTO	973	5658		☐			
OJO ALAMO	2397	4234		☐			
KIRTLAND	2508	4123		☐			
FRUITLAND	2979	3652		☐			Gas
FRUITLAND COAL	3263	3368		☐			
PICTURED CLIFFS	3462	3169		☐	586		Gas; TD - 200' below T/PCCF
Total Depth	3662	2969		☐			6-1/4" hole. 4-1/2" 11.6 ppf, J-55, LTC casing. Cement with 489 cuft. Circulate cement to surface.
Reference Wells:							
Reference Type	Well Name		Comments				
Production	MIDDLE MESA COM-3		32N 7W 33 NE SW SW				
Production	SAN JUAN 32-7 UNIT-216		31N 7W 4 NW SE SW				
Production	SAN JUAN 32-7 UNIT-19M		31N 7W 4 NE SW				

PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 32-7 UNIT 101

DEVELOPMENT

Logging Program:

Intermediate Logs: ☐ Log only if show ☐ GR/ILD ☐ Triple Combo

TD Logs: ☐ Triple Combo ☐ Dipmeter ☐ RFT ☐ Sonic ☐ VSP ☐ TDT ☒ Other

Cased Hole GR / CBL

Additional Information:

Log Type	Stage	From (Ft)	To (Ft)	Tool Type/Name	Remarks
----------	-------	-----------	---------	----------------	---------

ConocoPhillips SJB

San Juan Basin - New Mexico West Wells

San Juan 32 Wells

SJ 32-7 #101

SJ 32-7 #101

Plan: Plan #1

Standard Planning Report

17 October, 2011

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 32-7 #101
Company:	ConocoPhillips SJBU	TVD Reference:	WELL @ 6631 0ft (Original Well Elev)
Project:	San Juan Basin - New Mexico West Wells	MD Reference:	WELL @ 6631 0ft (Original Well Elev)
Site:	San Juan 32 Wells	North Reference:	True
Well:	SJ 32-7 #101	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 32-7 #101		
Design:	Plan #1		

Project:	San Juan Basin - New Mexico West Wells, New Mexico, Directional "S"		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico West 3003		Using geodetic scale factor

Site		San Juan 32 Wells			
Site Position:		Northing:	2,159,823.69 ft	Latitude:	36° 56' 7.765 N
From:	Lat/Long	Easting:	546,813.37 ft	Longitude:	107° 40' 23.366 W
Position Uncertainty:	15 0 ft	Slot Radius:	"	Grid Convergence:	0 10 °

Well	SJ 32-7 #101					
Well Position	+N/-S	0 0 ft	Northing:	2,157,278.71 ft	Latitude:	36° 55' 41.998 N
	+E/-W	0 0 ft	Easting:	574,691.46 ft	Longitude:	107° 34' 40.058 W
Position Uncertainty		3.5 ft	Wellhead Elevation:	ft	Ground Level:	6,616.0 ft

Wellbore:	SJ 32-7 #101				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2011	10/17/2011	9.80	63.66	50,805

Design:	Plan #1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0 0	0 0	0 0	0 16

Plan Sections:										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0 0	0.00	0.00	0 0	0.0	0 0	0 00	0 00	0 00	0.00	
350 0	0 00	0 00	350.0	0.0	0 0	0 00	0 00	0.00	0 00	
464.7	2 29	0.16	464.6	2.3	0.0	2.00	2 00	0.00	0 16	
3,349.7	2.29	0.16	3,347.4	117.8	0.3	0.00	0 00	0.00	0.00	
3,464.4	0 00	0.00	3,462.0	120.0	0 3	2 00	-2 00	0 00	180 00	Pictured Cliffs Top
3,664.4	0 00	0 00	3,662.0	120.0	0 3	0 00	0.00	0 00	0 00	

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 32-7 #101
Company:	ConocoPhillips SJBU	TVD Reference:	WELL @ 6631.0ft (Original Well Elev)
Project:	San Juan Basin - New Mexico West Wells	MD Reference:	WELL @ 6631.0ft (Original Well Elev)
Site:	San Juan 32 Wells	North Reference:	True
Well:	SJ 32-7 #101	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 32-7 #101		
Design:	Plan #1		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00	
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00	
Surface Casing										
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00	
350.0	0.00	0.00	350.0	0.0	0.0	0.0	0.00	0.00	0.00	
400.0	1.00	0.16	400.0	0.4	0.0	0.4	2.00	2.00	0.00	
464.7	2.29	0.16	464.6	2.3	0.0	2.3	2.00	2.00	0.00	
500.0	2.29	0.16	499.9	3.7	0.0	3.7	0.00	0.00	0.00	
600.0	2.29	0.16	599.9	7.7	0.0	7.7	0.00	0.00	0.00	
700.0	2.29	0.16	699.8	11.7	0.0	11.7	0.00	0.00	0.00	
800.0	2.29	0.16	799.7	15.7	0.0	15.7	0.00	0.00	0.00	
900.0	2.29	0.16	899.6	19.7	0.1	19.7	0.00	0.00	0.00	
973.4	2.29	0.16	973.0	22.7	0.1	22.7	0.00	0.00	0.00	
Nacimiento										
1,000.0	2.29	0.16	999.5	23.7	0.1	23.7	0.00	0.00	0.00	
1,100.0	2.29	0.16	1,099.5	27.7	0.1	27.7	0.00	0.00	0.00	
1,200.0	2.29	0.16	1,199.4	31.7	0.1	31.7	0.00	0.00	0.00	
1,300.0	2.29	0.16	1,299.3	35.7	0.1	35.7	0.00	0.00	0.00	
1,400.0	2.29	0.16	1,399.2	39.7	0.1	39.7	0.00	0.00	0.00	
1,500.0	2.29	0.16	1,499.1	43.7	0.1	43.7	0.00	0.00	0.00	
1,600.0	2.29	0.16	1,599.1	47.7	0.1	47.7	0.00	0.00	0.00	
1,700.0	2.29	0.16	1,699.0	51.7	0.1	51.7	0.00	0.00	0.00	
1,800.0	2.29	0.16	1,798.9	55.7	0.2	55.7	0.00	0.00	0.00	
1,900.0	2.29	0.16	1,898.8	59.7	0.2	59.7	0.00	0.00	0.00	
2,000.0	2.29	0.16	1,998.7	63.7	0.2	63.7	0.00	0.00	0.00	
2,100.0	2.29	0.16	2,098.7	67.7	0.2	67.7	0.00	0.00	0.00	
2,200.0	2.29	0.16	2,198.6	71.7	0.2	71.7	0.00	0.00	0.00	
2,300.0	2.29	0.16	2,298.5	75.7	0.2	75.7	0.00	0.00	0.00	
2,398.6	2.29	0.16	2,397.0	79.7	0.2	79.7	0.00	0.00	0.00	
Ojo Alamo										
2,400.0	2.29	0.16	2,398.4	79.7	0.2	79.7	0.00	0.00	0.00	
2,500.0	2.29	0.16	2,498.3	83.7	0.2	83.7	0.00	0.00	0.00	
2,509.7	2.29	0.16	2,508.0	84.1	0.2	84.1	0.00	0.00	0.00	
Kirtland										
2,600.0	2.29	0.16	2,598.3	87.7	0.2	87.8	0.00	0.00	0.00	
2,700.0	2.29	0.16	2,698.2	91.8	0.2	91.8	0.00	0.00	0.00	
2,800.0	2.29	0.16	2,798.1	95.8	0.3	95.8	0.00	0.00	0.00	
2,900.0	2.29	0.16	2,898.0	99.8	0.3	99.8	0.00	0.00	0.00	
2,981.0	2.29	0.16	2,979.0	103.0	0.3	103.0	0.00	0.00	0.00	
Fruitland										
3,000.0	2.29	0.16	2,997.9	103.8	0.3	103.8	0.00	0.00	0.00	
3,100.0	2.29	0.16	3,097.9	107.8	0.3	107.8	0.00	0.00	0.00	
3,200.0	2.29	0.16	3,197.8	111.8	0.3	111.8	0.00	0.00	0.00	
3,265.3	2.29	0.16	3,263.0	114.4	0.3	114.4	0.00	0.00	0.00	
Fruitland Coal										
3,300.0	2.29	0.16	3,297.7	115.8	0.3	115.8	0.00	0.00	0.00	
3,349.7	2.29	0.16	3,347.4	117.8	0.3	117.8	0.00	0.00	0.00	
3,400.0	1.29	0.16	3,397.6	119.3	0.3	119.3	2.00	-2.00	0.00	
3,464.4	0.00	0.00	3,462.0	120.0	0.3	120.0	2.00	-2.00	0.00	
Pictured Cliffs - Pictured Cliffs Top										
3,500.0	0.00	0.00	3,497.6	120.0	0.3	120.0	0.00	0.00	0.00	
3,600.0	0.00	0.00	3,597.6	120.0	0.3	120.0	0.00	0.00	0.00	

ConocoPhillips or its affiliates

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well SJ 32-7 #101
Company:	ConocoPhillips SJBU	TVD Reference:	WELL @ 6631 0ft (Original Well Elev)
Project:	San Juan Basin - New Mexico West Wells	MD Reference:	WELL @ 6631 0ft (Original Well Elev)
Site:	San Juan 32 Wells	North Reference:	True
Well:	SJ 32-7 #101	Survey Calculation Method:	Minimum Curvature
Wellbore:	SJ 32-7 #101		
Design:	Plan #1		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
3,664.4	0.00	0.00	3,662.0	120.0	0.3	120.0	0.00	0.00	0.00	
Production Casing										

Targets										
Target Name	hit/miss target	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
Pictured Cliffs Top	- plan hits target center - Point	0.00	0.00	3,462.0	120.0	0.3	2,157,398.75	574,691.46	36° 55' 43.185 N	107° 34' 40.054 W

Casing Points										
Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (")	Hole Diameter (")						
200.0	200.0	Surface Casing	7	8-3/4						
3,664.4	3,662.0	Production Casing	0	0						

Formations										
Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)					
3,265.3	3,263.0	Fruitland Coal		0.00						
2,981.0	2,979.0	Fruitland		0.00						
2,398.6	2,397.0	Ojo Alamo		0.00						
3,464.4	3,462.0	Pictured Cliffs		0.00						
973.4	973.0	Nacimiento		0.00						
2,509.7	2,508.0	Kirtland		0.00						


WELL @ 6631.0ft (Original Well Elev)
 Ground Elevation 6616.0
 Reference Lat: 36° 55' 41.998 N
 Reference Long: 107° 34' 40.058 W

Project: San Juan Basin - New Mexico West V
 Site: San Juan 32 Wells
 Well: SJ 32-7 #101
 Wellbore: SJ 32-7 #101
 Design: Plan #1





SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	350.0	0.00	0.00	350.0	0.0	0.0	0.00	0.00	0.0	
3	464.7	2.29	0.16	464.6	2.3	0.0	2.00	0.16	2.3	
4	3349.7	2.29	0.16	3347.4	117.8	0.3	0.00	0.00	117.8	
5	3464.4	0.00	0.00	3462.0	120.0	0.3	2.00	180.00	120.0	Pictured Cliffs Top
6	3664.4	0.00	0.00	3662.0	120.0	0.3	0.00	0.00	120.0	



FORMATION TOP DETAILS

TVDPath	MDPath	Formation
973.0	973.4	Nacimiento
2397.0	2398.6	Ojo Alamo
2508.0	2509.7	Kirtland
2979.0	2981.0	Fruitland
3263.0	3265.3	Fruitland Coal
3462.0	3464.4	Pictured Cliffs



CONOCOPHILLIPS COMPANY
SAN JUAN 32-7 UNIT 101
2571' FSL, 2045' FWL
SECTION 4, T-31-N, R-7-W, N.M.P.M.,
SAN JUAN COUNTY, NEW MEXICO
NAD 83 LAT.: 36.928337°N LONG.: 107.578403°W
ELEV.: 6616 NAVD88
NO NEW ACCESS (TWIN WITH SJ 32-7 UNIT 19M)

DRIVING DIRECTIONS TO: COPC SJ 32-7 UNIT #101 IN NW/4 SECTION 4,
TOWNSHIP 31-N, RANGE.7-W SAN JUAN CO., NEW MEXICO.

- FROM IGNACIO, COLO.: TRAVEL EASTERLY TOWARDS ALLISON, ON HWY. #151 FOR 9.6 MILES AND TURN RIGHT (SOUTH) ON LAPLATA CR #328.
- (CROSSING INTO NEW MEXICO, LAPLATA C.R. 328 BECOMES SAN JUAN C.R. 4010)
- AT C.R. 4008 INTERSECTION, STAY LEFT STRAIGHT. AT C.R. #4012 INTERSECTION, STAY RIGHT STRAIGHT, & CONTINUE UPHILL ON C.R. 4010. TO TOP OF MESA, STAY LEFT ON MAIN ROAD.
- AT 5.2 MILES FROM TURNING OFF HWY. 151, TURN RIGHT, DOWN HILL GRADE OFF OF MESA.
- GO 1.8 MILES TO INTERSECTION OF SAN JUAN COUNTY ROADS 4010 & 4000. TURN LEFT.
- GO 1.2 MILES AND TURN RIGHT (WESTERLY) & FOLLOWING POWERLINES.
- GO 1.0 MILES AND TURN LEFT (SOUTHERLY).
- GO 0.8 MILE TO NEW ACCESS TO SJ 32-7 UNIT #19M WELL PAD ON LEFT SIDE OF ROAD.
- GO 830 FEET EAST ON WELL ACCESS ROAD TO SJ 32-7 UNIT 19M. TWINED HERE, NORTH SIDE OF LOCATION.