

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

3705

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application


- Type of action: [] Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
[x] Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
[] Modification to an existing permit
[] Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Energen Resources Corporation OGRID #: 162928
Address: 2010 Afton Pl. Farmington, New Mexico 87401
Facility or well name: Carracas 21A #1
API Number: 30-039-30167 OCD Permit Number:
U/L or Qtr/Qtr Section 21 Township 32N Range 05W County: Rio Arriba
Center of Proposed Design: Latitude 36.96042 Longitude 107.36579 NAD: [] 1927 [x] 1983
Surface Owner [x] Federal [] State [] Private [] Tribal Trust or Indian Allotment

[x] Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary [x] Drilling [] Workover
[] Permanent [] Emergency [] Cavitation [] P&A
[x] Lined [] Unlined Liner type: Thickness mil [] LLDPE [] HDPE [] PVC [] Other
[] String-Reinforced
Liner Seams: [] Welded [] Factory [] Other Volume. bbl Dimensions:



[] Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: [] P&A [] Drilling a new well [] Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
[] Drying Pad [] Above Ground Steel Tanks [] Haul-off Bins [] Other
[] Lined [] Unlined Liner type: Thickness mil [] LLDPE [] HDPE [] PVC [] Other
Liner Seams: [] Welded [] Factory [] Other

[] Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume. bbl Type of fluid:
Tank Construction material:
[] Secondary containment with leak detection [] Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
[] Visible sidewalls and liner [] Visible sidewalls only [] Other
Liner type: Thickness mil [] LLDPE [] HDPE [] PVC [] Other

[] Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

- Chain link, six feet in height, two strands of barbed wire at top *(Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)*
- Four foot height, four strands of barbed wire evenly spaced between one and four feet
- Alternate. Please specify _____

7

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

- Screen Netting Other
- Monthly inspections (If netting or screening is not physically feasible)

8

Signs: Subsection C of 19.15.17.11 NMAC

- 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- Signed in compliance with 19.15.3.103 NMAC

9

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance

- Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
- Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

- | | |
|--|---|
| <p>Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <p>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <p>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. <i>(Applies to temporary, emergency, or cavitation pits and below-grade tanks)</i> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| <p>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. <i>(Applies to permanent pits)</i> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <p>Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <p>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <p>Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <p>Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <p>Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| <p>Within a 100-year floodplain. - FEMA map</p> | <input type="checkbox"/> Yes <input type="checkbox"/> No |

11

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
 - Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
 - Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
 - Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 - Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 - Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
 - Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
 - Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 - Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 - Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Previously Approved Design (attach copy of design) API Number: _____
- Previously Approved Operating and Maintenance Plan API Number: _____ *(Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)*

13

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon
- Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H2S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14

Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
- Proposed Closure Method: Waste Excavation and Removal
- Waste Removal (Closed-loop systems only)
- On-site Closure Method (Only for temporary pits and closed-loop systems)
- In-place Burial On-site Trench Burial
- Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)

Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?

Yes (If yes, please provide the information below) No

Required for impacted areas which will not be used for future service and operations:

- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Siting Criteria (regarding on-site closure methods only: 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

| | |
|---|---|
| Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within a 100-year floodplain. - FEMA map | <input type="checkbox"/> Yes <input type="checkbox"/> No |

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC
- Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

20

OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)

OCD Representative Signature: Donald D. Kelly Approval Date: 1/30/2012

Title: Compliance Officer OCD Permit Number: _____

21.

Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

Closure Completion Date: 04/14/09

22.

Closure Method:

Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
 If different from approved plan, please explain.

23

Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?

Yes (If yes, please demonstrate compliance to the items below) No

Required for impacted areas which will not be used for future service and operations:

- Site Reclamation (Photo Documentation)
- Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique

24

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- Proof of Closure Notice (surface owner and division)
- Proof of Deed Notice (required for on-site closure)
- Plot Plan (for on-site closures and temporary pits)
- Confirmation Sampling Analytical Results (if applicable)
- Waste Material Sampling Analytical Results (required for on-site closure)
- Disposal Facility Name and Permit Number
- Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude 36.96042 Longitude 107.36579 NAD: 1927 1983

25

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Vicki Donaghey Title: Regulatory Analyst

Signature: Vicki Donaghey Date: 07/08/09

e-mail address: vdonaghe@energen.com Telephone: 505.324.4136



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**


| | | | |
|----------------------|------------|---------------------|------------|
| Client: | Energen | Project #: | 03022-0001 |
| Sample ID: | Car 21A #1 | Date Reported: | 04-28-09 |
| Laboratory Number: | 49791 | Date Sampled: | 04-23-09 |
| Chain of Custody No: | 6861 | Date Received: | 04-24-09 |
| Sample Matrix: | Soil | Date Extracted: | 04-24-09 |
| Preservative: | Cool | Date Analyzed: | 04-27-09 |
| Condition: | Intact | Analysis Requested: | 8015 TPH |


| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|-----------------------|--------------------|
| Gasoline Range (C5 - C10) | 11.1 | 0.2 |
| Diesel Range (C10 - C28) | 28.2 | 0.1 |
| Total Petroleum Hydrocarbons | 39.3 | 0.2 |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Car 21A #1


Analyst


Review



**EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

Quality Assurance Report

| | | | |
|--------------------|--------------------|---------------------|----------|
| Client: | QA/QC | Project #: | N/A |
| Sample ID: | 04-27-09 QA/QC | Date Reported: | 04-28-09 |
| Laboratory Number: | 49754 | Date Sampled: | N/A |
| Sample Matrix: | Methylene Chloride | Date Received: | N/A |
| Preservative: | N/A | Date Analyzed: | 04-27-09 |
| Condition: | N/A | Analysis Requested: | TPH |

| | Cal Date | 1 Cal Rts | 2 Cal Rts | % Difference | Accept Range |
|-------------------------|----------|-------------|-------------|--------------|--------------|
| Gasoline Range C5 - C10 | 05-07-07 | 9.6936E+002 | 9.6975E+002 | 0.04% | 0 - 15% |
| Diesel Range C10 - C28 | 05-07-07 | 9.5526E+002 | 9.5564E+002 | 0.04% | 0 - 15% |

| Blank Conc. (mg/L - mg/Kg) | Concentration | Detection Limit |
|------------------------------|---------------|-----------------|
| Gasoline Range C5 - C10 | ND | 0.2 |
| Diesel Range C10 - C28 | ND | 0.1 |
| Total Petroleum Hydrocarbons | ND | 0.2 |


| Duplicate Conc. (mg/Kg) | Sample | Duplicate | % Difference | Accept Range |
|-------------------------|--------|-----------|--------------|--------------|
| Gasoline Range C5 - C10 | ND | ND | 0.0% | 0 - 30% |
| Diesel Range C10 - C28 | ND | ND | 0.0% | 0 - 30% |


| Spike Conc. (mg/Kg) | Sample | Spike Added | Spike Result | % Recovery | Accept Range |
|-------------------------|--------|-------------|--------------|------------|--------------|
| Gasoline Range C5 - C10 | ND | 250 | 245 | 98.0% | 75 - 125% |
| Diesel Range C10 - C28 | ND | 250 | 239 | 95.6% | 75 - 125% |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Sample 49754 - 49762 and 49791.

Analyst 

Review 



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

Client: Energen Project #: 03022-0001
Sample ID: Car 21A #1 Date Reported: 04-28-09
Laboratory Number: 49791 Date Sampled: 04-23-09
Chain of Custody: 6861 Date Received: 04-24-09
Sample Matrix: Soil Date Analyzed: 04-27-09
Preservative: Cool Date Extracted: 04-24-09
Condition: Intact Analysis Requested: BTEX

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|--------------|-----------------------|--------------------|
| Benzene | 1.2 | 0.9 |
| Toluene | 7.2 | 1.0 |
| Ethylbenzene | 2.5 | 1.0 |
| p,m-Xylene | 11.0 | 1.2 |
| o-Xylene | 9.0 | 0.9 |
| Total BTEX | 30.9 | |

ND - Parameter not detected at the stated detection limit.


| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 98.0 % |
| | 1,4-difluorobenzene | 98.0 % |
| | Bromochlorobenzene | 98.0 % |

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Car 21A #1


Analyst


Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|----------------|----------------|----------|
| Client: | N/A | Project #: | N/A |
| Sample ID: | 04-27-BT QA/QC | Date Reported: | 04-28-09 |
| Laboratory Number: | 49754 | Date Sampled: | N/A |
| Sample Matrix: | Soil | Date Received: | N/A |
| Preservative: | N/A | Date Analyzed: | 04-27-09 |
| Condition: | N/A | Analysis: | BTEX |

| Calibration and Detection Limits (ug/L) | Cal RF | 0-Cal RF | %Diff | Blank Conc | Detect Limit |
|--|-------------|----------------------|-------|---------------|-----------------|
| | | Accept Range 0 - 15% | | | |
| Benzene | 6.6909E+006 | 6.7043E+006 | 0.2% | ND | 0.1 |
| Toluene | 6.2181E+006 | 6.2306E+006 | 0.2% | ND | 0.1 |
| Ethylbenzene | 5.4666E+006 | 5.4776E+006 | 0.2% | ND | 0.1 |
| p,m-Xylene | 1.4442E+007 | 1.4471E+007 | 0.2% | ND | 0.1 |
| o-Xylene | 5.2607E+006 | 5.2712E+006 | 0.2% | ND | 0.1 |

| Duplicate Conc. (ug/Kg) | Sample | Duplicate | %Diff | Accept Range | Detect Limit |
|-------------------------|--------|-----------|-------|--------------|--------------|
| Benzene | 1.5 | 1.5 | 0.0% | 0 - 30% | 0.9 |
| Toluene | 5.0 | 4.6 | 8.0% | 0 - 30% | 1.0 |
| Ethylbenzene | 5.4 | 5.2 | 3.7% | 0 - 30% | 1.0 |
| p,m-Xylene | 10.5 | 9.8 | 6.7% | 0 - 30% | 1.2 |
| o-Xylene | 7.4 | 7.0 | 5.4% | 0 - 30% | 0.9 |


| Spike Conc. (ug/Kg) | Sample | Amount Spiked | Spiked Sample | % Recovery | Accept Range |
|---------------------|--------|---------------|---------------|------------|--------------|
| Benzene | 1.5 | 50.0 | 50.0 | 97.1% | 39 - 150 |
| Toluene | 5.0 | 50.0 | 52.6 | 95.6% | 46 - 148 |
| Ethylbenzene | 5.4 | 50.0 | 54.3 | 98.0% | 32 - 160 |
| p,m-Xylene | 10.5 | 100 | 109 | 98.5% | 46 - 148 |
| o-Xylene | 7.4 | 50.0 | 54.4 | 94.8% | 46 - 148 |

ND - Parameter not detected at the stated detection limit

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 49754 - 49761 and 49791

Analyst 

Review 



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

| | | | |
|----------------------|------------|------------------|------------|
| Client: | Energen | Project #: | 03022-0001 |
| Sample ID: | Car 21A #1 | Date Reported: | 04-28-09 |
| Laboratory Number: | 49791 | Date Sampled: | 04-23-09 |
| Chain of Custody No: | 6861 | Date Received: | 04-24-09 |
| Sample Matrix: | Soil | Date Extracted: | 04-24-09 |
| Preservative: | Cool | Date Analyzed: | 04-24-09 |
| Condition: | Intact | Analysis Needed: | TPH-418.1 |

| Parameter | Concentration (mg/kg) | Det. Limit (mg/kg) |
|------------------------------|--------------------------|--------------------------|
| Total Petroleum Hydrocarbons | 79.6 | 9.7 |

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Car 21A #1.

Analyst

Review



**EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS
QUALITY ASSURANCE REPORT**

| | | | |
|--------------------|-----------------------|------------------|----------|
| Client: | QA/QC | Project #: | N/A |
| Sample ID: | QA/QC | Date Reported: | 04-27-09 |
| Laboratory Number: | 04-24-TPH.QA/QC 49753 | Date Sampled: | N/A |
| Sample Matrix: | Freon-113 | Date Analyzed: | 04-24-09 |
| Preservative: | N/A | Date Extracted: | 04-24-09 |
| Condition: | N/A | Analysis Needed: | TPH |

| | | | | | | |
|--------------------|------------|------------|-----------|-----------|--------------|---------------|
| Calibration | I-Cal Date | C-Cal Date | I-Cal RF: | C-Cal RF: | % Difference | Accept. Range |
| | 04-06-09 | 04-24-09 | 1,510 | 1,560 | 3.3% | +/- 10% |

| | | |
|----------------------------|---------------|-----------------|
| Blank Conc. (mg/Kg) | Concentration | Detection Limit |
| TPH | ND | 9.7 |

| | | | | |
|--------------------------------|--------|-----------|--------------|---------------|
| Duplicate Conc. (mg/Kg) | Sample | Duplicate | % Difference | Accept. Range |
| TPH | 20.5 | 18.1 | 11.7% | +/- 30% |


| | | | | | |
|----------------------------|--------|-------------|--------------|------------|--------------|
| Spike Conc. (mg/Kg) | Sample | Spike Added | Spike Result | % Recovery | Accept Range |
| TPH | 20.5 | 2,000 | 1,690 | 83.6% | 80 - 120% |

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 49753 - 49760 and 49791.

Analyst 

Review 



Chloride


| | | | |
|----------------|------------|-------------------|------------|
| Client: | Energen | Project #: | 03022-0001 |
| Sample ID: | Car 21A #1 | Date Reported: | 04-28-09 |
| Lab ID#: | 49791 | Date Sampled: | 04-23-09 |
| Sample Matrix: | Soil | Date Received: | 04-24-09 |
| Preservative: | Cool | Date Analyzed: | 04-28-09 |
| Condition: | Intact | Chain of Custody: | 6861 |


| Parameter | Concentration (mg/Kg) |
|-----------|-----------------------|
|-----------|-----------------------|

| | |
|----------------|-----|
| Total Chloride | 195 |
|----------------|-----|

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Car 21A #1.

Analyst 

Review 

CHAIN OF CUSTODY RECORD

6861 (RUSH)

| Client: Emergen | | | Project Name / Location: Car 21A#2 | | | | ANALYSIS / PARAMETERS | | | | | | | | | | | |
|---|-------------|--------------|---|-------------------------------------|--------------------------|---|-----------------------|--------------------|-------------------|---------------------|------------------|-----|---------------|----------|-------------|----------|-------------------------------------|-------------------------------------|
| Client Address: Toledo OH | | | Sampler Name: Bill Voelke | | | | TPH (Method 8015) | BTEX (Method 8021) | VOC (Method 8260) | RCRA 8 Metals | Cation / Anion | PCI | TCLP with H/P | PAH | TPH (418.1) | CHLORIDE | Sample Cool | Sample Intact |
| Client Phone No.: 330-2519 | | | Client No.: 03022-0001 | | | | | | | | | | | | | | | |
| Sample No./ Identification | Sample Date | Sample Time | Lab No. | Sample Matrix | No./Volume of Containers | Preservative HgCl ₂ HCl | | | | | | | | | | | | |
| CAE 21A#1 | 4/23 | 13:00 | 49791 | Soil Solid Sludge Aqueous | 1-4oz | | | XX | | | | | | X | Y | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| | | | | Soil Solid | | | | | | | | | | | | | | |
| Relinquished by: (Signature) Bill Voelke | | | | Date 4/24 | Time 7:35 | Received by: (Signature) [Signature] | | | | Date 4/24/09 | Time 7:35 | | | | | | | |
| Relinquished by: (Signature) | | | | Date | Time | Received by: (Signature) | | | | Date | Time | | | | | | | |
| Relinquished by: (Signature) | | | | Date | Time | Received by: (Signature) | | | | Date | Time | | | | | | | |

ENVIROTECH INC.

5706 U.S. Highway 64 • Farmington, NM 87401 • Tel 505-632-0615

Rush
email **Bill.Voelke@emergent.com**

Vicki Donaghey

From: Bill Vocke
Sent: Monday, June 15, 2009 1:08 PM
To: Vicki Donaghey; Patsy Berger
Subject: FW: CARRACAS 21 A1

From: Rosenbaum Construction Co., Inc. [mailto:rosenbaumconstruction@msn.com]
Sent: Monday, June 15, 2009 11:07 AM
To: Bill Vocke
Subject: CARRACAS 21 A1

BILL,

I SENT BRANDON WITH THE OCD OUR 72 HOUR NOTICE TO SOLIDIFY PIT CONTENTS ON APRIL 16, 2009.
TO START ON MONDAY APRIL 20,2009.

THE COMPLETION DATE ON THE WORK WAS MAY 4, 2009. WE HAULED EQUIPMENT OUT ON MAY 5, 2009.

IF YOU NEED ANYTHING ELSE LET ME KNOW.

STEPHANNE COATS
ROSENBAUM CONSTRUCTION
505-325-6367

6/15/2009

Well Name: CARRASAS 21A #1

Reserve Pit - Final Closure Report:

The pit was closed with in-place burial. The surface owner was notified by certified mail. The OCD was notified at least 72 hours and not more than one week prior to the pit closing. The following process was used to close the pit:

- 1) All free standing fluids were removed and the liner was cut off at the mudline.
- 2) The contents were solidified to a bearing capacity sufficient to support the final cover. This was accomplished by mixing the contents with soil at a mixing ratio no greater than 3:1 soil to contents.
- 3) Sampling was done by collecting a five-point composite sample of the contents after stabilization. The sample was analyzed for the following components;



| Components | Tests Method | Limit (mg/Kg) |
|------------|---------------------------|---------------|
| Benzene | EPA SW-846 8021B or 8260B | 0.2 |
| BTEX | EPA SW-846 8021B or 8260B | 50 |
| TPH | EPA SW-846 418.1 | 2500 |
| GRO/DRO | EPA SW-846 8015M | 500 |
| Chlorides | EPA 300.1 | 1000 |

- 4) The analyses demonstrated that the stabilized contents were under the limits listed above. The contents were covered with compacted non-waste containing earthen material to three feet.
- 5) After the stabilized contents were covered, the stockpiled topsoil was replaced to a depth of one foot. Topsoil cover was graded to prevent ponding of water and erosion of the cover material. This was accomplished within six months of rig release.
- 6) The disturbed area not needed for operations will be seeded or planted the first growing season after closing the pit. Seed will be drilled on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass but not including noxious weeds. Cover will be maintained through two successive growing seasons. During the two growing seasons that prove viability there shall be no artificial irrigation of the vegetation. Seeding or planting will continue until the required cover is reached. If conditions are not favorable to establishment of vegetation due to periods of drought or similar problems then the Aztec office of the OCD will be notified. The Aztec office of the OCD will also be notified when the disturbed ground successfully achieves re-vegetation.
- 7) A steel marker no less than four inches in diameter was cemented in a hole three feet deep in the center of the onsite burial. The top of this marker was flush with the ground with a threaded collar for future abandonment use to allow access of the pad and for safety concerns. On top of this marker, a steel


12 inch square plate indicating onsite burial was intermittent welded to the top of the collar to allow easy removal at time of the well being abandoned. Once all wells on the pad are abandoned a four foot tall riser will be threaded into the top of the marker and circumferential welded around the base with; operator name, lease name, well name and number, unit number, section, township and range, and a designation that it is an onsite burial location.

TITUDE: 36.96044°N
IDE: 107.36573°W
M: NAD 83

EMERGEN RESOURCES CORPORATION
CARRACAS 21A #1
700' FSL & 2045' FEL
LOCATED IN THE SW/4 SE/4 OF
SECTION 21, T32N, R5W, N.M.P.M.,
RIO ARriba COUNTY, NEW MEXICO
GROUND ELEVATION: 7065', NAVD 88
FINISHED PAD ELEVATION: 7064.5', NAVD 88






FOOT CONTOUR INTERVAL SHOWN
SCALE: 1" = 50'
JOB No.: ERG143
DATE: 10/16/06

 **Russell Surveying**
1409 W. Aztec Blvd. #5
Aztec, New Mexico 87410
(505) 334-8637



EMERGEN RESOURCES CORPORATION

CARRACAS 21A #1
700' FSL & 2045' FEL

LOCATED IN THE SW/4 SE/4 OF
SECTION 21, T32N, R5W, N.M.P.M.,
RIO ARRIBA COUNTY, NEW MEXICO
GROUND ELEVATION: 7065', NAVD 88
FINISHED PAD ELEVATION: 7064.5', NAVD 88



VERT. SCALE: 1" = 30'
HORZ. SCALE: 1" = 50'
JOB No.: ERG143
DATE: 10/16/06

 CUT
 FILL



Russell Surveying
1409 W. Aztec Blvd. #5
Aztec, New Mexico 87410
(505) 334-8637



Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

| | | |
|-------------------------------------|-------------------------------|------------------------|
| Well Name: CARRACAS 21A# 1 | | API: 3003930167 |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 9-30-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-1-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-2-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-3-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-4-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-5-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-6-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-7-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-8-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-9-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-10-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-11-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-12-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-13-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-14-08 |
| Note Any Deficiencies: NONE | | |
| Name (Print): Ken Dennington | Signature: <i>[Signature]</i> | Date: 10-15-08 |
| Note Any Deficiencies: NONE | | |



Pit Inspection Log Sheet

(daily while rig is on-site, then weekly as long as liquids remain in the pit)

| | | |
|-------------------------------------|-------------------------------|-----------------------|
| Well Name: <u>CARRACAS 21A #1</u> | API: <u>3003930167</u> | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-16-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-17-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-18-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-19-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-20-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-21-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-22-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-23-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-24-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-25-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-26-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): <u>KEN DENNINGTON</u> | Signature: <u>[Signature]</u> | Date: <u>10-27-08</u> |
| Note Any Deficiencies: <u>NONE</u> | | |
| Name (Print): | Signature: | Date: |
| Note Any Deficiencies: | | |
| Name (Print): | Signature: | Date: |
| Note Any Deficiencies: | | |
| Name (Print): | Signature: | Date: |
| Note Any Deficiencies: | | |
| Name (Print): | Signature: | Date: |
| Note Any Deficiencies: | | |

COVER PAGE

ENERGEN RESOURCES
2010 AFTON PLACE
FARMINGTON NM 87401

RCVD JAN 30 '12

DIL CONS. DIV.

OGRID # 162928

DIST. 3

WELL NAME CARRACASZIA #1

API 30-0391-30167

PERMIT 3705

C102/PHOTO'S

DISTRICT I
1825 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

| | | | |
|----------------|-------------------------------|------------|----------------|
| *API Number | | *Pool Code | *Pool Name |
| | | 71629 | FRUITLAND COAL |
| *Property Code | *Property Name | | *Well Number |
| 35660 | CARRACAS 21A | | 1 |
| *GRID No. | *Operator Name | | *Elevation |
| 162928 | ENERGEN RESOURCES CORPORATION | | 7065' |

10 Surface Location

| UL or lot no | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|--------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|------------|
| 0 | 21 | 32N | 5W | | 690' | SOUTH | 2020' | EAST | RIO ARRIBA |


11 Bottom Hole Location If Different From Surface

| UL or lot no | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|--------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|------------|
| A | 21 | 32N | 5W | | 760' | NORTH | 760' | EAST | RIO ARRIBA |

| | | | |
|----------------------|------------------|---------------------|------------|
| *Dedicated Acres | *Joint or Infill | *Consolidation Code | *Order No. |
| 319.51 Acres - (E/2) | | | |

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.

Vicki Donaghy
Signature Date

Vicki Donaghy
Printed Name

18 SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

APRIL 24, 2008

Date of Survey

Signature and Seal of Professional Surveyor

David R. Russell



OPERATOR

ENERGEN

R E S O U R C E S
C O R P O R A T I O N

CARRACAS UNIT 21A #1

690' FSL 2020' FEL

UNIT 0 SEC 21 T32N R05W

LATITUDE 36.96042°

LONGITUDE -107.36562°


API # 30-039-30167 ELEV. 7065'

LEASE # NMNM-30351

RIO ARRIBA COUNTY, NEW MEXICO

BASIN FRUITLAND COAL





MAGNE VERE
CIVITATIS
MAGNITUDINE
RESERVE