District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

\overline{C}	~~~
	حال

<u>Pit, Closed-Loop System, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

Tipobed Tittelliant ve Titellia Tellint of Clobale Tan Tipon	<u>Cution</u>				
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grad	le tank or alternative request				
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of sunvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with any other applicable governmental authorized to the operator of its responsibility to comply with a specific control of the operator of its responsibility to comply with a specific control of the operator of its responsibility to comply with a specific control of the operator of the o					
Operator. Pro NM Energy, Inc OGRID # 018118					
Address. 460 St. Michael's Drive, Building 300, Santa Fe, NM 87505	maring men a constant				
Facility or well name: Oneda #1	ROVD DEC 9 '08				
API Number: <u>30-045-20664</u> OCD Permit Number:	OIL CONS. DIV.				
U/L or Qtr/Qtr <u>C</u> Section <u>8</u> Township <u>26 N</u> Range <u>11 W</u> County: <u>San Juan</u>	NICT O				
Center of Proposed Design: Latitude <u>36.50753° N</u> Longitude <u>108.02963° W</u> NAD: □1927 ☑ 1983	DIST. 3				
Surface Owner: Federal State Private Tribal Trust or Indian Allotment					
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Lined □ Unlined Liner type: Thickness mil □ LLDPE □ HDPE □ PVC □ Other □ String-Reinforced Liner Scams: □ Welded □ Factory □ Other □ Volume: bbl Dimensions: L²x W²x 3. □ Closed-loop System: Subsection H of 19.15.17.11 NMAC	D <u>'</u>				
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prio intent)	r approval of a permit or notice of				
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other					
☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other					
Liner Seams: Welded Factory Other					
Below-grade tank: Subsection I of 19.15.17.11 NMAC					
Volume: <u>26</u> bbl Type of fluid: <u>produced water</u>					
Tank Construction material: 'single wall fiberglass					
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-of	ſ				
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other					
Liner type: Thicknessmıl					
s. Alternative Method:					

20

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,				
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet				
☑ Alternate. Please specify 36" high hog wire topped with sucker rods				
7.				
Netting: Subsection E of 19.15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Notting Other chicken wire				
Monthly inspections (If netting or screening is not physically feasible)				
8. Signs: Subsection C of 19.15.17.11 NMAC	•			
2"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
☐ Signed in compliance with 19.15.3 103 NMAC				
9.				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:	. CC C			
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for			
Exception(s): Requests must be submitted to the Santa Fc Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drylabove-grade tanks associated with a closed-loop system.	priate district pproval.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ⊠ No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	☐ Yes ☒ No ☐ NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yes ⊠ No ☐ NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ⊠ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🖾 No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☑ No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ⊠ No			
Within a 100-year floodplain - FEMA map	☐ Yes ☑ No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: API Number: API Number: API Number: Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15 17 13 NMAC
Proposed Closure: 19 15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required.				
	Disposal Facility Permit Number:			
	Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS, Data	a obtained from nearby wells	Yes 'No NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	a obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or s NM Office of the State Engineer - iWATERS database; Visual inspection (pring, in existence at the time of initial application	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approve	·	Yes No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visua	al inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes ☐ No		
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geology Society; Topographic map		☐ Yes ☐ No		
Within a 100-year floodplain FEMA map	·	☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Soil Cover Désign - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

19. Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print). BRIAN WOOD Title: CONSULTANT				
Signature: Date: <u>12-6-08</u>				
e-mail address: brian@permitswest.com Telephone. (505) 466-8120				
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1/23/2012 Title: OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. □ Closure Completion Date:				
22. Closure Method: Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-loop systems only) If different from approved plan, please explain.				
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name: Disposal Facility Permit Number				
Disposal Facility Name: Disposal Facility Permit Number				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \(\subseteq \text{No} \)				
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique				
Closure Report Attachment Checklist: _Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location Latitude				
25.				
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Title:				
Signature: Date:				

e-mail address:_

Telephone: _

PAGE 1

Current Situation

API # 30-045-20664

There is a 26 barrel single wall fiberglass tank. Side walls are not visible. Tank is surrounded by a fence. There is no secondary containment. The tank has a chicken wire top. After removal of the below grade tank, water will be piped to a planned above grade tank.

Time Line

Will close after approval of this application and before June 16, 2013. Will close earlier if OCD determines there is an imminent danger to fresh water, public health, or the environment.

<u>Siting Criteria</u>

1. Ground water is ≈127' below the bottom of the tank. Closest reported water depth is the Brown water well which is ≈2.1 miles southeast in 16-26n-11w. Office of the State Engineer records are attached as Exhibit A.

> ≈6,270' Brown water well ground elevation - 200' depth to water ≈6.070' water level elevation 6,200' gas well ground level 2-1/2' deep tank 6.197.5' bottom of tank - 6,070' water level elevation ≈127' depth to water

- 2. Tank is not within 300' of a continuously flowing watercourse. Tank is not within 200' of any other significant watercourse as defined by OCD. Closest first order tributary of Gallegos Canyon is >1/2 mile southwest (Exhibit B).
- 3. Tank is not within 300' of any building. Closest buildings (houses) are >1/2 mile north (Exhibit B).



Pro NM Energy, Inc.
Oneda #1 below grade tank proposed closure
790' FNL & 1850' FWL Sec. 8, T. 26 N., R. 11 W.
San Juan County, New Mexico
API # 30-045-20664

- 4. Tank is not within 1,000' of any fresh water well or spring (Exhibits A & B).
- 5. Tank is not within municipal boundaries or within a municipal fresh water well field (Exhibits A & B).
- 6. Tank is not within 500' of a wetland (Exhibit C).
- 7. Tank does not overly a mine (Exhibit D).
- 8. Tank is not in an unstable area. No evidence of earth movement was found during a September 19, 2008 inspection.
- 9. Tank is not within a 100 year flood plain (Exhibit E).
- 10. C-102 is attached as Exhibit F.
- 11. Closure notice to surface owner (Navajo Nation) is attached as Exhibit G.

<u>Hydrogeology</u>

Surface formation is the Nacimiento. According to Stone et al in <u>Hydrogeology</u> and water resources of <u>San Juan Basin</u>, <u>New Mexico</u>, the Nacimiento is mainly a mudstone. There are also medium to coarse grained sandstone layers in the Nacimiento. Transmissivities of 100 feet² per day can be found in the coarser continuous sandstones. Water in the more extensive sandstones has a specific conductance of 1,500 μ mhos. Specific conductance is >2,000 μ mhos in the finer grained sandstones.



Pro NM Energy, Inc.
Oneda #1 below grade tank proposed closure
790' FNL & 1850' FWL Sec. 8, T. 26 N., R. 11 W.
San Juan County, New Mexico
API # 30-045-20664

Closure Plan

Surface owner has been notified via certified return receipt requested mail of the proposed closure.

Will verbally notify OCD at least 72 hours and no more than 1 week before closure. Notice to OCD will include operator name, location (quarter-quarter, section, township, & range), well name & number, and API number.

Will pump out any remaining water and haul to Basin Disposal (NM-01-005)

Will haul sludge to Envirotech (NM-01-011).

Will truck waste qualifying under OCD Rule 19.15.9.712 to the San Juan County landfill.

Will remove tank, pipes, and associated equipment and store at company yard for future reuse.

Will test soil under tank to determine if a release has occurred, even if there is no visible contamination. Will collect, at a minimum, a five point composite sample. Will collect individual grab samples from any area that is wet, discolored, or showing other evidence of a release. Will analyze all samples for:

<u>Component</u>	Test Method	Not to Exceed (mg/kg)
benzene	EPA SW-846 8021B or 8260B	0.2
total BTEX	EPA SW-846 8021B or 8260B	. 50
TPH	EPA 418.1	100
chlorides	EPA 300.1	250 or background

If the operator or OCD determines that a release has occurred, then the operator will comply with OCD rules 19.15.3.116 NMAC and 19.15.1.19 NMAC,



PAGE 4

as appropriate. A major (>25 barrels) release requires immediate verbal notice and timely written notice to OCD. A minor release (more than 5 barrels and less than 25 barrels) requires timely written notice to OCD. Timely is defined as 15 days. Written notice will include Form C-141. OCD may require additional sampling delineation upon its review of the results.

If the sampling program demonstrates that a release has not occurred, or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC (table on preceding page); then the operator will back fill the excavation with compacted waste free earthen material, construct an OCD prescribed soil cover, recontour, and revegetate the site. The soil cover, recontouring and re-vegetation requirements will comply with Subsections G, H and I of 19.15.17.13 NMAC. Specific steps are:

back fill to within 12" of grade bring to grade with 12" topsoil or background thickness, whichever is more contour to prevent ponding or erosion seed first growing season after closure seed with at least 3 native species, at least 1 of which must be a grass (recommend grass species only for safety & keep seed bag tag) seed mix will exclude noxious weeds cover seed
Will file closure report on Form C-144 within 60 days of closure completion with necessary attachments to document all closure activities including: proof of notice to surface owner proof of notice to OCD plot plan chemical sampling analysis results disposal facility name and permit number back filling & cover details seeding rate per species
how seeded photograph of seeded area



Executed this 6th day of December, 2008.

Brian Wood, Consultant

Permits West, Inc.

37 Verano Loop, Santa Fe, NM 87508

(505) 466-8120

FAX: (505) 466-9682

Cellular: (505) 699-2276

The operator's field representative is:

Max Gallegos Pro NM Energy, Inc. 460 St. Michael's Drive, Building 300 Santa Fe, NM 87505 (505) 988-4171 or (505) 690-6751



Water (in feet)

Column

55

110

Depth

255

275

Well

Depth

200

165

Water

New Mexico Office of the State Engineer POD Reports and Downloads

Township: 26N Range: 11W Sections:				
NAD27 X: Y: Zone: Search Radius:				
County: Number: Suffix:				
Owner Name: (First) (Last) Non-Domestic Odomestic All				
(POD / Surface Data Report) (Avg Depth to Water Report) (Water Column Report)				
Clear Form (WATERS Menu) (Help)				
WATER COLUMN REPORT 12/06/2008				
(quarters are 1=NW 2=NE 3=SW 4=SE)				

Zone

(quarters are biggest to smallest)

Tws Rng Sec q q q

26N 11W 16 4 3

_ 26N 11W 35 . 4 3 2


Record Count: 2

POD Number


SJ 01626


SJ 02734

EXHIBITA





EXHIBITB





MMQonline Public Version






SCALE 1 : 1,948,802 20 0 20 40 60 MILES



EXHIBIT D



NEW MEXICO OIL CONSERVATION COMMISSION

WELL LOCATION AND ACERAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section

Operator				Lease .		Well No
Jerome	P. McHugh			Oneda		1
Unit Letter	Section	Township		Range	County	
C	8	26	North	West	San Juan	
Actual Footage Loca				1050	'Mark	
790	feet from the	North	line and		et from the West	line
Ground Level Elev	1	Formation		Pool	Dedice	ited Avereage:
6200	l Da	kota		Basin		320 Acres
 Outline the 	acerage dedica	ited to the su	oject well by co	plored pencil or hach	ure marks on the plat below	
2 If more tha interest and roy	n one lease is	dedicated to	the well, out	line each and identi	ify the ownership therep	oon was a working
·	•	different ow	nershin is dedi	cated to the well bo	ave the interests of all symp	er beerf@acclusted
by communitize	ation, unitizati	on, force-poo	ling. etc?	cuted to the well, he	ave the interests on an office	s Tode (1916) Pour de les
(X) Yes () No	lf answer is '	ves" type of	consolidation	Farmout OIL C	ON. COM:
, , , , , , , , , , , , , , , , , , , ,		.,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Co. Iou Iou I IIIIIII	D	ST. 3
If answer is "ric	o," list the ow	ners and trac	t descriptions	which have actually	consolidated. (Use reverse	side of this form if
necessary.)		***************************************		,,,	***************************************	*
No allowable wi	II be assigned	to the well ur	til all interest	s have been consolid	ated (by communitization,	unitization, forced-
pooling, or othe	rwise) or until	a non standa	rd unit, elimin	ating such interests,	has been approved by the C	ommission.
ltank		,				
_	n°	•	•		CERTIF	ICATION
N 36.5075	1				I hereby certify the	t the information contained
W 108.0296	3					mplete to the best of my
	T				knowledge and belief.	•
	1901	1	1			
	1 2/1	H			Original signs	d by T. A. Dugan
	50		ナート	- + - 7	, Name	
18	9 0	.			Thomas A.	Dugan
			1		Position	
SF 07	8899-A				Engineer	
	" 1	1 .	.	1	· Company	Malli, ab
	_	- 4 -	+ - +	-+	Jerome P.	Mcnugn
	} ;	#	1		July 8, 19	70
	'	555		'	OF NEW	*
		Sec. 8			Tieseby certify that	42
SF 07	8894			. 1	Treveby certify that	the well location shown on
	· i	Į.		'	this plat twas platted	from tield notes of actual
H - + ·	- +	+ -	+ - +-	- + N	gurveys mode by me or	under my supervision, and
	1 ,	il i			That the sandlis 2012	ed correctito the best of my
		l l			Googledge and belief.	18 8
					May 157	
	.	il i		1 1	MARCO LAND ST	N. C. S. C.
	,	! ·			Date Surveyed Trans	
₽ − + :	- + - +	· - # -	+ - +	- + - 4 ,	June 25, 197	
<u> </u>	1	H	, [Registered Professional	Engineer
	ا الند	H	: 1		and/or-Land Surveyor	•
						1 1
				-IT	F - 6 11.60c	ho Land
	•			. 11151 I	Certificate No. 3602	<u> </u>



December 5, 2008

Howard Draper Navajo Nation Project Review Office P. O. Box 2249 Window Rock, AZ 86515

Dear Howard,

As required by NMOCD rule Subsection J of 19.15.17.13 NMAC, I am notifying the Navajo Nation that Pro NM Energy, Inc. plans to close the following below grade tanks on Tribal land in San Juan County, NM:

Well Name & Number	API Number	Location
Gracia Federal 8L #1	30-045-28809	2130 FSL & 940 FWL 8-26n-11w
Gracia Navajo 5K #2	30-045-28913	1845 FSL & 1830 FWL 5-25n-11w
Oneda #1	30-045-20664	790 FNL & 1850 FWL 8-26n-11w

Please call me if you have any questions.

Sincerely,

Brian Wood




EXHIBIT G



POWER OF ATTORNEY

Know All Nien By These Presents:

THA" I, Jolene Dicks, the Secretary of Pro NM Energy, Inc., with offices at 460 St. Michael's Drive, Suite 300, Santa Fe, New Mexico 87505, have made; constituted and appointed, and by these presents do make, constitute and appoint Br an Wood, of Permits West, Inc., whose address is 37 Verano Loop. Santa Fe, New Mexico 87505, my true and lawful attorney, for me, and in my name, place and stead, and to my use to sign any and all forms submitted on behalf of Fro NM Energy, Inc. to the New Mexico Oil Conservation Division.

This Power of Attorney shall be effective June 16, 2008.

IN WITNESS Whereof, I have hereunto set my hand this 4th day of December, 2008.

Jølene Dicks, Secretary , Fro NM Energy, Inc.

Corporate Acknowledgment

STATE OF NEW MEXICO

lss

COUNTY OF SANTA FE

Before me, a Notary Public in and for said County and State, on this 4th day of December 2008, personally appeared Jolene Dicks, the Secretary of Pro NM Energy, Inc., a New Mexico corporation, on behalf of said corporation.

Ay Cornry ssion Expires:

Notary Public, Sale of New Mexico

Kelly, Jonathan, EMNRD

From:

brian wood [brian@permitswest.com] Monday, January 23, 2012 2:28 PM

Sent: To:

Kelly, Jonathan, EMNRD

Cc:

JOLENE DICKS

Subject:

ProNM below grade tanks

The applications submitted in 2008 are closure plans, not subsequent reports. The tanks have not been removed.

The tanks will be removed before the June 8, 2013 deadline.

RCVD JAN 23'12 OIL CONS. DIV.

DIST. 3