<u>District I</u> 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan App	<u>lication</u>							
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method								
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-gro	ide tank or alternative request							
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental automated.	surface water, ground water or the							
i. Operator: Pro NM Energy, Inc OGRID #: 018118	,							
Address: 460 St. Michael's Drive, Building 300, Santa Fe, NM 87505	RCVD DEC 9'08							
Facility or well name: BISTI MAX 24 F #1	OIL CONS. DIV.							
API Number: <u>30-045-32318</u> OCD Permit Number:	,							
U/L or Qtr/Qtr F Section 24 Township 25 N Range 11 W County: San Juan	DIST. 3							
Center of Proposed Design: Latitude <u>36.38867° N</u> Longitude <u>108.95767° W</u> NAD: □1927 ⊠ 1983								
Surface Owner: Federal State Private Tribal Trust or Indian Allotment								
2.								
Pit: Subsection F or G of 19.15.17.11 NMAC	·							
Temporary: ☐ Drilling ☐ Workover								
Permanent Emergency Cavitation P&A	•							
☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other								
☐ String-Reinforced								
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L'x W'	x D <u>'</u>							
3.								
Closed-loop System: Subsection H of 19.15.17.11 NMAC								
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require printent)								
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other	010111273							
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other	6789 A 10/4/5							
Liner Seams: Welded Factory Other	Off CONS. DIV. DIST. 3 CONS. DIV. DIST. DIV. DIV. DIST. DIV. DIST. DIV. DIV. DIST. DIV. DIV. DIST. DIV. DIV. DIV. DIST. DIV. DIV. DIST. DIV. DIV. DIV. DIV. DIV. DIV. DIV. DIV							
4.	100 PIE 2000							
Below-grade tank: Subsection I of 19.15.17.11 NMAC	DIV DIST. 3							
Volume: 26 bbl Type of fluid: produced water	LEG OIL CONS. DIE							
Tank Construction material: single wall fiberglass	off OIL CONS. DIN. DIST. 3 CO.							
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-	off 75262720							
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other 6 inch lift								
Liner type: Thicknessmil								

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6	
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	!
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, be institution or church)	hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
☑ Alternate. Please specify 36" high hog wire + 12" barbed wire top = 48"	
7. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☒ Other chicken wire	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC	
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ⊠ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☑ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	☐ Yes ☑ No ☐ NA
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ⊠ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Tes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☒ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ⊠ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ⊠ No
Within a 100-year floodplain.	☐ Yes ☒ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Mydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Treviously Approved Design (attach copy of design) Art (value).
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC United Plan United Pla
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) 15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13. Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if n							
facilities are required.							
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number:							
Disposal Facility Name: Disposal Facility Permit Number:							
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No							
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	3						
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist. considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be						
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells							
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells							
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	☐ Yes ☐ No						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site							
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No						
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division							
 Within an unstable area. Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No						
Within a 100-year floodplain FEMA map	☐ Yes ☐ No						
18.	1						
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached.	an. Please indicate,						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC							
 ✓ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ✓ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC 							
Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC							
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)							
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC 							
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC							

19. Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): BRIAN WOOD Title: CONSULTANT
Signature: Date: <u>12-4-08</u>
e-mail address: brian@permitswest.com Telephone: (505) 466-8120
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: V23/2012 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \(\bigcap \) No
Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927 1983
Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude
Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927 1983

e-mail address:_

Telephone: ___

Pro NM Energy, Inc.
Bisti Max 24 F 1 below grade tank proposed closure 1855' FNL & 1960' FWL Sec. 24, T. 25 N., R. 11 W. San Juan County, New Mexico
API # 30-045-32318

Current Situation

There is a 26 barrel single wall fiberglass tank on a 6" lift (steel I beams) in a wood wall cellar. Side walls and lift are visible. The cellar is within a fenced tank battery. There is no secondary containment. The open top tank is covered with chicken wire. After removal of the below grade tank, water will be piped to an adjacent existing above grade tank.

Time Line

Will close after approval of this application and before June 16, 2013. Will close earlier if OCD determines there is an imminent danger to fresh water, public health, or the environment.

Siting Criteria

1. Ground water is >100' below the bottom of the tank. Closest reported water depths are the Brown water well which is 4 miles northwest in 4-25n-11w and the U. S. Department of Interior (USDI) well which is 4-1/2 miles east in 22-25n-10w. Depth to water is 135' in the 198' deep Brown well. Depth to water is 250' in the 637' deep USDI well. Office of the State Engineer records for the townships and a map showing the two water wells are attached as Exhibit A.

! 6,587' USDI well ground elevation- 250' depth to water! 6,337' water level elevation

! 6,304' Brown well ground elevation
-135' depth to water
! 6,169' water level elevation

6,550' ground level

- 3' deep cellar

6,547' bottom of tank

- 6,337' water level elevation

! 210' depth to water

2. Tank is not within 300' of a continuously flowing watercourse. Tank is not within 200' of any other significant watercourse as defined by OCD. Closest



Pro NM Energy, Inc.
Bisti Max 24 F 1 below grade tank proposed closure 1855' FNL & 1960' FWL Sec. 24, T. 25 N., R. 11 W. San Juan County, New Mexico
API # 30-045-32318

first order tributary of Gallegos Canyon is >1,000' east (Exhibit B).

- 3. Tank is not within 300' of any building. Closest building (house) is >4,500' northeast in Section 13 (Exhibit B).
- 4. Tank is not within 1,000' of any fresh water well or spring (Exhibits A & B).
- 5. Tank is not within municipal boundaries or within a municipal fresh water well field (Exhibits A & B).
- 6. Tank is not within 500' of a wetland (Exhibit C).
- 7. Tank does not overly a mine (Exhibit D).
- 8. Tank is not in an unstable area. No evidence of earth movement was found during a September 19, 2008 inspection.
- 9. Tank is not within a 100 year flood plain (Exhibit E).
- 10. C-102 is attached as Exhibit F.
- 11. Closure notice to surface owner (FIMO) is attached as Exhibit G.

Hydrogeology

Surface formation is the Nacimiento. According to Stone et al in <u>Hydrogeology</u> and water resources of <u>San Juan Basin</u>, <u>New Mexico</u>, the Nacimiento is mainly a mudstone. There are also medium to coarse grained sandstone layers in the Nacimiento. Transmissivities of 100 feet² per day can be found in the coarser continuous sandstones. Water in the more extensive sandstones has a specific conductance of 1,500 μ mhos. Specific conductance is >2,000 μ mhos in the finer grained sandstones.



PAGE 3

Closure Plan

Surface owner has been notified via certified return receipt requested mail of the proposed closure.

Will verbally notify OCD at least 72 hours and no more than 1 week before closure. Notice to OCD will include operator name, location (quarter-quarter, section, township, & range), well name & number, and API number.

Will pump out any remaining water and haul to Basin Disposal (NM-01-005)

Will haul sludge to Envirotech (NM-01-011).

Will truck waste qualifying under OCD Rule 19.15.9.712 to the San Juan County landfill.

Will remove tank, pipes, and associated equipment and store at company yard for future reuse.

Will test soil under tank to determine if a release has occurred, even if there is no visible contamination. Will collect, at a minimum, a five point composite sample. Will collect individual grab samples from any area that is wet, discolored, or showing other evidence of a release. Will analyze all samples for:

<u>Component</u>	<u>Test Method</u>	Not to Exceed (mg/kg)
benzene	EPA SW-846 8021B or 8260B	0.2
total BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA 418.1	100
chlorides	EPA 300.1	250 or background

If the operator or OCD determines that a release has occurred, then the operator will comply with OCD rules 19.15.3.116 NMAC and 19.15.1.19 NMAC,



Pro NM Energy, Inc.
Bisti Max 24 F 1 below grade tank proposed closure 1855' FNL & 1960' FWL Sec. 24, T. 25 N., R. 11 W. San Juan County, New Mexico
API # 30-045-32318

PAGE 4

as appropriate. A major (>25 barrels) release requires immediate verbal notice and timely written notice to OCD. A minor release (more than 5 barrels and less than 25 barrels) requires timely written notice to OCD. Timely is defined as 15 days. Written notice will include Form C-141. OCD may require additional sampling delineation upon its review of the results.

If the sampling program demonstrates that a release has not occurred, or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC (table on preceding page); then the operator will back fill the excavation with compacted waste free earthen material, construct an OCD prescribed soil cover, recontour, and revegetate the site. The soil cover, recontouring and re-vegetation requirements will comply with Subsections G, H and I of 19.15.17.13 NMAC. Specific steps are:

back fill to within 12" of grade
bring to grade with 12" topsoil or background thickness, whichever is more
contour to prevent ponding or erosion
seed first growing season after closure
seed with at least 3 native species, at least 1 of which must be a grass
(recommend grass species only for safety & keep seed bag tag)
seed mix will exclude noxious weeds
cover seed
Will file closure report on Form C-144 within 60 days of closure completion with
necessary attachments to document all closure activities including:
proof of notice to surface owner
proof of notice to OCD
plot plan
chemical sampling analysis results
disposal facility name and permit number
back filling & cover details
seeding rate per species
how seeded
photograph of seeded area



(noxious weeds are not counted toward 70% goal)

if unsuccessful, repeat until goals is achieved

___ include photograph of revegetated area

___ plant cover equals 70% of adjacent impact free native perennial vegetation

___ 70% goal maintained for 2 consecutive growing seasons without irrigation

___ notify OCD when 70% goal has been met for 2 consecutive growing seasons

PAGE 5

Executed this 4th day of December, 2008.

Successful revegetation will be accomplished if:

Brian Wood, Consultant

____ file Form C-144

Permits West, Inc.

37 Verano Loop, Santa Fe, NM 87508

(505) 466-8120

FAX: (505) 466-9682

Cellular: (505) 699-2276


The operator's field representative is:

Max Gallegos Pro NM Energy, Inc. 460 St. Michael's Drive, Building 300 Santa Fe, NM 87505 (505) 988-4171 or (505) 690-6751



New Mexico Office of the State Engineer POD Reports and Downloads

Township: 25N Range: 11W Sections:	
NAD27 X: Y: Zone: Search Radius:	
County: Basin: Number: Suffix:	
Owner Name: (First) (Last) ONon-Domestic ODomestic OAll	
POD / Surface Data Report Avg Depth to Water Report Water Column Report	
Clear Form (WATERS Menu) (Help)	
WATER COLUMN REPORT 12/04/2008	
(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are biggest to smallest) POD Number Tws Rng Sec q q q Zone X Y Well Water Column SJ 00221 25N 11W 04 2 198 135 63	feet)
Record Count: 1	
New Mexico Office of the State Engineer	12/4/08 4:25 PM
New Mexico Office of the State Engineer	
POD Reports and Downloads	
Township: 25N Range: 10W Sections:	
NAD27 X: Y: Zone: Search Radius:	
County: Basin: Suffix: Suffix:	
Owner Name: (First) (Last) Onn-Domestic Onnestic	٠
POD / Surface Data Report) (Avg Depth to Water Report) (Water Column Report)	
Clear Form (WATERS Menu) (Help) WATER COLUMN REPORT 12/04/2008	K P
	•
(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are biggest to smallest) Depth Depth Water (in POD Number Tws Rng Sec q q q Zone X Y Well Water Column RG 36933 25N 10W 11 3 2 180 60 120 SJ 01715 25N 10W 22 4 4 637 250 387 Record Count: 2	feet)








EXHIBIT B





MMQonline Public Version

Mines, Mills & Quarries Commodity Groups

△ Aggregate & Stone Mines

◆ Coal Mines


☆ Industrial Minerals Mines

▽ Industrial Minerals Mills

☑ Metal Mines and Mill Concentrate

■ Potash Mines & Refineries


□ Smelters & Refinery Ops.



SCALE 1: 1,948,802 20 0 20 40 60 MILES



EXHIBITO



DISTRICT I ,1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT III

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised June 10, 2003

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

OIL CONSERVATION DIVISION

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

Certificate Number

1000 Rio Brazos	Rd., Astec,	N.M. 87410		122			Francis Dr.					_
DISTRICT IV 1220 South St. 1	Francis Dr.,	Santa Fe, NM	87505		Santa F	e, NM	87505			AMEN	DED R	REPORT
				CATION	N AND	ACR	EAGE DEDI	CATION PI	LAT .			
7 1/1	*Pool Code											
					1599 Basin Dakota					<u> </u>		
Property	Code				Property 1		_			⁶ Well Number		
2416					BISTI MAX 24 F					1 * Elevation		
DDO NA					•	perator Name			6550'			
018118 PRO N.M. ENERGY, INC. 6 Surface Location												
UL or lot no.	Section	Township	Range	Lot Idn	Feet from		LOCATION North/South line	Feet from the	East	/West line		County
F	24	25-N	11-W		185		NORTH	1960'		ST	SAN	•
		- 1 -	11 Bott	om Hole	Locat	ion If	Different Fro	om Surface	•			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from	the	North/South line	Feet from the	East	West line		County
28 Dedicated Ac	res	<u> </u>	u Joint or	Infill	14 Consolid	lation C	ode	¹⁵ Order No.	<u> </u>		L	
	-							,				
	320		N			C						
NO ALLO	WABLE V						ON UNTIL ALL EN APPROVED			EEN CO	NSOLI	DATED
FD 2 1/2"		53-50 E		FD 2			E E E E E E E E E E E E E E E E E E E		7101011			
G.L.O. ÁC	2628	.72' (M)		G.L.O.				11		OR CEI		
1932				932			19 20 21 22 33	- 11 - *		the informati		
· >					Á	811 l	A VE	betiaf.	is complete	to the best o	у жау како	meads and
E 800-	G-9909	-1358 ដូ			47	2	الا الله الله			_ ^		
7-3		-	-		(22)	O,	2004	il man	-6	La.	ليسينا	the.
2635.97' (M)				-B		 b	MST. DIV.	Signatu	re			
26 26 26					Viet.	}	107.3° K	/		elvent	nal	
2		1		3 23'19.	26" N 🤻	Wes .	84) 1	Printed	Name			
			↑ LONG	07'57'	28.39" W	' ~	9 5 7 E CB	Title	Agent	:		
										2001		
		tank		<u>`</u>				Date	<u> </u>	2004		
FD 2 1/2"	2 1480 A 1000 A		5.38867	7°								
G.L.O. AC		1	7.95767	1		Ì	HBH	18 S	URVEY	OR CEI	חותוני	ATTON
1932		[** ;0/	.007.07		A		() ,	11		e well locate		
					T.		•	- 11		notes of actu		
NM	94826		·	3		*				vision, and th		me is trus
	j				1		OLO LL# Peter	and correct	FD 441. 668	of my botter.		
					T HW		1421/AT 070		Ser. 1.	#X 7	<u> ۲۷</u>	
	İ			,	17 -7	البرزا	Soul and 20	Date of	old &	Protes	al Survey	or:
					TC .C	i na	00 601 000	海			΄Λ ΄	
				r.	(1	-7 JI	7070	1 /3	2C	/3/	4	
	ł				()	/ [i	1,2111		ROFESS	Jun -	'\	~
	1								1	4827	7	

December 4, 2008

Federal Indian Minerals Office 1235 LaPlata Highway, Suite B Farmington, NM 87401

As required by NMOCD rule Subsection J of 19.15.17.13 NMAC, I am notifying FIMO that Pro NM Energy, Inc. plans to close its Bisti Max 24 F 1 below grade tank. The well is at 1855 FNL & 1960 FWL 24-25n-11w. The well is on lease NO-G-9909-1358. API number is 30-045-32318.

Please call me if you have any questions.

Sincerely,

Brian Wood

EXHIBIT G



POWER OF ATTORNEY

Know All Nien By These Presents:

THA" I, Jolene Dicks, the Secretary of Pro NM Energy, Inc., with offices at 460 St. Michael's Drive, Suite 300, Santa Fe, New Mexico 87505, have made; constituted and appointed, and by these presents do make, constitute and appoint Br an Wood, of Permits West, Inc., whose address is 37 Verano Loap. Santa Fe, New Mexico 87505, my true and lawful attorney, for me, and in my name, place and stead, and to my use to sign any and all forms submitted on behalf of Fro NM Energy, Inc. to the New Mexico Oil Conservation Division.

This Power of Attorney shall be effective June 16, 2008.

IN WITNESS Whereof, I have hereunto set my hand this 4th day of December, 2008.

Jølene Dicks, Secretary Fro NM Energy, Inc.

Corporate Acknowledgment

STATE OF NEW MEXICO

)\$S

COUNTY OF SANTA FE

Before me, a Notary Public in and for said County and State, on this 4th day of December 2008, personally appeared Jolene Dicks, the Secretary of Pro NM Energy, Inc., a New Mexico corporation, on behalf of said corporation.

Aly Corp.m ssion Expires:

Notary Public, State of New Mexico

460 St. Michael's I rive, Suite 300 • Santa Fe, New Mexico 87505 • 505 988-4171 Fax 505 988

Kelly, Jonathan, EMNRD

From:

brian wood [brian@permitswest.com]

Sent: To: Monday, January 23, 2012 2:28 PM

Cc:

Kelly, Jonathan, EMNRD JOLENE DICKS

Subject:

ProNM below grade tanks

The applications submitted in 2008 are closure plans, not subsequent reports.

The tanks have not been removed.

The tanks will be removed before the June 8, 2013 deadline.

RCVD JAN 23'12 OIL CONS. DIV.

DIST. 3