District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

office

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

		Pit or Below-Grade Tank Registration or Closure				
		Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐				
		Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🖂				
perator:	Burlington Resources	Telephone: (505) 326-9841				

Facility or well name: McClanahan No. 16E	Operator: Burlington Resources Telephone: (505) 326-9841 LHasely@br-inc.com					
Country: San Juan	Address: 3401 East 30th Street, Farmington, New Mexico, 87402	The Salar Property of				
Surface Owner: Federal State Private Indian						
Below-grade tank Volume: 40_bbl Type of fluid: Production Disposal Volume: 40_bbl Type of fluid: Produced Water and Incidental Oil Construction material: Piberglass Double-walled, with leak detection? Yes If not, explain why not. No. Tank in place prior to Rule 50.		36.66722 Longitude -107.8942 NAD:	1927 🖾 1983 📙			
Time: Drilling Production Disposal Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil Construction material: Produced Water and Incidental Oil Construction Produced Water and Incidental Oil Produced Water and Inc	Surface Owner: Federal 🖾 State 🗌 Private 🔲 Indian 🗌		(Tank 13)			
Workover Emergency Construction material: Fiberglass Double-walled, with leak detection? Yes If not, explain why not.						
Double-walled, with leak detection? Yes If not, explain why not.		Volume: 40 bbl Type of fluid: Produced Water and Incidental Oil				
Liner type: Synthetic Thicknessmil Clay No. Tank in place prior to Rule 50. Pit Volumebtl Synthetic Thicknessmil Clay No. Tank in place prior to Rule 50. Pit Volumebtl Synthetic Synt	Workover ☐ Emergency ☐	Construction material: Fiberglass				
Pit Volumebbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral wateroourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral wateroourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral wateroourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral wateroourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral wateroourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral wateroourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral wateroourses.) Rahking Score (Total Points) If this is a pit dosure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite if offsite, name of facility • (3) Attach a general description of remedial action taken including remediation start date and and date. (4) Groundwater encountered: No ② Yes If yes, show depth below ground surface ft. and attach sample results. S) Attach soil sample results and a diagram of sample locations and execavations. Additional Comments: Two (2) below grade tanks were located at this well site. This BG Tank Closure Documentation Package applies to "BG Tank B" as labeled on the a	Lined Unlined U	Double-walled, with leak detection? Yes If not, explain why not.				
Less than 50 feet (20 points)	Liner type: Synthetic Thicknessmil Clay	No. Tank in place prior to Rule 50.				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 50 feet or more, but less than 100 feet (10 points) (10 points) (20 poin	Pit Volumebbl					
ingh water elevation of ground water.) So feet or more, but less than 100 feet (10 points) (20 points) (20 points) (30 points) (40 points) (50 points) (60 points) (70 points) (70 points) (80 points) (80 points) (90 points) (10 points) (1	Denth to ground water (vertical distance from bottom of nit to seasonal	Less than 50 feet	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Total Points) Ranking Score (Total Points) 10		50 feet or more, but less than 100 feet	(10 points)			
Wellinead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Total Points)	nigh water elevation of ground water.)	100 feet or more	(0 points) 0			
water source, or less than 1000 feet from all other water sources.) No	Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Comparison of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite, name of facility * . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface ft. and attach sample results. So Attach soil sample results and a diagram of sample locations and excavations.		No	(0 points) 0			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) Ranking Score (Total Points) 10		Less than 200 feet	(20 points)			
Interest of canals, ditches, and perennial and ephemeral watercourses.	Distance to surface water: (horizontal distance to all wetlands, playas,		` ' '			
Ranking Score (Total Points) Ranking Score (Total Points) 10	irrigation canals, ditches, and perennial and ephemeral watercourses.)	·				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite		1000 leet of more				
your are burying in place) onsite ☐ If offsite, name of facility _*		Ranking Score (Total Points)	10			
The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:	your are burying in place) onsite offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surfaceft. and attach sample results.					
* The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit, or an (attached) alternative OCD-approved plan Date:	Additional Comments: Two (2) below grade tanks were located at this well	site. This BG Tank Closure Documentation Package	applies to "BG Tank B" as labeled on the			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:L/_(/_C \(\sigma \)						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:L/_(/_C \(\sigma \)						
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:	•					
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:						
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:						
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date:	Thoraby partify that the information above is true and complete to the host	of my knowledge and balief. I further cortifu that the	a shave described nit or below grade toul.			
Printed Name/Title Mr. Ed Hasely, Environmental Advisor Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval:						
REPUTY Of a GAS INSPECTOR DIST OF	Printed Name/Title Mr. Ed Hasely, Environmental Advisor Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or					
	REPUTY OIL & GAS INSPECTOR DIST OF					

CLIENT: Burlington	En	VIROTEC	H INC.		LOCATION N	ıo: ———	
Resources	579 FARM	ENTAL SCIENTISTS 6 U.S. HIGHWAY INGTON, NEW ME HONE: (505) 632	64-3014 XICO 87401		С.П.С. N	D:	
FIELD REPOR	T: CLOSU	JRE V	ERIFIC	CATION	PAGE No: _=	of	
LOCATION: <u>name: McClai</u> quad/unit: E sec:				v. CT cm. NA	DATE STARTED:		
QTR/FOOTAGE:		TRACTOR: L		1. 33 31. 74.	ENVIRONMENTAL SPECIALIST:	DY	
EXCAVATION APPROX. 11 DISPOSAL FACILITY: " LAND USE:	NA	F	REMEDIATI	ON METH	OD:		
FIELD NOTES & REMAR	NEAREST WATER S	DURCE:	N		CE WATER: 40	o '	
SOIL AND EXCAVATIO		RE STD: 10	OO PPM	1	CHECK ON PIT ABANDON STEEL TANK	NED	
Location has 2 pits. Both were lined and upon tank removal appeared uncontaminated. Testing at 7' TD or 3' Below pit resulted in Pit B passing < 1000 ppm TPH/PID. FIELD 418.1 CALCULATIONS							
SCALE	TIME SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON D	ILUTION READING	CALC. ppm	
O FT	pit B					·	
PIT PERIMI	ETER	OVM RESULT	S	PIT	PROFILE	3	
Sap Pit A	SAMP 10 1 7 7 7 2 3 3 4 5 5 Fair B SAMPLE 10	AB SAMPL			Excavation of the Point		
TRAVEL NOTES: CALLOUT:		0I	NSITE:	,			



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Sample No.:

Sample ID:

BG Tank B @ 7' Depth

Sample Matrix:

Soil

Preservative:

Cool

Condition:

Cool and Intact

Project #:

92115-021-033

Date Reported:

3/15/2005

Date Sampled:

3/14/2005

Date Analyzed:

3/14/2005

Analysis Needed:

TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

8.0

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Wate

and Waste, USEPA Storet No. 4551, 1978.

Comments:

McClanahan No. 16E, BG Tank B

Instrument callibrated to 200 ppm standard. Zeroed before each sample.

Analyst

Review