## Distri . I 1625 N French Dr , Hobbs, NM 88240 District II

1301 W Grand Ave , Artesia, NM 88210 District 1000 Ri

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

97	29
----	----

1220 S

District III	1220 South St.	Francis Dr.		
1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, NN	4 87505	For permanent pits and exception	
District IV 1220 S St Francis Dr , Santa Fe, NM 87505			Environmental Bureau office and pappropriate NMOCD District Offi	• • •
······································	Pit, Closed-Loop System	n Below-Gra	ode Tank or	·
	sed Alternative Method			ı
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
Type of action:		_	tank, or proposed alternative m	
	Closure of a pit, closed-loop symmetry Modification to an existing pe	_	e tank, or proposed anemative i	method
	=		nitted or non-permitted pit, close	ad laan ayatam
	below-grade tank, or proposed			ed-100p system,
Instructions: Please submit one ap	plication (Form C-144) per indiv	idual pit, closed-l	oop system, below-grade tank o	or alternative request
	this request does not relieve the operator of li			-
environment Nor does approval relie	ve the operator of its responsibility to comply	with any other applical	ole governmental authority's rules, regulati	ons or ordinances
Operator: Burlington Resources Oil	& Gas Company, LP		OGRID#: 14538	İ
Address: PO Box 4289, Farmington				
Facility or well name: San Juan 30-5	5 Unit 104			
API Number: 30	-039-23311	OCD Permit Num	ber	
U/L or Qtr/Qtr: G(SW/NE) Sectio	n: 13 Township: 30N	Range:	5W County: Rio Arril	ba
Center of Proposed Design: Latitude:	36.48549684 °N	Longitude:	107.1819429 °W NA	AD: X 1927 1983
Surface Owner: X Federal	State Private	Γribal Trust or Ind	ian Allotment	
2				
Pit: Subsection F or G of 19.15 17	11 NMAC			RCVD MAR 6'12
Temporary Drilling Work	over			OIL CONS. DIV.
	avitation P&A			DIST. 3
Lined Unlined Lir	ner type Thickness mil	LLDPE	HDPE PVC Other	
String-Reinforced	F==			
Liner Seams	ctory Other	Volume	bbl Dimensions Lx	: Wx D
3		······································		
	on H of 19 15 17 11 NMAC	<b>5</b>		
Type of Operation P&A	Drilling a new well X Workover of interesting a new well x		to activities which require prior app	proval of a permit or
Drying Pad X Above Groun	d Steel Tanks Haul-off Bins	Other		
Lined Unlined Liner	type Thicknessmil	LLDPE	HDPE PVD Other	
Liner Seams Welded Fac	ctory Other	_		_
4				
Below-grade tank: Subsection I	of 19 15 17 11 NMAC			
Volumebb	Type of fluid			
Tank Construction material				
Secondary containment with leak dete	ection Visible sidewalls, lin	er, 6-inch lift and au	itomatic overflow shut-off	

Alternative Method:

Liner Type

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Other

Other

PVC

Visible sidewalls only HDPE

mil

Visible sidewalls and liner

Thickness

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify			
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval			
Siting Criteria (regarding permitting). 19.15.17 10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐Yes ☐No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	□NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	Yes No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No		
- NM Office of the State Engineer - tWATERS database search; Visual inspection (certification) of the proposed site.  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	Ycs No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources, USGS; NM Geological Society; Topographic map</li> </ul>	Yes No		
Within a 100-year floodplain - FEMA map	Yes No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15,17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19.15.17.9 NMAC and 19.15.17 13 NMAC		
Previously Approved Design (attach copy of design)  API  or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9  NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design)  API		
Previously Approved Operating and Maintenance Plan API		
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15.17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC		
☐ Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19 15.17 11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17.13 NMAC		
14		
Proposed Closure: 19 15 17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative		
Proposed Closure Method: Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T Instructions Please identify the facility or facilities for the disposal of liquids, drilling flu facilities are required	anks or Haul-off Bins Only: (19.15 17 13 D NMAC) uds and drill cuttings Use attachment if more than two				
Disposal Facility Name Dis	sposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations.  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC					
17					
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions. Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19 15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS Data obtaine	d from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste					
- NM Office of the State Engineer - IWATERS database search, USGS, Data obtained	I from nearby wells	∐Yes ∐No ∏N/A			
Ground water is more than 100 feet below the bottom of the buried waste		☐Yes ☐No			
- NM Office of the State Engineer - 1WATERS database search, USGS, Data obtained	f from nearby wells	□ N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).	watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist - Visual inspection (certification) of the proposed site, Aerial photo, satellite image	ence at the time of initial application	∐Yes ∐No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than fi purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database; Visual inspection (certification Within incorporated municipal boundaries or within a defined municipal fresh water well fi pursuant to NMSA 1978, Section 3-27-3, as amended	e at the time of the initial application on) of the proposed site	YesNo			
- Written confirmation or verification from the municipality, Written approval obtained Within 500 feet of a wetland	f from the municipality	Yes No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspecti	on (certification) of the proposed site				
Within the area overlying a subsurface mine  - Written confirantion or verification or map from the NM EMNRD-Mining and Mine	ral Division	YesNo			
Within an unstable area	27.000.	Yes No			
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Miner Topographic map</li> </ul>	al Resources, USGS, NM Geological Society,				
Within a 100-year floodplain - FEMA map		Yes No			
On-Site Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate re	equirements of 19.15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the a	appropriate requirements of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying	pad) - based upon the appropriate requirements of	19 15 17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19	15 17 13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate re	equirements of Subsection F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and	<u> </u>	nnot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19 On on the American Constitutions		
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief		
Name (Print): Title.		
Signature Date		
e-mail address Telephone		
C man address		
20 OCD Approval: Permit Application (including closure plan) Closure Plan-(only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 3/08/2012 Title: OCD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC  Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed  [X] Closure Completion Date: 8/10/2011		
22		
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain		
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:		
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities		
were utilized.		
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number NM-01-0011 / NM-01-0010B		
Disposal Facility Name Basin Disposal Facility Disposal Facility Permit Number: NM-01-005		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?		
Yes (If yes, please demonstrate complilane to the items below)		
Required for impacted areas which will not be used for future service and operations		
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)		
Proof of Deed Notice (squired for on-site closure)		
Plot Plan (for on-site closures and temporary pits)		
Confirmation Sampling Analytical Results (if applicable)		
Waste Material Sampling Analytical Results (if applicable)		
Disposal Facility Name and Permit Number		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		
On-site Closure Location Latitude Longitude: NAD 1927 1983		
Operator Closure Certification:  1 hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief 1 also certify that		
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print) CRYSTAL TAFOYA Title. STAFF REGULATORY TECHNICIAN		
Signature Stal Taloya Date 3/6/2012		
e-mail address <u>crystal tafoya@conocophillips.com</u> Telephone. (505) 326-9837		