District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rto Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr Santa Fe NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

1220 S St Francis Dr , Santa Fe, NM 8/505	Santa Fe, NM 87505	District Office
	Loop System, Below-Grad e Method Permit or Closur	
☐ Closure of a pit ☐ Modification to		• •
Instructions: Please submit one application (For	m C-144) per ındividual pit, closed-loop	system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the environment. Nor does approval relieve the operator of its response.		
Operator WESTERN OIL & MINERALS LTD	OGRID# <u>24942</u>	,
Address P. O. DRAWER 1228, FARMINGTON, NM 87	7499-1228	
Facility or well name MARRON 5A		
API Number 30-045-23128 OCD Permit Number		
U/L or Qtr/Qtr P Section 27 Township 27 N Range 8 W C	County SAN JUAN	
Center of Proposed Design. Latitude 36.53991° N Longitude	ide <u>107.66435° W</u> NAD 🔲 1927 🖾 198	83
Surface Owner 🛛 Federal 🗌 State 🔲 Private 🔲 Tribal	Irust or Indian Allotment	•
2		RCVD DEC 15 '08
Pit: Subsection F or G of 19 15 17 11 NMAC		
Temporary Drilling Workover		GIL CORS. DIV.
Temporary Drilling Workover  Permanent Emergency Cavitation P&A		GIL CONS. DIV. DIST. 3
Temporary    Drilling    Workover  Permanent    Emergency    Cavitation    P&A  Lined    Unlined Liner type. Thickness mil  LI	LDPE   HDPE   PVC   Other _	GIL CONS. DIV. DIST. 3
Temporary ☐ Drilling ☐ Workover ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Lined ☐ Unlined Liner type. Thickness mil ☐ LI ☐ String-Reinforced		GIL COYS. DIV. DIST. 3
Temporary    Drilling    Workover  Permanent    Emergency    Cavitation    P&A  Lined    Unlined Liner type. Thickness mil  LI		GIL COYS. DIV. DIST. 3
Temporary ☐ Drilling ☐ Workover ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Lined ☐ Unlined Liner type. Thickness mil ☐ LI ☐ String-Reinforced	Volume bbl Dime	GIL COYS. DIV. DIST. 3
Temporary    Drilling    Workover  Permanent    Emergency    Cavitation    P&A  Lined    Unlined Liner type. Thickness mil    Li  String-Reinforced  Liner Seams:    Welded    Factory    Other  3.  Closed-loop System: Subsection H of 19 15 17 11 NI  Type of Operation    P&A     Drilling a new well    Wintent)	MAC Workover or Drilling (Applies to activities	OIL CONS. DIV. DIST. 3 ensions L2xW2xD2
Temporary    Drilling    Workover  Permanent    Emergency    Cavitation    P&A  Lined    Unlined Liner type. Thickness mil    Li  String-Reinforced  Liner Scams:    Welded    Factory    Other	MAC Workover or Drilling (Applies to activities	OIL CONS. DIV. DIST. 3 ensions L2xW2xD2
Temporary    Drilling    Workover  Permanent    Emergency    Cavitation    P&A  Lined    Unlined Liner type. Thickness mil    Li  String-Reinforced  Liner Seams:    Welded    Factory    Other  3.  Closed-loop System: Subsection H of 19 15 17 11 NI  Type of Operation    P&A     Drilling a new well    Wintent)	Wolume bbl Dime  MAC  Workover or Drilling (Applies to activities	OIL CONS. DIV. DIST. 3  ensions L'x W'x D'  s which require prior approval of a permit or notice of
Temporary    Drilling    Workover  Permanent    Emergency    Cavitation    P&A  Lined    Unlined Liner type. Thickness mil    Li  String-Reinforced  Liner Scams:    Welded    Factory    Other  3.  Closed-loop System: Subsection H of 19 15 17 11 NI  Type of Operation    P&A     Drilling a new well    Wintent)  Drying Pad    Above Ground Steel Tanks    Haul-	Volume bbl Dime  MAC  Workover or Drilling (Applies to activities  -off Bins    Other nil    LLDPE    HDPE   PVC	OIL CONS. DIV. DIST. 3  ensions L'x W'x D'  s which require prior approval of a permit or notice of
Temporary    Drilling    Workover Permanent    Emergency    Cavitation    P&A Lined    Unlined Liner type. Thickness mil    Li String-Reinforced Liner Seams:    Welded    Factory    Other  3. Closed-loop System: Subsection H of 19 15 17 11 NI Type of Operation    P&A    Drilling a new well    Wintent) Drying Pad    Above Ground Steel Tanks    Haul-	Volume bbl Dime  MAC  Workover or Drilling (Applies to activities  -off Bins    Other nil    LLDPE    HDPE   PVC	OIL COWS. DIV. DIST. 3  ensions L'x W'x D'  s which require prior approval of a permit or notice of
Temporary    Drilling    Workover Permanent    Emergency    Cavitation    P&A Lined    Unlined Liner type. Thickness mil    Li String-Reinforced Liner Seams    Welded    Factory    Other  3. Closed-loop System: Subsection H of 19 15 17 11 NI Type of Operation    P&A     Drilling a new well    Wintent) Drying Pad    Above Ground Steel Tanks    Haul- Lined    Unlined Liner type Thickness Liner Seams    Welded    Factory    Other	Volume bbl Dime  MAC  Workover or Drilling (Applies to activities  off Bins  Other  mil LLDPE  HDPE PVC	OIL CONS. DIV. DIST. 3  ensions L'x W'x D'  s which require prior approval of a permit or notice of
Temporary    Drilling    Workover Permanent    Emergency    Cavitation    P&A Lined    Unlined Liner type. Thickness mil    Li String-Reinforced Liner Scams:    Welded    Factory    Other  3. Closed-loop System: Subsection H of 19 15 17 11 NI Type of Operation    P&A    Drilling a new well    Wintent) Drying Pad    Above Ground Steel Tanks    Haul- Lined    Unlined Liner type Thickness Liner Scams    Welded    Factory    Other	Volume bbl Dime  MAC  Workover or Drilling (Applies to activities  off Bins  Other  mil LLDPE  HDPE PVC	OIL CONS. DIV. DIST. 3  ensions L'x W'x D'  s which require prior approval of a permit or notice of
Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type. Thickness mil Li  String-Reinforced  Liner Seams: Welded Factory Other  3.  Closed-loop System: Subsection H of 19 15 17 11 Ni  Type of Operation P&A Drilling a new well Wintent)  Drying Pad Above Ground Steel Tanks Haul-  Lined Unlined Liner type Thickness  Liner Seams Welded Factory Other  4.  Below-grade tank: Subsection I of 19 15 17 11 NMA	Volume bbl Dime  MAC  Workover or Drilling (Applies to activities  off Bins  Other  mil LLDPE  HDPE PVC	OIL CONS. DIV. DIST. 3  ensions L'x W'x D'  s which require prior approval of a permit or notice of
Temporary Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type. Thickness mil Li  String-Reinforced  Liner Scams: Welded Factory Other  3.  Closed-loop System: Subsection H of 19 15 17 11 NI  Type of Operation P&A Drilling a new well Wintent)  Drying Pad Above Ground Steel Tanks Haul-  Lined Unlined Liner type Thickness  Liner Scams Welded Factory Other  4.  Below-grade tank: Subsection I of 19 15 17 11 NMA  Volume 95 bbl Type of fluid produced water	Volume bbl Dime  MAC  Workover or Drilling (Applies to activities  off Bins  Other  mil  LLDPE  HDPE  PVC	OIL CONS. DIV. DIST. 3  ensions L'x W'x D'  s which require prior approval of a permit or notice of  C   Other

Alternative Method:

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six fect in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify 48" high (= 36" hog wire + re-bar top)	hospītal,
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other expanded metal  Monthly inspections (If netting or screening is not physically feasible)	
8.  Signs: Subsection C of 19 15 17 11 NMAC  □ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers □ Signed in compliance with 19 15 3 103 NMAC	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	office for
Siting Criteria (regarding permitting): 19 15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ⊠ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	∏ Yes ⊠ No □ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	☐ Yes ⊠ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ⊠ No
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☑ No
<ul> <li>Within an unstable area</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources, USGS, NM Geological Society, Topographic map</li> </ul>	☐ Yes ⊠ No
Within a 100-year floodplain - FEMA map	☐ Yes 🛛 No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC  Previously Approved Design (attach copy of design) API Number or Permit Number
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15 17 10 NMAC  Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
☐ Previously Approved Design (attach copy of design) API Number
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17 11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19 15 17 11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15 17 11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17 9 NMAC and 19 15 17 13 NMAC
Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Dulling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  □ Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC

Disposal Facility Permit Number   Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations   Yes (If yes, please provide the information below)   No   No   Re_jured for impacted areas which will not be used for future service and operations   Soil Backfill and Gover Design Specifications based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Revegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Side Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Side Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Side Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Side Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Side Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Side Reclamation Plan - based upon the appropriate destricts of Side Reclamation Plan - based upon the appropriate destricts of Side Reclamation Plan - based upon the appropriate destricts of Side Reclamation Plan - Based upon the appropriate destricts of Side Reclamation Plan - Based upon the appropriate destricts of Side Reclamation Plan - Based upon the appropriate destricts of Side Reclamation Plan - Based upon the Appropriate destricts of Side Reclamation Plan - Based upon the Appropriate destricts of Side Reclamation Plan - Based upon the Appropriate destricts of Side Reclamation Plan - Based upon the Appropriate destricts of Side Reclamation Plan - Based upon the Appropriate Side Plan - Based upon the Appropriate Destricts of Side Reclamation	
Disposal Facility Name	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations   Yes (If yes, please provide the information below)   No      Required for impacted areas which will not be used for future service and operations   Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC     Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC     Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC     Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and demonstrations of equivalency are required. Please refer to 19,15,17.10 NMAC for guidance.    Ground water is less than 50 feet below the bottom of the buried waste   NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells   NA	
Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC   Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC   Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC   Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.    Ground water is less than 50 feet below the bottom of the buried waste	
Siting Criteria (regarding on-site closure methods only): 19 15 17 10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.  Ground water is less than 50 feet below the bottom of the buried waste  NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Ground water is between 50 and 100 feet below the bottom of the buried waste  NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Ground water is more than 100 feet below the bottom of the buried waste  NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of initial application  NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Within 500 feet of a wetland	
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) - Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine	may be
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Ground water is more than 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  - Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine	No
NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Within 500 feet of a wetland  US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine  "Yes □  Yes □	No .
lake (measured from the ordinary high-water mark)  Topographic map, Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Within 500 feet of a wetland  Within 500 feet of a wetland  US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine	No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine	No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine	No
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine	No
	No
	No
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map	No
Within a 100-year floodplain - FEMA map	No .
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please in by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved Soil Cover Design - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC	AC

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) BRIAN WOOD Title CONSULTANT
Signature Date <u>12-13-08</u>
c-mail address brian@permitswest.com Telephone (505) 466-8120
OCD Approval: Perinit Application (including closure plan (only) OCD Conditions (see attachment)  OCD Representative Signature:  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:
22
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttungs were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Yes (If yes, please demonstrate compliance to the items below)
Resulted for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan'(for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude Longitude  NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Title
Signature Date
a mail addraw

#### **Current Situation**

There is a 95 barrel single wall steel tank. Walls are visible and tank bottom is elevated above ground surface. Tank is surrounded by hog wire fence topped with pipe. There is no liner. The tank has an expanded metal top. After removal of the existing tank, water will be piped to a planned below grade tank. Application for it will be made once the design is finalized.

#### Time Line

Will close after approval of this application and before June 16, 2013. Will close earlier if OCD determines there is an imminent danger to fresh water, public health, or the environment.

#### Siting Criteria

1. Depth to ground water is >245'. Closest reported water well is the Kaime artesian water well which is  $\approx$ 7,500' southeast in Section 36. No depth to water is reported. However, total water well depth is shown as 2,200' in Office of the State Engineer records (Exhibit A).

≈6,022' Kaime water well ground elevation - ?' depth to water bearing strata ?' water level elevation

6,270' gas well elevation
- 3' depth to bottom of tank
6.267' tank bottom elevation

6,267' tank bottom elevation
- 6,022 water well ground level elevation
>245' depth to water

2. Tank is not within 300' of a continuously flowing watercourse. Tank is not within 200' of a significant watercourse as defined by OCD. Closest such watercourse is a first order tributary of Cottonwood Canyon, which is 1/4 mile South (Exhibit B).



- 3. Tank is not within 300' of any building. Closest building is more than 1/4 mile distant (Exhibit C).
- 4. Tank is not within 1,000' of any fresh water well or spring (Exhibits A & B).
- 5. Tank is not within municipal boundaries or within a municipal fresh water well field (Exhibits A & B).
- 6. Tank is not within 500' of a wetland (Exhibit D).
- 7. Tank does not overly a mine (Exhibit E).
- 8. Tank is not in an unstable area. No evidence of earth movement was found during a November 13, 2008 field inspection.
- 9. Tank is not within a 100 year flood plain (Exhibit F).
- 10. C-102 is attached as Exhibit G.
- 11. Closure notice to the surface owner (BLM) is attached as Exhibit H.

#### **Hydrogeology**

Surface formation is the San Jose. It consists of alternating sandstones and mudstones. The sandstone layer is present at this well. According to Stone et al in <u>Hydrogeology and water resources of San Juan Basin, New Mexico</u>, San Jose aquifers are not widely tested, but are used for both livestock and human consumption. A vertical hydraulic conductivity of 1.7 feet per day has been recorded. Specific conductance ranges from 320 to 5,000  $\mu$ mhos.



#### Closure Plan

Surface owner has been notified via certified return receipt requested mail of the proposed closure.

Will verbally notify OCD at least 72 hours and no more than 1 week before closure. Notice to OCD will include operator name, location (quarter-quarter, section, township, & range), well name & number, and API number.

Will pump out any remaining water and haul to Basin Disposal (NM-01-005)

Will haul sludge to Envirotech Land Farm (NM-01-011).

Will truck waste qualifying under OCD Rule 19.15.9.712 to the San Juan County landfill.

Will remove tank, pipes, and associated equipment and store at company yard for future reuse.

Will test soil under tank to determine if a release has occurred, even if there is no visible contamination. Will collect, at a minimum, a five point composite sample. Will collect individual grab samples from any area that is wet, discolored, or showing other evidence of a release. Will analyze all samples for:

Component	Test Method	Not to Exceed (mg/kg)
benzene	EPA SW-846 8021B or 8260B	0.2
total BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA 418.1	100
chlorides	EPA 300.1	250 or background

If the operator or OCD determines that a release has occurred, then the operator will comply with OCD rules 19.15.3.116 NMAC and 19.15.1.19 NMAC,



as appropriate. A major (>25 barrels) release requires immediate verbal notice and timely written notice to OCD. A minor release (more than 5 barrels and less than 25 barrels) requires timely written notice to OCD. Timely is defined as 15 days. Written notice will include Form C-141. OCD may require additional sampling delineation upon its review of the results.

If the sampling program demonstrates that a release has not occurred, or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC (table on preceding page); then the operator will back fill the excavation with compacted waste free earthen material, construct an OCD prescribed soil cover, recontour, and revegetate the site. The soil cover, recontouring and re-vegetation requirements will comply with Subsections G, H and I of 19.15.17.13 NMAC. Specific steps are:

back fill to within 12" of grade
bring to grade with 12" topsoil or background thickness, whichever is more
contour to prevent ponding or erosion
seed first growing season after closure
seed with at least 3 native species, at least 1 of which must be a grass (recommend grass species only for safety & keep seed bag tag) seed mix will exclude noxious weeds
cover seed
cover secu
Will file closure report on Form C-144 within 60 days of closure completion with necessary attachments to document all closure activities including: proof of notice to surface owner
proof of notice to OCD
plot plan
chemical sampling analysis results
disposal facility name and permit number
back filling & cover details
seeding rate per species
how seeded
photograph of seeded area



Successful revegetation will be accomplished if:
plant cover equals 70% of adjacent impact free native perennial vegetation
(noxious weeds are not counted toward 70% goal)
70% goal maintained for 2 consecutive growing seasons without irrigation
if unsuccessful, repeat until goals is achieved
notify OCD when 70% goal has been met for 2 consecutive growing seasons
file Form C-144
include photograph of revegetated area

Executed this 13th day of December, 2008.

Brian Wood, Consultant

Permits West, Inc.

37 Verano Loop, Santa Fe, NM 87508

(505) 466-8120

FAX: (505) 466-9682

Cellular: (505) 699-2276

The operator's representative is:


Bob Chenault Western Oil & Minerals Ltd. P. O. Drawer 1228 Farmington, NM 87499-1228 (505) 327-9393




New Mexico Office of the State Engineer POD Reports and Downloads
Township: 27N Range: 08W Sections:
NAD27 X. Y: Zone: Search Radius:
County: Suffix:
Owner Name: (First) (Last) ONon-Domestic ODomestic OAII
(POD / Surface Data Report) (Avg Depth to Water Report) (Water Column Report)
Clear Form (WATERS Menu) (Help)
WATER COLUMN REPORT 12/13/2008  (quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are biggest to smallest) Depth Depth Water (in fee
POD Number Tws Rng Sec q q q Zone X Y Well Water Column SJ 02410 27N 08W 36 1 3 2 2200


Record Count: 1

EXHIBITA




## EXHIBIT C






## MMQonline Public Version



EXHIBITE



### FITA MEXICO OIL CONSERVATION COMMITTION HELD LOCATION AND INCREAGE DIDICATION PLAT

. . . .

The second of th

		from the butter hours of the Sect in	
	75 757	1	<u> </u>
27	27 KOTH	8 TEST,   SAT	X' ¥
		£1:0	7.120
		Blanco Mesa Verde	
		eli ik eclared penell at lach it en	
The rest of the least of the second		Here it tree each and identify the o	vers' pittereof (both as to yout)
are Million (1997) Charles and Charles			teresis of all owners lien on solu
	suoris " s " o jo	formula one lease	2
	was said to the	et answell Maro oct offelt .	e a tradition of the a
			Division of Street Control on Street Control
	11/15	The Thirty	CLRTI- CTT 25
1			The Committee of the Management
ř		tank	- Than
,,, <u> </u>	·/	N 36.53991°	Divit A Riggs
; ;			Agen:
	:/	- Le Y /	estern Oil & Minerals, Ltd
		/ T	une 9, 1978
	27		une 4, 1978
			و فرون المرابع المرابع المرابع المرابع المراب
	/ .		eres on this place of Great from held,
			ured to screen in the and the time some
. سند ، سبد د ید د دیری		<i>J</i>	See Source of the Same
		Z	
EXHIBIT		10 6101/1-	_87, W-y 1973 O
		198	C. Q. 120-0
	>///	July III	/ En es P. Loese
	7.7.7.42 2000	- 1000 100 0	1463



December 12, 2008

**BLM** 1235 LaPlata Highway Farmington, NM 87401

As required by NMOCD rule Subsection J of 19.15.17.13 NMAC, I am notifying BLM that Western Oil & Minerals Ltd. plans to close the following below grade tanks on BLM surface in San Juan County, NM:

<u>Well</u>	API Number	<u>Lease</u>	<u>Location</u>
Hammond 5	30-045-06253	NMNM-03603A	SWNE 25-27n-8w
Marron 2	30-045-06248	NMNM-03605A	SENE 27-27n-8w
Marron 5A	30-045-23128	NMNM-03605A	SESE 27-27n-8w
Marron 6	30-045-21323	NMNM-03605A	NESW 24-27n-8w
Marron 6A	30-045-21835	NMNM-03605A	NENW 24-27n-8w
Snodgrass 1	30-045-22775	NMNM-03605A	NESW 24-27n-8w

I have attached a copy of this letter for each of the 6 well files. Please call me if you have any questions.

8753

Brian Wood

NCKSEND MYTAFE

DEC 13 2008

Sincerely

0336 Certified Fee 4000 Return Receipt Fee (Endorsement Required) Restricted Delivery Fee (Endorsement Required) Total Postage & Fees Street, Apt No.:

Postage

EXHIV. H