₹

Form 3160-3 (September 2001)				FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004		
UNITED STATE	5. Lease Serial No					
DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT				NMSF-078767		
APPLICATION FOR PERMIT TO DRILL OR REENTER			6. If Indian, Allotte			
0 APPLICATION FOR PERMIT TO B	MILL OR RECIVIES					
la. Type of Work: 🛛 DRILL 🔲 REENTER			1	7. If Unit or CA Agreement, Name and No.		
			Rosa 8. Lease Name and	Well No.		
1b. Type of Well: Oil Well Gas Well Other	⊠ Single Zone □	Multiple Zone	210A			
Name of Operator Williams Exploration and Production Company, LLC		and the state of t	9. APJ Well No. 9	-29487		
3a. Address	3b. Phone No. (include area co	ode) 18 19 3	10. Field and Pool, o	r Exploratory		
P.O. Box 316 Ignacio, CO 81137	(970) 563-3308 ⁽¹⁾	200	Basin Fruitlan			
4. Location of Well (Report location clearly and in accordance with a	ny State requirements (*)	ADD TO	31. Sec., T., R., M.,	or Blk. and Survey or Are		
At surface 1920' FSL & 1125' FEL		20ne				
At proposed prod. zone same			Section 13. 3	1N. 6W		
14. Distance in miles and direction from nearest town or post office*	Fro Lin	N. J. On.	County or Parish			
approximately 30 miles northeast of Blanco, New Mexico		- V. @ - V.	Rio Arriba	NM.		
15. Distance from proposed*	16. No. of Acres in lease	17. Spac	ing Unit dedicated to thi	s well		
location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)	25.00	7 1818	7			
Also to hearest drig. unit line, it any) Also Distance from proposed location*	2,518.40 19. Proposed Depth		71.74 (S/2) I/BIA Bond No. on file			
to nearest well, drilling, completed, applied for, on this lease, ft.	3,305′		0847			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work		23. Estimated durat	tion		
6,348' GR	April 1, 2005		1 month			
	24. Attachments					
3. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office		r site specific in	formation and/or plans	s as may be required by		
25. Signature	Name (Printed/Typed)			Date		
Lavery Higg	Larry Higgins			3/02/05		
Title						
Approved by (Signature)	Name (Printed/Typed)			Date		
Title Title	Office			777		
AFM	FF	7				
Application approval does not warrant or certify that the applicant hole operations thereon.	ds legal or equitable title to those i	ights in the subje	ct lease which would ent	itle the applicant to cond		
operations thereon. Conditions of approval, if any, are attached.						
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make States any false, fictitious or fraudulent statements or representations a	e it a crime for any person knowir	ngly and willfully	to make to any departm	nent or agency of the Uni		
*(Instructions on reverse)	manor minin na junamen					
Williams Exploration and Production Company, LLC, proposes	to drill a well to dovelar the Da	oin Endlend O	nal farmation of the	oun doordhad taasta		
accordance with the attached drilling and surface use plans.	to drill a well to develop the Ba	isin Fruitiand Co		love described location		
The surface is under jurisdiction of the Bureau of Land Manage	ment, Farmington Field Office.		3	⊒		
This location has been archaeologically surveyed by La Plata A	Archaeological Consultants. Co	pies of their rep	ort have been submitt	ed directly to the BLM.		
This location is proposed to be twinned with the proposed Rosa	This location is proposed to be twinned with the proposed Rosa 182 well.			ಎ		
This APD is also serving as an application to obtain a pipeline	right-of-way. A 163.00-foot pip	eline tie would t	pe required for this loc	ation.		
			OT(.3		
				- 트		
•			e Transport	} -		
DRILLING OPERATIONS AUTHORIZED AND	RIRANA	ואה		\Box		

DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED "GENERAL REQUIREMENTS".

NMOCD

This action is subject to technical and procedural review pursuant to 43 CFR 3165.3 and appeal pursuant to 43 CFR 3165.4

District I PO Box 1980, Hobbs, NM 88241-1980

District II PO Drawer DD, Artesia, NM 88211-0719

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV PO Box 2088, Santa Fe, NM 87504-2088 State of New Mexico Energy. Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Form C-102 Revised February 21, 1994 Instructions on back Appropriate District Office


Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


1 A	'API Number			е		Pool Nam				
30-03	34.7	9487	'	71629)	BASIN FRUITLAND COAL				
*Property		Property Name				We.	11 Number			
1703:	3	ROSA UNIT				1	210A			
OGRID N	lo .	*Operator Name				'E:	levatioņ			
12078	2	WILLIAMS PRODUCTION COMPANY						6348`		
¹⁰ Surface Location										
UL or lot no	Section	Township	Range	Lot Idn	Feet, from the	North/South line	Feet from the	East/We	st line	County
J	13	31N	6W		1920	SOUTH	1125	EA	ST	RIO ARRIBA
¹¹ Bottom Hole Location If Different From Surface										
UL or lot no.	Section	Township	Range	Lot Idn	Fact from the	North/South line	Feet from the	East/Wi	est line	County
12 Deducated Acres		.74 Acr	es - (S/2)	¹³ Joint or Infill	³⁴ Consolidation Code	⁹⁰ Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



HE DIVISION
" OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief
land than "
Signature
Printed Name
DRILLING COM
7 itle 3 -3-05
Date
18 SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
Date Revised: NOVEMBER 3, 2004 Survey Date: SEPTEMBER 21, 2004
Signature and Seal of Professional Surveyor
SECH C. EDWARD
SECH MEXICO
(R ((15269)) g
AD-ESSION AS
T
Certificate Number 15269

District I District II Distri	03
District II	
1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DIVISION 5 Indicate Type of Lease FEDERAL X	
District III 1220 South St. Francis Dr. STATE FEE STATE FEE	`
District IV 1220 S. St. Francis Dr., Santa Fe, NM Santa Fe, NM 8/303 6. State Oil & Gas Lease No. Federal NMSF-0078767	
87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Nam	ie
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH Rosa Unit	
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other 8. Well Number 210A	
2. Name of Operator 9. OGRID Number 120782	
Williams Exploration and Production Company 3. Address of Operator 10. Pool name or Wildcat	
P.O. Box 316, Ignacio, CO 81137 Basin Fruitland Coal	
4. Well Location	
Unit Letter J: 1920 feet from the south line and 1125 feet from the east line Section 13 Township 31N Range 6W NMPM County Rio Arriba	
Section 13 Township 31N Range 6W NMPM County Rio Arriba 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
6,348' GR	
Pit or Below-grade Tank Application or Closure Pit typereserve_Depth to Groundwater_>100'_Distance from nearest fresh water well_>1,000'_Distance from nearest surface water_>1,000'	
Pit Liner Thickness: 12 mil Below-Grade Tank: Volume bbls; Construction Material	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING	П
TEMPORARILY ABANDON	
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB	
OTHER: OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated	
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed compl or recompletion.	etion
Reserve pit to be constructed in accordance with NMOCD Interim Pit and Below-grade Tank Guidelines	
Reserve pit to be constructed in accordance with NMOCD Interim Pit and Below-grade Tank Guidelines Reserve pit to be located approximately 30 feet north of the well head, in the northwest corner of the well pad	
Rserve pit to be located approximately 30 feet north of the well head, in the northwest corner of the well pad	elow.
	elow-
Rserve pit to be located approximately 30 feet north of the well head, in the northwest corner of the well pad I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or b	elow- ı □.
Reserve pit to be located approximately 30 feet north of the well head, in the northwest corner of the well pad I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or b grade tank has been will be constructed or losed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plant SIGNATURE TITLE Drilling COM DATE 3-02-2005 Type or print name Larry Higgins E-mail address: larry.higgins@williams.com Telephone No. (970) 563-3308	elow- ı □.
Reserve pit to be located approximately 30 feet north of the well head, in the northwest corner of the well pad I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or b grade tank has been/will be constructed or losed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan SIGNATURE	elow- i
Reserve pit to be located approximately 30 feet north of the well head, in the northwest corner of the well pad I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or b grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan SIGNATURE	elow- 1 □.





WILLIAMS PRODUCTION COMPANY

Operations Plan

(Note: This procedure will be adjusted on site based upon actual conditions)

DATE:

3/2/2005

WELLNAME:

Rosa Unit #210A

Rio Arriba, NM

FIELD:

Basin Fruitland Coal

LOCATION:

NWSE Sec. 13-T31N-6W

SURFACE:

Federal

ELEVATION:

6,348' GR

MINERALS:

Federal

TOTAL DEPTH:

3,305'

LEASE#

SF-078767

L GEOLOGY:

Surface formation - San Jose

A. FORMATION TOPS: (KB)

NAME	DEPTH	NAME	DEPTH
San Jose	Surface	Top Coal	3,060
Nancimiento	1,170	Bottom Coal	3,205
Ojo Alamo	2,445	Pictured Cliffs	3,205
Kirtland	2,550	TD	3,305
Fruitland	2,960		

B. LOGGING PROGRAM: None

C. <u>NATURAL GAUGES:</u> Gauge any noticeable increases in gas flow. Record all gauges in Tour book and on morning reports.

II. DRILLING

- A. MUD PROGRAM: Clear water with benex to 7" casing point. Treat for lost circulation as necessary. Expect 100% returns prior to cementing. Notify Engineering of any mud losses. If coal is detected before 3,040' DO NOT drill deeper until Engineering is contacted.
- B. **Drilling Fluid:** Coal section will be drilled with Fruitland Coal water.
- C. MUD LOGGING PRORAM: Mud logger will be on location at drill out below 7" casing to TD.

D. <u>BOP TESTING:</u> While drill pipe is in use, the pipe rams and the blind rams will be function tested once each trip. The anticipated reservoir is expected to be less than 1300 psi, so the rams will be tested to 1500 psi. The surface and intermediate casing strings will be pressure tested to 1500 psi in conjunction with the BOP test before drilling out cement. The drum brakes will be inspected and tested each tour. All tests, inspections and SPR's will be recorded in the tour book as to time and results.

III. MATERIALS

A. CASING PROGRAM:

CASING TYPE	HOLE SIZE	DEPTH	CASING SIZE	WT. & GRADE
Surface	12-1/4"	+/- 300'	9-5/8"	36# K-55
Intermediate	8-3/4"	+/- 3,040'	7"	20# K-55
Prod. Liner	6-1/4"	+/- 2,940'- 3,205'	5-1/2"	15.5# K-55

B. FLOAT EQUIPMENT:

- 1. <u>SURFACE CASING:</u> 9-5/8" notched regular pattern guide shoe. Run (1) standard centralizer on each of the bottom (4) joints of Surface Casing.
- 2. <u>INTERMEDIATE CASING:</u> 7" cement nose guide shoe with a self-fill insert float. Place float collar one joint above the shoe. Install (1) Turbulent centralizer on each of the bottom (3) joints and one standard centralizer every (3) joints to 2,500 ft. Run (1) Turbulent centralizer at 2,700 ft., 2,300 ft., 2,300 ft., 2,000 ft., 1,500 ft., and 1,000 ft. (NTL-FRA 90-1).
- 3. <u>PRODUCTION LINER / CASING:</u> 4-1/2" & 5-1/2" whirler type cement nose guide shoe with a latch collar on top of 20' bottom joint. Place marker joint above 5,400'. Place centralizers as needed across selected production intervals.

C. CEMENTING:

(Note: Volumes may be adjusted onsite due to actual conditions)

- 1. <u>SURFACE</u>: Use 190 sx (264 cu.ft.) of "Type III" with 2% CaCl₂ and 1/4# of cello-flake/sk (Yield = 1.41 cu.ft./sk, Weight = 14.5 #/gal.). Use 150% excess to circulate the surface. WOC 12 hours. Total volume = 206 cu.ft. Test to 1500#.
- INTERMEDIATE: Lead 410 sx (851 cu.ft.) of "Type III" 65/35 poz with 8% gel, 1% CaCl₂ and 1/4# cello-flake/sk (Yield = 2.09 cu.ft./sk, Weight = 12.1 #/gal.). Tail 50 sx (70 cu.ft.) of "Type III" with 1/4# cello-flake/sk, and 1% CaCl₂ (Yield = 1.4 cu.ft./sk, Weight = 14.5#/gal.). Use 120% excess in Lead Slurry to circulate to surface. No excess in Tail Slurry. Total volume = 921 cu.ft. Bump Plug to 1,500 psi. Notify engineering if cement is not circulated to surface.
- 3. PRODUCTION LINER: Open hole completion. No cement.

Rosa Unit #210A Operation Plan Page #3

IV COMPLETION

A. PRESSURE TEST

Pressure test 7" casing to 3300# for 15 minutes.

B. STIMULATION

<u>Cavitate Well</u> with reciprocation and rotation. Surge wells with water and air and then flow back to pit. Cavitate for 2 to 3 weeks. Maximum pressure not expected to exceed 2,000 psi.

C. RUNNING TUBING

1. <u>Fruitland Coal:</u> Run 2-3/8", 4.7#, J-55, EUE tubing with a SN (1.375" ID) on top of bottom joint. Land tubing approximately 50' above TD.

Gary Sizemøfe
Sr. Drilling Engineer

file:Rosa210A

..... company, LLC

Well Control Equipment Schematic for 2M Service

Attachment to Drilling Technical Program

Typical BOP setup

