District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

District IV Dr. Santa Fe. NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

1220 S of Francis Dr., Sama Fe, Nini 67505				
Pit, Closed-Loop System, Below-Grade Tank, or				
Proposed Alternative Method Permit or Closure Plan Application  —				
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method				
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
Modification to an existing permit				
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances				
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538				
Address: PO Box 4289, Farmington, NM 87499				
Facility or well name: McCord 103				
API Number: 30-045-34253 OCD Permit Number				
U/L or Qtr/Qtr: P(SE/SE) Section: 22 Township: 30N Range: 13W County: San Juan				
Center of Proposed Design: Latitude: 36.794748 °N Longitude: 108.18578 °W NAD: X 1927 1983				
Surface Owner: Federal State X Private Tribal Trust or Indian Allotment				
Pit: Subsection F or G of 19 15 17 11 NMAC  Temporary				
Below-grade tank: Subsection I of 19 15 17 11 NMAC  Volume				
5 Alternative Method:				
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify					
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19 15 17 11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15 3 103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  (Fencing/BGT Liner)  Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	∐No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes NA	No			
- Visual inspection (certification) of the proposed site, Aerial photo, Satellite image  Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No			
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	Yes	□ No			
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> <li>Within an unstable area.</li> </ul>	Yes Yes	∐No ∏No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map  Within a 100-year floodplain	Yes	□ □No			
- FEMA map	" ' ' ' ' '				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19 15 17 13 NMAC
Previously Approved Design (attach copy of design)  API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
X Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15 17 9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17 9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC
Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC
Dike Protection and Structural Integrity Design. based upon the appropriate requirements of 19.15.17 11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan   Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC
14
Proposed Closure: 19 15 17 13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative
Proposed Closure Method Waste Excavation and Removal
X Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.    Destoods and Procedures based when the empressists requirements of 10.15.17.13 NIMAC.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC
Disposal Facility Name and Permit Number (for Inquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC

Form C-144 Oil Conservation Division

16				l		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required						
Disposal Facility Name Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-00	010B			
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #	NM-01-005				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information  No						
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC						
17						
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMA Instructions Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district offic office for consideration of approval - Justifications and/or demonstrations of equivalency are	Recommendations of acceptable e or may be considered an excep	tion which must be submitted to				
Ground water is less than 50 feet below the bottom of the buried waste			Yes No			
- NM Office of the State Engineer - iWATERS database search, USGS Data obta	ained from nearby wells		□N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste			Yes No			
- NM Office of the State Engineer - (WATERS database search, USGS, Data obtained)	ined from nearby wells		∐N/A			
Ground water is more than 100 feet below the bottom of the buried waste			Yes No	İ		
- NM Office of the State Engineer - tWATERS database search, USGS, Data obta	ined from nearby wells		∐N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	ant watercourse or lakebed, su	nkhole, or playa lake	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in e - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		pplication	Yes No			
			Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database, Visual inspection (certification)	ence at the time of the initial ap					
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended		pal ordinance adopted	Yes No			
<ul> <li>Written confirmation or verification from the municipality, Written approval obta</li> <li>Within 500 feet of a wetland</li> </ul>	med from the municipality		□Yes □No			
- US Fish and Wildlife Wetland Identification map, Topographic map, Visual insp	ection (certification) of the pro	posed site				
Within the area overlying a subsurface mine			Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and M	lineral Division					
Within an unstable area			Yes No			
<ul> <li>Engineering measures incorporated into the design, NM Bureau of Geology &amp; Mi Topographic map</li> </ul>	neral Resources, USGS, NM (	Jeological Society,		l		
Within a 100-year floodplain			Yes No	ļ		
- FEMA map						
18 On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items mus	st bee attached to the closi	re plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriat	e requirements of 19 15 17	10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirement	nts of Subsection F of 19 15	17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the	ne appropriate requirements	of 19 15 17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a dry	ing pad) - based upon the ap	propriate requirements of	19 15.17 11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriat	e requirements of Subsection	n F of 19 15 17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requiremen	ts of Subsection F of 19 15	17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subset						

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
1 hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Dollie Bussey Title Staff Regulatory Technician
Signature Date 8/10/12
e-mail address dollie l.busse conocophillips com Telephone 505-324-6104
20 OCD Approval: Permit Application (including closure plan) only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: \$15/2017
A STATE OF THE STA
Title: GMPlance Office OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (surface owner and division)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: LatitudeLongitudeNAD19271983
25 Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief—I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print).  Title
Signature, Date
e-mail address Telephone

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.