

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

5. Lease Serial No.
NM 03451

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE -- Other instructions on reverse side

1. ☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Elm Ridge Resources, Inc.

3a. Address
P.O. Box 189, Farmington, NM 87499

3b. Phone No. (include area code)
(505) 632-3476 ext. 203

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1850' FSL X 1650' FWL Sec.34-T24N-R1W NE/SW

8. Well Name and No.

Regina #7

9. API Well No.

30-039-21159

10. Field and Pool, or Exploratory Area

Blanco PC South

11. County or Parish, State

Rio Arriba County, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

This slim hole well has sustained a casing failure. We will have a rig in this area during the week of April 18th, 2005 and appreciate approval to plug at that time. The plugging procedure is attached.

2005 APR 12 PM 1 48
RECEIVED
070 FARMINGTON NM

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Amy Mackey

Title

Production Assistant

Signature

Date

April 11, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Original Signed: Stephen Mason

Title

Date

APR 13 2005

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

APPROVED

NMCCD

Plugging Program for Regina #7:

Plug 1: With end of 1" workstring near 2990', spot ~~6~~ sack balanced plug from 2990' to ~~2847'~~ ^{2576'} to cover perforations, Pictured Cliffs top, and Fruitland Coal top. *• Ojo Alamo*

Plug 2: ~~With end of 1" workstring at 2690', spot 4 sack balanced plug to cover top of Ojo Alamo from 2690-2590'.~~

→ Nacimiento 1430'-1330' Inside & outside 2 7/8" casing

Plug 3: With end of 1" workstring at 150', mix and pump 5 sack plug (or until cement circulates to surface), inside of 2-7/8" slimhole casing. *inside & outside 2 7/8" casing.*

Cut off wellhead 3' below surface. Install dry hole marker. Reclaim location.

Elm Ridge Resources

Pertinent Data Sheet

Well Name: Regina #7
Footage: 1850' FSL and 1650' FWL
Location: Section 34, T24N, R1W
County: Rio Arriba County, NM
API#: 30-039-21159

Field: South Blanco Pictured Cliffs

Elevation: 7303' KB

TD: 3014' KB

PBTD: 2990' KB

Completed: 9/15/76

Casing Record:

Hole Size	Casing Size	Wt.	Grade	Depth Set	Cement
12-1/4"	8-5/8"	24#	N/A	95'	90 sacks (Circ. to Surface)
6-3/4"	2-7/8"	9.5#	N/A	3270'	150 sacks TOC 2362' (Calc.)

Formation Tops:

Ojo Alamo 2640'
Fruitland Coal 2897'
Pictured Cliffs 2946'

Perforations: Pictured Cliffs: 2950-2960'

Wellbore Diagram
Regina #7
SW/4 Sec. 34, T24N, R1W
Rio Arriba County Co., NM
API #30-039-21159

