District I 1625 N. French Dr., Hobbs, NM 88240 District II 7301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Matural Resources

Oil Conservation Division 1220 South St. Flancis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a "general plant" Yes \(\subseteq \text{No } \text{X} \) faction: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank	
faction: Registration of a pit or below-grade tank \(\bar{\pi} \) Closure of \(\bar{\pi} \) pit or below-grade tank \(\bar{\pi} \)	X

Type of action. Registration of a pit of below-grade tank Closure of pit of below-grade tank A			
Operator:Energen Resources CorporationTelephone: _505.325.6800e-mail address:vdonaghe@energen.com			
Address: 2198 Bloomfield Highway – Farmington, NM 87401			
Facility or well name: _Flora Vista 19 #3 API #: _30-045-32574 U/L or Qtr/Qtr _P Sec _19 T _30N R _11W			
County: San Juan Latitude			
Surface Owner: Federal X State Private Indian			
Pit	Below-grade tank	,	
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:		
Workover ☐ Emergency ☐	Construction material:		
Lined X Unlined	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic X Thickness 12 mil Clay			
Pit Volume _5000bbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)	
high water elevation of ground water.)	100 feet or more	(0 points) 0	
	Yes	(20 mainta)	
Wellhead protection area: (Less than 200 feet from a private domestic	No.	(20 points) (0 points) 0	
water source, or less than 1000 feet from all other water sources.)	140	(o points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
maganon samus, and postument and spirometal massive and sold of	1000 feet or more	(0 points) 0	
	Ranking Score (Total Points)	0	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite X offsite I If offsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No X Yes I If yes, show depth below ground surfaceft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments:			
Energen Resources built a lined pit according to "OCD Pit and Below-grade Tank Guidelines", as issued on November 1, 2004. Energen closed this pit in accordance			
with BLM and "OCD Pit and Below-grade Tank Guidelines". See APD for cut & fill diagram.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has			
been/will be constructed or closed according to NMOCD guidelines X , a general permit , or an (attached) alternative OCD-approved plan .			
Duta: 05/20/05			
Printed Name/Title Doug Thomas Signature			
Signature Signature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or			
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
MAY 0 0 000			
Approval: BEPUTY Off. & GAS INSPECTOR, DIST. Signature Signature Date:			
Printed Name/Title Date:			