District I
1425 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

APPOUNT OIL & GAS INSPECTOR, DIST. AND Printed Name/Title _______ Signature _____

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No.} \(\subseteq \)

Type of action: Registration of a pit or below-grade tank. Closure of a pit or below-grade tank e-mail address: EHasely@br-inc.com Operator: Burlington Resources Telephone: (505) 326-9841 Address: 3401 East 30th Street, Farmington, New Mexico, 87402 Facility or well name: Reid No. 23 API #: __30045074370000 U/L or Qtr/Qtr L Sec 17 T 28N R 9W NAD: 1927 X 1983 ☐ County: San Juan Latitude 36.6591 -107.81695 Longitude Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐ Below-grade tank Type: Drilling Production Disposal D Volume: 60 bbl Type of fluid: Produced Water and Incidental Oil Workover ☐ Emergency ☐ Construction material: Fiberglass Lined Unlined U Double-walled, with leak detection? Yes \(\square\) If not, explain why not. Liner type: Synthetic Thickness mil Clay No. Tank in place prior to Rule 50. Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) 0 Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) 0 water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 0 1000 feet or more (0 points) **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surface ______ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. **Additional Comments:** Below Grade Tank B The soils tested clean and no soil remediation was required. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . Date: 5/19/05 Printed Name/Title Mr. Ed Hasely, Environmental Advisor Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or

Burlington Resources

Envirotech Inc.

ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON NEW MEXICO 6746: PHONE (505) 632-2615

FIELD REPORT. CLOSURE VERIFICATION .---

EDUATION NAME Reid	WELL # 23	PIT.	0412 STARTED 3/30/05 0412 SRUSHED 3/30/05
QUADZUNIT & SECT	T TWP 28N RNG 09W PM NI CONTRACTOR Lo	HPM CNTY: ST ST NA	ENVIRONMENTA: SPECIALIST MPM
EXCAVATION APPROX 1	FT x 12	FT DEEP CUBIC MEDIATION METHO	YARDAGE:
FIELD NOTES & REMARK DEPTH TO GROUNDWATEP O NMOUD RANKING SCORE O SOIL AND EXCAVATION Pit B Visible contamina At 3' Julian Ro	PIT LOCATED APPROXIMATE NEAREST WATER SOURCEO NOOD THE CLOSURE STD:SOON DESCRIPTION: Aion under surfaceDivisible signs. Gave and from this below grant to the surface of the surface o	NEAREST SURFACE NEARES	15° FROM WELLHEAD. E VATER O LHECH ONE. PIT ABANDONED STÈEL TANK INSTALLED. bulow surface.
O FT PIT PERIME	TER OVM RESULTS SAMPLE FIELD HEADS! 13' Below 17 2 3 4 5 LAB SAMPLES SAMPLE ANALYSIS	PACE	PROFILE below pit



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Burlington Resources

Project #:

92115-021-050

Sample No.:

1

Date Reported:

5/17/2005

Sample ID:

Discrete, 3' Below BG Tank

Date Sampled:

3/30/2005

Sample Matrix:

Soil

Date Analyzed:

3/30/2005

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

847

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Reid No. 23, BGT B

Analyst

Reyley