1625 N. French Dr., Hobbs, NM 88240

District M 1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 3 1220 South St. Francis Dr. Santa Fe, NW 87505

For drilling and production facilities, submitto appropriate NMOCD District Office.

For downstreamfacilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration Closure
Is pit or below-grade tank covered by a "general plant Tyes I No X

Type of action: Registration of a pit or below-graderank [1] Closure of Lappit or below-gradetank [2]		
Operator: ConocoPhillips Company Telephone: (505)599-419 e-mail address: juanitar farrell@conocophillips.com		
Address: 5525 Highway 64 Farmington, NM 87401		
Facility or well name: SAN JUAN 32-7 UNIT 214A API#: 30-045-32437 U/lor Qtr/Qtr E Sec 34 T 32N R 7W		
County: SAN JUAN Latitude Longitude NAD: 1927 1983 Surface Owner Federal X State Private Indian		
Pit Below-gradetank		
Type: Drilling X Production Disposal	Volume:bbl Type of fluid: Construction material:	
Workover Emergency		
Lined X Unlined	Double-walled, with leak detection? Yes I If not, explain why not.	
Linertype: Synthetic \(\) Thickness \(\frac{12}{2} \) mil Clay \(\)	bounte-wanted, with leak detection. Tes Trinot, explain why not.	
Pit Volumebbl		11 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Tit volume	Less than 50 feet	I (20 - i-t-)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	· ·	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellheadprotectionarea: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(0 points)
water source, or ress than 1000 feet from an other water sources.)	L 1 - 200 C	(20 - : +)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral water courses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	
If this is a pit closure (1) attacha diagramof the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility(3) Attach a general description of remedial action taken including		
remediationstart date and end date. (4) Groundwaterencountered: No 🗓 Yes 🗌 If yes, show depth below groundsurfaceft.and attach sample results. (5)		
Attach soil sample results and a diagram of sample locations and excavations.		
AdditionalComments:		
This drill pit was closed 5/12/2005 in accordance with rule 50 and as per November 1, 2004 guidelines.		
data pro true es salve s		
CW 400L WWW 400L GW 500 4000L		
GW: >100' WHP: >1000' SW: 200-1000'		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-gradetank has		
been/will be constructed or closed according to NMOCD guidelines ⊠, a general permit □, or an (attached) alternative OCD-approved plan □. Date: 05/29/2005		
Printed Name/Title Juanita Farrell Regulatory Analyst Signature Juant Faull		
Your certification and NMOCD approval of this application/closuredoes not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: DEPUTY OIL & GAS INSPECTOR, DIST. 58 1 JUN - 1 2005		
Printed Name/Title Signature Date:		

