

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Redwolf Production, Inc.

3. Address and Telephone No.

P. O. Box 5382, Farmington, NM 87499 (505) 326-4125

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

870' FNL & 800' FEL  
Section 17, T29N, R11W

5. Lease Designation and Serial No.

NMNM019405

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Bloomfield No. 2

9. API Well No.

30-045-25864

10. Field and Pool, or Exploratory Area

Otero Chacra

11. County or Parish, State

San Juan County, New Mexico

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

☒ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other

☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completions on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Redwolf Production, Inc. requests approval to plug and abandon the subject well

as follows: 1. Trip out of hole with 1 1/4" tubing and packer.

2. Tie onto 2 7/8" casing and establish circulation with water.

3. Mix and pump 125 sx (148 cf) Class B cement containing 2% CaCl filling entire wellbore. Tag cement top and verify cement to surface.

4. Cut off wellhead, erect dry hole marker, and reclaim location.

14. I hereby certify that the foregoing is true and correct

Signed Dana J. Delventhal Title Vice-President Date 8/19/2005

(This space for Federal or State office)

Approved by Original Signed: Stephen Mason Title \_\_\_\_\_ Date AUG 29 2005

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOC


## BLOOMFIELD #2

870' FNL, 800' FEL  
Sec. 17, T29N, R11W

8 5/8", 24# CSA 140'  
CMT W/ 100 CF CMT

PACKER SET AT 2521'

2 7/8", 6.4#  
CASING SET AT 3043'  
W/ 1212 CF CMT



1 1/4", EUE TBG AT 2575'

2520'  
OTERO CHACRA  
2954'

# BLOOMFIELD #2

## PROPOSED

870' FNL, 800' FEL  
Sec. 17, T29N, R11W

8 5/8", 24# CSA 140'  
CMT W/ 100 CF CMT

PACKER SET AT 2521'

2 7/8", 6.4#  
CASING SET AT 3043'  
W/ 1212 CF CMT

