District I 1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Pit Closed-Loon Syste	em, Below-Grade Tank, or
	l Permit or Closure Plan Application
	system, below-grade tank, or proposed alternative method
	system, below-grade tank, or proposed alternative method
Modification to an existing p	
	for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or propose	
Instructions: Please submit one application (Form C-144) per ind	ividual pit, closed-loop system, below-grade tank or alternative request
•••	f liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comp	oly with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: <u>14538</u>
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: Seymour 7	
API Number: 30-045-10597	OCD Permit Number:
U/L or Qtr/Qtr: A(NE/NE) Section: 23 Township: 31N	N Range: 9W County: San Juan
Center of Proposed Design: Latitude: 36.88768 °N	Longitude: 107.74361 °W NAD: X 1927 1983
Surface Owner: X Federal State Private	Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC	RCVD NOV 20 '12
String-Reinforced Liner Seams: Welded Factory Other 3 X Closed-loop System: Subsection H of 19.15.17.11 NMAC	OIL CONS. DIV. DIST. 3 Volume: bbl
Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness n String-Reinforced Liner Seams: Welded Factory Other 3 X Closed-loop System: Subsection H of 19.15.17.11 NMAC	ver or Drilling (Applies to activities which require prior approval of a permit or
Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness n String-Reinforced Liner Seams: Welded Factory Other 3 X Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: X P&A Drilling a new well Workove notice of Drying Pad X Above Ground Steel Tanks Haul-off Bins Lined Unlined Liner type: Thickness mi	volume: bbl Dimensions L x W x D ror Drilling (Applies to activities which require prior approval of a permit or cintent)
Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness n String-Reinforced Liner Seams: Welded Factory Other 3 X Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: X P&A Drilling a new well Workove notice of Drying Pad X Above Ground Steel Tanks Haul-off Bins	Notice Continued to the property of the property of the proof of the property of the propert
Permanent	Note DIST. 3 Volume: bbl Dimensions L x W x D
Permanent	Note DIST. 3 Volume: bbl Dimensions L x W x D

6 Farmings Subsection D of 10.15.17.11 NIMAC (Applies to recognized with temporary pits, and below greate tanks)		
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	titution or chu	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate. Please specify		
7		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		<u></u>
8		
Signs: Subsection C of 19.15.17.11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15,3,103 NMAC	_	
9		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	proval.
(Fencing/BGT Liner)		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		•
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Cround water is less than 50 feet below the bettem of the terror water nit normanent nit on below grade tonk	l □ _{Vas}	ГТмо
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Lites	∐ NO
	□ _{Vaa}	□ _{No}
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Lites]NO
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a neumanent residence school beenited institution, or shough in existence at the time of initial	□v _{oc}	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	L	,
		\square_{N_0}
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No
(Applied to permanent pits)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended		Ш.
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	l	
Within 500 feet of a wetland. LIS Fish and Wildlife Wetland Identification man: Tanagraphic man: Visual inspection (certification) of the proposed site	Yes	∐No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No
•	∏Yes	□No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological 		
Society; Topographic map		
Within a 100-year floodplain	Yes	No
- FEMA map	ı —	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Design attack copy of design API Previously Approved Operating and Maintenance Plan API
Treviously Approved Operating and Mannenance Fran AFI
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
IA D. LOI CONTRACTOR OF THE CO
<u>Proposed Closure:</u> 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Materialize Crosure rection (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St.	eel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)	
Instructions: Please identify the facility or facilities for the disposal of liquids, drillin facilities are required.	g fluids and drill cuttings. Use attachment if more than two	
Disposal Facility Name:	Disposal Facility Permit #:	
Disposal Facility Name:		
Will any of the proposed closed-loop system operations and associated activit Yes (If yes, please provide the information No		service and
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate Plan - based upon the a	riate requirements of Subsection H of 19.15.17.13 NMA action I of 19.15.17.13 NMAC	AC
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district offic office for consideration of approval. Justifications and/or demonstrations of equivalency and	 Recommendations of acceptable source material are provided ce or may be considered an exception which must be submitted to 	
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No
 NM Office of the State Engineer - iWATERS database search; USGS: Data ob 	tained from nearby wells	∐N/A
Ground water is between 50 and 100 feet below the bottom of the buried wast	e	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells	□N/A
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells	N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).	cant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in		Yes No
 Visual inspection (certification) of the proposed site; Aerial photo; satellite imag 	e	□Yes □No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exis - NM Office of the State Engineer - iWATERS database; Visual inspection (certif Within incorporated municipal boundaries or within a defined municipal fresh water w	tence at the time of the initial application. ication) of the proposed site	□ □ □ □ No
pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obt		
Within 500 feet of a wetland	, ,	Yes No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual insp	pection (certification) of the proposed site	
Within the area overlying a subsurface mine.	Grant Division	Yes No
 Written confirantion or verification or map from the NM EMNRD-Mining and N Within an unstable area. 	Willerai Division	☐Yes ☐No
- Engineering measures incorporated into the design; NM Bureau of Geology & N	lineral Resources; USGS; NM Geological Society;	
Topographic map		
Within a 100-year floodplain FEMA map		Yes No
18		N
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.		rre pian. Preuse maicate,
Siting Criteria Compliance Demonstrations - based upon the appropria		
	•••	19 15 17 11 NMAC
		.5.15.17.11 TOMAC
		•
	•	
\equiv	8	annot be achieved)
		·
Re-vegetation Plan - based upon the appropriate requirements of Subsc		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subscience Site Reclamation Plan - based upon the appropriate requirements of Subscience S		

Form C-144 Oil Conservation Division

19		
Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Name (Print): Title:		
e-mail address: Telephone:		
OCD Approval: Permit Application (including clossure plan) flosure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1/27/2012 Title: OCD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 10/24/2012		
A Closure completion Date. 10.2.0.2.12		
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.		
23		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B		
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?		
Yes (If yes, please demonstrate compliane to the items below)		
Required for impacted areas which will not be used for future service and operations:		
Site Reclamation (Photo Documentation)		
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD 1927 1983		
55.15 2.55.11 2.56.11 2.76.		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print): Dollie L. Busse Title: Staff Regulatory Technician		
Signature: Date: 11/19/12		
e-mail address: dollie.l.busse@conocophillips.com Telephone: (505) 324-6104		