District 1

1625 N. French Dr., Hobbs, NM 88240

District II

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

 $\label{eq:July 21, 2008} \mbox{ For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.}$

Form C-144

The second of th

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 S. Bt. 1 lane	cis Dr., Banta Te, 1441 67505	Pit, Closed-Loop System, Below-Grade Tank, or
		rit, Closed-Loop System, Below-Grade Talik, or
B	<u>Prop</u>	osed Alternative Method Permit or Closure Plan Application
10663	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
100		X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
		Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
		below-grade tank, or proposed alternative method
Instruction	ns: Please submit one a	application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538					
Address: P.O. Box 4289, Farmington, NM 87499					
Facility or well name: SAN JUAN 27-4 UNIT 101P					
API Number: 30-039-30971 OCD Permit Number:					
U/L or Qtr/Qtr: O(SW/SE) Section: 28 Township: 27N Range: 4W County: Rio Arriba					
Center of Proposed Design: Latitude: 36.537853 °N Longitude: 107.254542 °W NAD: 1927 X 1983					
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment					
X Pit: Subsection F or G of 19.15.17.11 NMAC RCVD NOV 28 '12					
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Liner Seams: Welded Factory Other					
Below-grade tank: Subsection 1 of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other					
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA .			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	☐Yes ☐No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.	Yes No			
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological				
Society; Topographic map Within a 100-year floodplain - FEMA map				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
☐ Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Closure Flair - based upon the appropriate requirements of Subsection C of 19.13.17.9 NMAC and 19.13.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.	ng jiulas ana arul cuttings. Ose attachment if more than two				
Disposal Facility Name:	Disposal Facility Permit #:				
Disposal Facility Name:	Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated acti Yes (If yes, please provide the information No		service and			
Required for impacted areas which will not be used for future service and operation. Soil Backfill and Cover Design Specification - based upon the appro Re-vegetation Plan - based upon the appropriate requirements of Subs Site Reclamation Plan - based upon the appropriate requirements of Subs	opriate requirements of Subsection H of 19.15.17.13 Nection I of 19.15.17.13 NMAC	MAC			
17					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. It certain siting criteria may require administrative approval from the appropriate district office of office for consideration of approval. Justifications and/or demonstrations of equivalency are re-	Recommendations of acceptable source material are provided below or may be considered an exception which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data of	btained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried water	aste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob		N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		☐Yes ☐No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob	otained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark).	ificant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image					
Yes No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.					
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine.	ispection (certification) of the proposed site	∏Yes ∏No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division				
- · · · · · · · · · · · · · · · · · · ·	- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;				
Topographic map Within a 100-year floodplain FEMA map		☐Yes ☐No			
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each	ak of the following items must be attached to the ele	suma plan. Plagga indicate			
by a check mark in the box, that the documents are attached.	en of the following tiems must bee unuened to the cio	sure pura Treuse muicuie,			
Siting Criteria Compliance Demonstrations - based upon the appropri	riate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate require	ments of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requiren	•	AC			
Disposal Facility Name and Permit Number (for liquids, drilling flui		Is cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Sub		- I I I I I I I I I I I I I I I I I I I			
Re-vegetation Plan - based upon the appropriate requirements of Sul	bsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
That do not be a second of the
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1/30/2012 Title: OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: November 4, 2011
22 Closure Method: Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.538088 °N Longitude: 107.254521 °W NAD 1927 X 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Jamie Goodwin Title: Regulatory Tech.
Signature: Amu Goodww Date: 11/2/4/2
e-mail address: jamie.l.goodwin@conocophillips.com Telephone: 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 27-4 UNIT 101P

API No.: 30-039-30971

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

 Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

The closure plan requirements were met due to rig move off date as noted on C-105.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	20.9 ug/kG
TPH	EPA SW-846 418.1	2500	1470 mg/kg
GRO/DRO	EPA SW-846 8015M	500	87.0 mg/Kg
Chlorides	EPA 300.1	1000/500	220 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 27-4 UNIT 101P, UL-O, Sec. 28, T 27N, R 4W, API # 30-039-30971

Jaramillo, Marie E

From:

Jaramillo, Marie E

Sent:

Wednesday, June 02, 2010 1:02 PM

To:

'jimmy_dickerson@nm.blm.gov'; 'jreidinger@fs.fed.us'; 'mark_kelly@nm.blm.gov' SURFACE OWNER NOTIFICATION 06/02/10 (2)

Subject:

Importance:

High

The subject well will have a temporary pit that will be closed on site. Please let me know if you have any questions. Thanks

SAN JUAN 27-4 UNIT 101P

Marie Jaramillo Staff Regulatory Tech. ConocoPhillips Office # (505) 326-9865 Fax # (505) 599-4062 mailto:marie.e.jaramillo@conocophillips.com District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

1 API Number

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Pool Code

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies


³ Pool Name

DAKOTA / MESAVERDE

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

Surface Soperator Name Surface	4 Property Code	e				5 Property SAN JUAN		,		⁶ Well Number 101P
BURLINGTON RESOURCES OIL & GAS COMPANY LP 719 SURFACE LOCATION 10 Section 10 Surface 10 Su	7 OGRID No.									
The fixe to to 1	1			LINGTO	•		MPANY L	P		
O 28 27-N 4-W 255 SOUTH 2150 EAST RIO ARRIBA 1 Bottom Hole Location If Different From Surface Lot Idn Feet from the North/South line Feet from the Bast/West line County		¹⁰ SURFACE LOCATION								
II Bottom Hole Location If Different From Surface II	UL or lot no.		1 -	- 1	Lot Idn					
Education II Delicated Acres 320.00 II Joint or Infill It Consolidation Code II Order No. Delicated Acres 320.00 II Joint or Infill It Consolidation Code II Code No. NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION If It is a series of the series of	0		27-N			1				RIO ARRIBA
Delicated Acres 320.00 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 17 OPERATOR CERTIFICATION 1 Interior certify that the implementation contained forms in time and complete in the beat of my interiority and that this interior in the interior in the interior in the interior of the interior in the interior in the interior in the interior of the interior in the interi		S 1 ²	bn	B						
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 17 OPERATOR CERTIFICATION 1 Investy certify that the information constanted breen is true and organization either own a vorting ritters or realwasted interest in the late to be come or has a right to drift list to including the propagate droute have be closured or has a right to drift list to including the propagate droute have be closured or has a right to drift list to including the propagate droute have be closured or has a right to drift list to including the propagate droute have be closured or has a right to drift list to including the propagate droute have be closured or has a right to drift list to including the propagate droute have be closured or has a right to drift list to including the propagate droute have be closured or has a right to drift list to closure or has a right to drift list to closure or has a right to drift list to closure or has a right to drift list to closure or has a right to drift list to closure or has a right to drift list to closure or has a right to drift list be closure or to at a droute or has a right to drift list be closure or to at a drop or have drouted and the closure of control or the stand of the has a closure or has a right to drift list be closure or to at a local drouted or has been or to at a drop or have drop or	UL or lot no.	Secuon	Lownsmp	Kange	rot 10m	reet from the	North/South line	Feet from	ine East/West in	ne County
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 15 16 17 OPERATOR CERTIFICATION Interest or unique of the standing and being and that the this organization either own a working interest or unique of which was being and that the thin organization either own a working interest or unique of which was ownered as a mineral by the division. Signoture Printed Name EZ DEDICATED ACREAGE USA SF-080675 SECTION 28, T-27-N, R-4-W WELL FLAG NAD 27 LAT: 36:537853" N LONG: 107:254642" W NAD 27 LAT: 36:522.270586" N LAT: 36:522	12 - 1	13	. r.cn 11	14	. 15					
CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 17 OPERATOR CERTIFICATION 1 I hereby verify that the high remains on consistent leaves in the run and complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the complete to the base of any browledge and belief, and that the very browledge and belief, and the very browledge and belief, and that the very browledge and be	Dedicated Acres	Joint	or Infill	Consolidation	Code	Order No.			# 100 mm m m m m m m m m m m m m m m m m	
I hereby certify that the important contained herein is true and correct or in best of my knowledge and best found at this organization either own a working interest or unlessed minural working interest or unlessed minural with an owner of such a minural or working interest, or no a new visition of the contains producing processor of the computatory pooling order hereofore entered by the division. Signature Printed Name Title and E-mail Address Date 13 SURVEYOR CERTIFICATION 1 hereby certify that the well location shown on this plat the contained of the c	16	NO A							THE DIVISION	
## or under my supervision, and that the same is true and correct to the best of my belief. ### Date of Survey: 4/8/09 Signature and Seal of Professional Surveyor									I hereby certify that the incomplete to the best of my organization either owns interest in the land includi has a right to drill this we with an owner of such a m voluntary pooling agreem heretofore entered by the string of the land E-mail Add Date 18 SURVEYOR I hereby certify that the	formation contained herein is true and knowledge and belief, and that this a working interest or unleased mineral ing the proposed bottom hole location or ill at this location pursuant to a contract aineral or working interest, or to a ent or a compulsory pooling order division. CERTIFICATION e well location shown on this plat
LUNG: 107-13.230011 W			LAT: 36 ONG: 107. LAT: 36°3:	NAD 83 5.537853° N .254542° W NAD 27 2.270586' N	US	ACREAGE SA SF-080675 SECTION 28,	2150'	NORTH	me or under my supervand correct to the best Date of Survey: 4/8 Signature and Seal	ision, and that the same is true of my belief. B/09 of Professional Surveyor RCARFILL STORY STOR
	EAST	LON	IG: 107°15	.236611' W	55')		




PRIOR TO CONSTRUCTION. UNMARKED BURIED

(2) WORKING DAYS OR PIPELINES.
Y MARKED OR UI
AT LEAST TWO (UNDERGROUND UTILITIES C LL FOR LOCATION OF ANY AND OR ACCESS ROAD A T LIABLE IS NOT CABLES C.C.I. SURVEY CONTRACTOR ? PIPELINES OR

BURLINGTON RESOURCES OIL & GAS COMPANY LP

SAN JUAN 27-4 UNIT #101P 255' FSL, 2150' FEL SECTION 28, T-27-N, R-4-W, N.M.P.M., RIO ARRIBA COUNTY, NEW MEXICO

ELEV.: 7192 NAVD88



NOTE: CCI IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.

CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD PRIOR TO CONSTRUCTION

REVISIONS						
NO.	DESCRIPTION	REVISED BY	DATE			
1	ISSUED FOR REVIEW	LH	4/23/09			



P.O. BOX 328 BLOOMFIELD,NM, 87413 PHONE: (505) 325-7707

CHENAULT CONSULTING INC.



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	10-05-11
Laboratory Number:	59716	Date Sampled:	09-21-11
Chain of Custody:	11445	Date Received:	09-21-11
Sample Matrix:	Soil	Date Analyzed:	09-30-11
Preservative:	Cool	Date Extracted:	09-30-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilution:	10	
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	3.4	1.0	
Ethylbenzene	2.1	1.0	
p,m-Xylene	12.8	1.2	
o-Xylene	2.6	0.9	
Total BTEX	20.9		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	93.5 %
	1,4-difluorobenzene	98.7 %
	Bromochlorobenzene	98.9 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 27-4 Unit 101P

Analyst

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	10-05-11
Laboratory Number:	59717	Date Sampled:	09-21-11
Chain of Custody:	11445	Date Received:	09-21-11
Sample Matrix:	Soil	Date Analyzed:	09-30-11
Preservative:	Cool	Date Extracted:	09-30-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	87.1 %
	1,4-difluorobenzene	92.5 %
	Bromochlorobenzene	96.6 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 27-4 Unit 101P



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

ND

0.1

Client:	N/A		Project#:		N/A
Sample ID:	0930BBLK QA/QC		Date Reported:		10-05-11
Laboratory Number:	59720		Date Sampled:		N/A
Sample Matrix:	Soil		Date Received:		N/A
Preservative:	N/A		Date Analyzed:		09-30-11
Condition:	N/A		Analysis:		BTEX
			Dilution:		10
Calibration and	I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.
Detection Limits (ug/L)		Accept: Ran	ige 0 - 15%	Conc	Limit
Benzene	3.3082E+006	3.3148E+006	0.2%	ND	0.1
Toluene	3.3551E+006	3.3618E+006	0.2%	ND	0.1
Ethylbenzene	2.9756E+006	2.9815E+006	0.2%	ND	0.1
p,m-Xylene	7.9855E+006	8.0015E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg) Sample Duplicate Moiff Accept Range Detect. Limit						
Benzene	ND	ND	0.0%	0 - 30%	0.9	
Toluene	ND	ND	0.0%	0 - 30%	1.0	
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0	
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2	
o-Xylene	ND	ND	0.0%	0 - 30%	0.9	

2.7917E+006

0.2%

Spike Conc. (ug/Kg)	Sample Amo	ount Spiked Spi	ked Sample %	Recovery	Accept Range
Benzene	ND	500	529	106%	39 - 150
Toluene	ND	500	532	106%	46 - 148
Ethylbenzene	ND	500	531	106%	32 - 160
p,m-Xylene	ND	1000	1,080	108%	46 - 148
o-Xylene	ND	500	535	107%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

2.7861E+006

References:

o-Xylene

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 59716-59720

Review



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Burlington	Project #:	92115-1271
Reserve Pit	Date Reported:	10-05-11
59716	Date Sampled:	09-21-11
11445	Date Received:	09-21-11
Soil	Date Extracted:	09-27-11
Cool	Date Analyzed:	09-27-11
Intact	Analysis Requested:	8015 TPH
	Reserve Pit 59716 11445 Soil Cool	Reserve Pit Date Reported: 59716 Date Sampled: 11445 Date Received: Soil Date Extracted: Cool Date Analyzed:

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	34.0	0.2
Diesel Range (C10 - C28)	53.0	0.1
Total Petroleum Hydrocarbons	87.0	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

San Juan 27-4 Unit 101P.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	10-05-11
Laboratory Number:	59717	Date Sampled:	09-21-11
Chain of Custody No:	11445	Date Received:	09-21-11
Sample Matrix:	Soil	Date Extracted:	09-27-11
Preservative:	Cool	Date Analyzed:	09-27-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	0.6	0.1	
Total Petroleum Hydrocarbons	0.6		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste, SW-846, USEPA, December 1996.

Comments:

San Juan 27-4 Unit 101P.

Analyst

Review



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	09-27-11 QA/QC	Date Reported:	09-29-11
Laboratory Number:	59668	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	09-27-11
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF:	C-Cal RF:: %	6 Difference	Accept. Range
Gasoline Range C5 - C10	40813	9.996E+02	1.000E+03	0.04%	0 - 15%
Diesel Range C10 - C28	40813	9.996E+02	1.000E+03	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	7.78	0.2
Diesel Range C10 - C28	2.36	0.1

Duplicate Conc. (mg/Kg)	Sample	Duplicate :	% Difference	Range
Gasoline Range C5 - C10	ND	ŅD	0.00%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.00%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	253	101%	75 - 125%
Diesel Range C10 - C28	ND	250	254	102%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid

Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 59668-59669, 59683, 59703-59704, 59716-59720, 59726-59730,

59744-59747.

Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	09/26/11
Laboratory Number:	59716	Date Sampled:	09/21/11
Chain of Custody No:	11445	Date Received:	09/21/11
Sample Matrix:	Soil	Date Extracted:	09/26/11
Preservative:	Cool	Date Analyzed:	09/26/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
-	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

1,470

33.5

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: San Juan 27-4 Unit 101P

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client: Burlington Project #: 92115-1271 Sample ID: **Back Ground** Date Reported: 09/26/11 Laboratory Number: 59717 Date Sampled: 09/21/11 Chain of Custody No: 11445 Date Received: 09/21/11 Sample Matrix: Soil Date Extracted: 09/26/11 Preservative: Cool Date Analyzed: 09/26/11 Condition: Analysis Needed: TPH-418.1 Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

53.5

33.5

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 27-4 Unit 101P

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

09/26/11

Laboratory Number:

09-26-TPH QA/QC 59742

Date Sampled:

N/A

TPH

Sample Matrix:

Freon-113

Date Analyzed:

09/26/11

Preservative: Condition:

N/A N/A Date Extracted: Analysis Needed: 09/26/11

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF: % Difference Accept. Range

08/23/11

09/26/11

1,674

1,670

+/- 10% 0.3%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

33.5

Duplicate Conc. (mg/Kg)

Sample

Duplicate % Difference Accept Range

TPH

214

201

6.3%

+/- 30%

Spike Conc. (mg/Kg) TPH

Sample 214

Spike Added Spike Result % Recovery 2,000

2,340

106%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 59742, 59716-59720 and 59728-59730.



Chloride

Client:

Burlington

Project #:

92115-1271

Sample ID:

Reserve Pit

Date Reported:

09/23/11

Lab ID#:

59716 Soil Date Sampled: Date Received: 09/21/11 09/21/11

Sample Matrix: Preservative:

Cool

Date Analyzed:

09/23/11

Condition:

Intact

Chain of Custody:

11445

Parameter

Concentration (mg/Kg)

Total Chloride

220

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 27-4 Unit 101P.

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



Chloride

Client:

Burlington

Project #:

92115-1271

Sample ID:

Back Ground

Date Reported:

09/23/11

Lab ID#:

59717

09/21/11

Sample Matrix:

Soil

Date Sampled: Date Received:

09/21/11

Preservative:

Cool

Date Analyzed:

Condition:

Intact

Chain of Custody:

09/23/11 11445

Parameter

Concentration (mg/Kg)

Total Chloride

10

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 27-4 Unit 101P.

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

Submit To Appropr Two Copies	iate District C	Office			State of New										orm C-105
District I 1625 N. French Dr.	Hobbs, NM	88240	I	Energy, 1	Minerals and	Natu	ıral Re	sources		1. WELL API NO.					July 17, 2008
District II 1301 W. Grand Ave				0:	T	20.020				30-039-30971					
District III					l Conservati 20 South St.					2. Type of L	ease				
District IV							1.		3. State Oil &		Lease No		FED/IND	IAN	
1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505							SF - 08067	5							
		ETION C	RRE	COMPL	ETION REP	POR	T AND	LOG							
4. Reason for fili	ng:									5. Lease Nam SAN JUAN				ame	
☐ COMPLETI	ON REPO	RT (Fill in b	oxes#1 th	rough #31	for State and Fee	wells o	only)			6. Well Numl			·		
C-144 CLOS #33; attach this ar									d/or	101P					
7. Type of Comp		WORKOVE	? □ DE	FPENING	□PLUGBACK		IEEEREN	T PESED	VOIE	OTHER					
8. Name of Opera	tor						II I LICE!	VI KESEK	VOII	9. OGRID					
Burlington R		Oil Gas (Compar	ny, LP						14538	or W	/ildeat			
PO Box 4298, Fa		M 87499								11. Toorname	. OI **	nacat			
12.Location	Unit Ltr	Section	To	wnship	Range	Lot		Feet from	the	N/S Line	Fee	t from the	E/W	Line	County
Surface:		<u> </u>									<u> </u>		ļ		
BH:	lu D.	TDD	<u>, , , , , , , , , , , , , , , , , , ,</u>	6 D . D'				5 . 6	1 .	1/2 1 2	<u></u>		<u></u>		
13. Date Spudded	14. Date	T.D. Reache		 Date Rig /1/11 	g Released		16.	Date Comp	oletec	l (Ready to Prod	duce)		/. Eleva T, GR,		and RKB,
18. Total Measure	ed Depth of	Well	1	9. Plug Bac	ck Measured Dept	h	20.	Was Direc	tiona	al Survey Made	?	21. Typ	e Electi	ric and O	ther Logs Run
22. Producing Int	erval(s), of t	his completi	on - Top,	Bottom, Na	ame		L								
23.				CAS	ING RECO	ORD	(Repo	ort all st	rin	gs set in w	ell)				
CASING SIZ	ZE	WEIGHT	LB./FT.		DEPTH SET		НО	LE SIZE		CEMENTIN	G ŔE	CORD	Α	MOUNT	PULLED
													* * **		
24.				LINI	ER RECORD				25	1	ri ibi	NG REC	OPD		
SIZE	TOP		вотто		SACKS CEME	NT :	SCREEN	T	SI			EPTH SE		PACK	ER SET
														ļ	
26. Perforation	record (inte	rval, size, an	d number)			27 ACI	D SHOT	FR	ACTURE, CE	MEN	UO2 TV	FF7F	FTC	
		,		,				NTERVAL		AMOUNT A					
						-		 							
						-									
28.	-				F	PRO	DUC	ΓΙΟΝ		<u> </u>				-	
Date First Produc	tion	Pro	duction N	Method (Flo	owing, gas lift, pur	mping	- Size and	l type pump)	Well Status	s (Pro	d. or Shut	-in)		
Date of Test	Hours To	ested	Choke S	Size	Prod'n For Test Period		Oil - Bbl		Ga	s - MCF	ı w	ater - Bbl		Gas - 0	Dil Ratio
Flow Tubing	Casing F	Pressure	Calculat	ed 24-	Oil - Bbl.		Gas	MCF		Water - Bbl.		Oil Gra	wity - A	 .PI - <i>(Coi</i>	·r)
Press.			Hour Ra	nte	J Box		Jus	WICI	1	water - Boi.		E		•	,,,
29. Disposition of		used for fuel	vented, e	etc.)							30.	Test Witne	essed By	/	
31. List Attachme															
32. If a temporary				•		•									
33. If an on-site b	urial was us	ed at the wel	•		cation of the on-siting trude 107.2545]1927 🔯1	983					- 10.00	
I hereby certif	y that the				h sides of this f					to the best o	f my	knowle	dge an	d belie,	f
Signature	mi	u Go	oda		ne Jamie Goo	odwin	Title	e: Regul	lato	ry Tech.	Date	e: 11/26	/2012		
E-mail Addres	ss jamie.l	.goodwin(aconoc	ophillips.	.com										

ConocoPhillips

Pit Closure Form:
Date:
Well Name: SJ 27-4 101P
Footages: 235 FSL, 2150 FEL Unit Letter: O
Section: <u>28</u> , T- <u>27</u> -N, R- <u>4</u> -W, County: <u>XA</u> State: <u>NM</u>
Contractor Closing Pit: Ace
Construction Inspector: Norman Faver Date: 11/4/11 Inspector Signature: Norman Faver
Revised 11/4/10
Office Use Only: Subtask DSM Folder

Goodwin, Jamie L

From:

Payne, Wendy F

Sent:

Wednesday, October 19, 2011 9:17 AM

To:

(Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; Eli (Cimarron)

(eliv@gwestoffice.net); James (Cimarron) (jwood@cimarronsvc.com); Mark Kelly; Randy

McKee; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz

(mxberenz@yahoo.com); Chavez Darrell (dchavez0330@yahoo.com); Crawford, Lea A; Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; McDonald Johnny (jr_mcdonald@msn.com); Payne, Wendy F; Smith, Mike W; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary J; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Thibodeaux, Gordon A; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com); Blair, Maxwell O; Blakley, Mac; Farrell, Juanita R; Gillette, Steven L (PAC); Maxwell, Mary Alice; McWilliams, Peggy L; Saiz, Kooper K; Seabolt, Elmo F; Thayer, Ashley A; Thompson, Trey E

(Finney Land Co.)

Cc:

Ace Services; John Reidinger

Subject:

Reclamation Notice: San Juan 27-4 Unit 101P

Importance:

High

Attachments:

San Juan 27-4 Unit 101P.pdf

ACE Services will move a tractor to the **San Juan 27-4 Unit 101P** to start the reclamation process on <u>Monday</u>, <u>October 24, 2011</u>. Please contact Norm Faver (320-0670) if you have questions or need further assistance.



San Juan 27-4 Jnit 101P.pdf (3...

Burlington Resources Well - Network # 10307758 - Activity code D250 (reclamation) & D260 (pit closure) - PO:Kaitlw Rio Arriba County, NM

San Juan 27-4 Unit 101P - Forest

Onsite: John Reidinger 11-10-09

Twin: n/a

255' FSL, 2150' FEL Sec.28, T27N, R4W Unit Letter " O " Lease # SF-080675

Unit # NMNM-78408B-DK & NMNM-78408A -MV

Latitude: 36° 32' 16" N (NAD 83) Longitude:107° 15' 16" W (NAD 83)

Elevation: 7192'

Total Acres Disturbed: 3.272 acres

Access Road: 527.2 feet API # 30-039-30971 Within City Limits: No


Pit Lined: YES

NOTE: Arch Monitoring IS required on this location. WCRM - 326-7420

Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com


ConocoPhillips

Reclamation Form:
Date: 9-25-12
Well Name: 53 27-41 101 P
Footages: 255 FSL, 2150 FEL Unit Letter: O
Section: <u>28</u> , T- <u>27</u> -N, R- <u>L</u> -W, County: <u>RA</u> State: <u>NM</u>
Reclamation Contractor: Ace
Reclamation Start Date: Fall 2011
Reclamation Complete Date: <u>6-28-12</u>
Road Completion Date: 6-28-12
Seeding Date: 9-17-12
**PIT MARKER STATUS (When Required): Picture of Marker set needed
MARKER PLACED: 7-2-2012 (DATE)
LATATUDE: 36 32.159
LONGITUDE: 107 13.8341
Pit Manifold removed Fall 2011 (DATE)
Construction Inspector: Norman Faves Date: 9-25-12
Inspector Signature: 100 man Faw
Office Use Only: SubtaskDSMFolderPictures
Povinad 6/44/2042









WELL NAME: OPEN PIT INSPECTION FORM ConocoPhillips San Juan 27-4 Unit 101P INSPECTOR E.Perry Jon Berenz E. Perry E. Perry E. Perry Fred Fred Fred Fred Mtz DATE 07/15/11 07/22/11 07/28/11 08/05/11 08/15/11 08/24/11 08/30/11 09/01/11 09/27/11 Week 1 Week 2 *Please request for pit extention after 26 weeks Week 3 Week 4 Week 5 Week 6 Week 7 Week 8 Week 9 ☐ Drilled Drilled Drilled Drilled ☐ Drilled ☐ Drilled ☐ Drilled ✓ Drilled Drilled Completed Completed Completed Completed ☐ Completed Completed Completed ☐ Completed Completed PIT STATUS Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Is the location marked with the proper flagging? ✓ Yes No ✓ Yes ☐ No ✓ Yes No ✓ Yes 🗌 No ✓ Yes ☐ No Yes No Yes No Yes No ☑ Yes ☐ No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible ✓ Yes ☐ No ☑ Yes 🗌 No ✓ Yes ☐ No ✓ Yes □ No ✓ Yes ☐ No Yes No Yes No Yes No ✓ Yes ☐ No from access road? is the access road in good driving condition? ✓ Yes No ✓ Yes No ✓ Yes ☐ No. ✓ Yes ☐ No. ✓ Yes □ No Yes No Yes No Yes No ✓ Yes □ No (deep ruts, bladed) Are the culverts free from debris or any object ☑ Yes ☐ No ✓ Yes ☐ No Yes No ✓ Yes 🗌 No ✓ Yes □ No. ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes ☐ No Yes No preventing flow? Is the top of the location bladed and in good ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No. ✓ Yes ☐ No ✓ Yes ☐ No Yes No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes 🗸 No operating condition? Is the fence stock-proof? (fences tight, barbed ☐ Yes 🗸 No ☐ Yes ✓ No ☐ Yes ✓ No ☑ Yes ☐ No ☐ Yes ☐ No Yes No ☑ Yes ☐ No ✓ Yes No ☐ Yes ☐ No wire, fence clips in place? Is the pit liner in good operating condition? (no ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes 🗌 No ☑ Yes ☐ No ✓ Yes □ No Yes No ☐ Yes ☐ No Yes No ☑ Yes ☐ No tears, up-rooting corners, etc.) Is the the location free from trash, oil stains and ✓ Yes No ✓ Yes □ No ✓ Yes ☐ No ☐ Yes 🗸 No ☐ Yes 🗸 No Yes No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ✓ No other materials? (cables, pipe threads, etc.) ENVIRONMENTAL Does the pit contain two feet of free board? (check ✓ Yes □ No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes □ No ☑ Yes ☐ No ✓ Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No the water levels) Is there any standing water on the blow pit? ☐ Yes ☑ No Yes V No ☐ Yes ✓ No Yes V No ☐ Yes 🗸 No ☐ Yes ☐ No Yes No Yes No ✓ Yes ☐ No Are the pits free of trash and oil? ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No. ✓ Yes ☐ No. ✓ Yes ☐ No ☐ Yes ☐ No Yes No ☐ Yes ☐ No ✓ Yes ☐ No. Are there diversion ditches around the pits for ☐ Yes ☑ No ✓ Yes 🗌 No ☐ Yes 🔽 No Yes V No ☐ Yes ☑ No. ☐ Yes 🗸 No ☐ Yes ☐ No ☐ Yes ☐ No Yes No natural drainage? Is there a Manifold on location? ✓ Yes ☐ No. ✓ Yes ☐ No ✓ Yes ☐ No Yes No Yes No. Yes No ☐ Yes ☐ No ✓ Yes ☐ No ☐ Yes ☐ No Is the Manifold free of leaks? Are the hoses in ✓ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes 🗌 No ✓ Yes ☐ No Yes No Yes No ☐ Yes ☐ No ✓ Yes ☐ No good condition? $\overset{f O}{\sim}$ $\overset{f O}{\sim}$ Was the OCD contacted? ☐ Yes ✓ No ☐ Yes ☑ No ☐ Yes ☑ No Yes V No Yes V No Yes No ☐ Yes ☐ No Yes V No Yes No Yes No Yes V No ☐ Yes 🔽 No Yes I No Yes V No Yes No Yes No Yes No ☐ Yes ☑ No PICTURE TAKEN **COMMENTS** Fence Repaired Been tested Deb Stains on Loc, No No Diversion pit location fence loose no Fence Loose No Fence Loose No Drilling Rig on Drilling Rig on Drilling Rig on diversion ditch. Diversion Ditch Diversion Ditch Diversion Ditch Ditch Loc. needs bladed Loc. Loc.

	WELL NAME:	, , ,								
	San Juan 27-4 Unit 101P				see to the second					
	INSPECTOR		Fred Mtz							
*Please request for pit extention after 26 weeks		09/27/11 Week 10	10/20/11 Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	Drilled Completed Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	Drilled Completed Clean-Up						
ATION	ls the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No
ĮΩ	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☐ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	is the top of the location bladed and in good operating condition?	☐ Yes ☑ No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
MPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
00 1	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
AENTA	Does the pit contain two feet of free board? (check the water levels)	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONME	Is there any standing water on the blow pit?	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
EN	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No
	is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes □ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
၀ ၀	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No	Yes No
	COMMENTS	Been tested	trash on location							