District I 1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fc. NM 87505	Santa Fe, NM	87505		exceptions submit to the Santa Fe ice and provide a copy to the rict Office.
Pit, C	Closed-Loop System			otion.
~(°)/	Iternative Method F			<del></del>
Type of action: $X$ Peri	mit of a pit, closed-loop syst	tem, below-grade ta	ink, or proposed altern	ative method
	sure of a pit, closed-loop sys	_	tank, or proposed alter	native method
=	dification to an existing peri			
	sure plan only submitted for ow-grade tank, or proposed		ted or non-permitted p	it, closed-loop system,
Instructions: Please submit one applicatio	n (Form C-144) per individ	lual pit, closed-loop	o system, below-grade	tank or alternative request
Please be advised that approval of this reques environment. Nor does approval relieve the open				
Operator: ConocoPhillips Company			OGRID#: <u>217817</u>	
Address: PO Box 4289, Farmington, NM	87499			
Facility or well name: San Juan 29-6 Unit 1	7			
API Number: 30-039-07	702	OCD Permit Numbe	r;	
	1 Township: 29N		County: Ric	
Center of Proposed Design: Latitude:	36.758469 °N	Longitude:		<u>V</u> NAD: 🗶 1927 🗌 1983
Surface Owner: X Federal S	State Private Tr	ribal Trust or Indiar	Allotment	
Pit: Subsection F or G of 19.15.17.11 NMA  Temporary: Drilling Workover	AC			RCVD DEC 6 '12
Permanent Emergency Cavitation	P&A			OIL CONS. DIV.
Lined Unlined Liner type:	Thickness mil	LLDPE	HDPE PVC O	therDIST. 3
String-Reinforced				
Liner Seams: Welded Factory	Other	Volume:	_bbl Dimensions L	x Wx D
	19.15.17.11 NMAC g a new well Workover of notice of interests.		activities which require p	orior approval of a permit or
Drying Pad X Above Ground Steel Lined Unlined Liner type:  Liner Seams: Welded Factory	Tanks Haul-off Bins Thickness mil Other	Other LLDPE H	IDPE PVD Oth	er
4 Below-grade tank: Subsection I of 19.15  Volume: bbl  Tank Construction material:	Type of fluid:			
L.J.   L.J.	sible sidewalls only Ot	ther	matic overflow shut-off	
Liner Type: Thicknessmil	HDPE PVC	Other _		

Form C-144

Alternative Method:

Oil Conservation Division

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24". 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of appi	roval.			
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	∐No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐ <sup>NA</sup>				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	□No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Contaction and Hudge contaction Performs the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC    X   Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank XClosed-loop System  Alternative
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only)
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal  X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)  Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative Proposed Closure Method: Waste Excavation and Removal  X Waste Removal (Closed-loop systems only)  On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)  Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative Proposed Closure Method: Waste Excavation and Removal  X Waste Removal (Closed-loop systems only)  On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)  Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal    Waste Removal (Closed-loop systems only)
Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative Proposed Closure Method: Waste Excavation and Removal  X Waste Removal (Closed-loop systems only)  On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench  Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)  Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T	anks or Haul-off Bins Only:(19 15 17 13 D NMAC)					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling flui						
facilities are required.  Disposal Facility Name: Envirotech / JFJ Landfarm / IEI Dis	sposal Facility Permit #: NM-01-0011 / NM-01-00	)10B				
Disposal Facility Name: Basin Disposal Facility  Disposal Facility Permit #: NM-01-005						
Will any of the proposed closed-loop system operations and associated activities	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future service and					
Yes (If yes, please provide the information No  Required for impacted areas which will not be used for future service and operations:						
Soil Backfill and Cover Design Specification - based upon the appropriate	e requirements of Subsection H of 19.15.17.13 NM	MAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection						
Site Reclamation Plan - based upon the appropraite requirements of Subsec	tion G of 19.15.17.13 NMAC					
17  Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC  Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recom.	mendations of acceptable source material are provided below.	Requests regarding changes to				
certain siting criteria may require administrative approval from the appropriate district office or may office for consideration of approval. Justifications and/or demonstrations of equivalency are required		nta Fe Environmental Bureau				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtaine	d from nearby wells	□N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	d from nearby wells	□N/A				
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	d from nearby wells	∏ <sub>N/A</sub>				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significan (measured from the ordinary high-water mark).	t watercourse or lakebed, sinkhole, or playa lake	Yes No				
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	stence at the time of initial application.	Yes No				
, and the property of the prop		☐Yes ☐No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than fre purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	ce at the time of the initial application.					
Within incorporated municipal boundaries or within a defined municipal fresh water well five pursuant to NMSA 1978. Section 3-27-3, as amended.	· ' '	Yes No				
- Written confirmation or verification from the municipality; Written approval obtained	ed from the municipality					
Within 500 feet of a wetland	San Cardiffer Card College	YesNo				
<ul> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspect</li> <li>Within the area overlying a subsurface mine.</li> </ul>	ion (certification) of the proposed site					
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mini	eral Division	∐Yes ∐No				
Within an unstable area.		Yes No				
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mine Topographic map</li> </ul>	ral Resources; USGS; NM Geological Society;					
Within a 100-year floodplain. - FEMA map		Yes No				
18						
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	the following items must bee attached to the clos	sure plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate	•					
Proof of Surface Owner Notice - based upon the appropriate requirement						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsect						
Site Reclamation Plan - based upon the appropriate requirements of Subs		1				

Form C-144 Oil Conservation Division

Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Dollie L. Busse Title: Staff Regulatory Technician
Signature: Dusse Date: 12/6/12
e-mail address: dollie.l.busse@conocophillips.com Telephone: 505-324-6104
20 OCD Approval: Permit Application (including closyre plan)  OCD Approval: OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 12/2/2012
Title: OMO hand OFFICE OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliane to the items below)  No
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
25 Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:

# ConocoPhillips Company Closed-loop Plans

### Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

#### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.