<u>Distri</u> 1625	ict I N. French Dr., Hobbs, NM 88240	State of New Mexico Energy Minerals and Natural Resources	Form C-14 July 21, 200
<u>Distri</u> 1301 Distri	W. Grand Ave., Artesia, NM 88210	Department Oil Conservation Division 1220 South St. Francis Dr.	For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.
1000 Distri	Rio Brazos Rd., Aztec, NM 87410 ict IV	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220	S. St. Francis Dr., Santa Fe, NM 87505	Pit, Closed-Loop System, Below-Grad	e Tank or
	Prop	osed Alternative Method Permit or Clos	
072			
0'	Type of action:	X Permit of a pit, closed-loop system, below-grade ta	
•		Closure of a pit, closed-loop system, below-grade t	ank, or proposed alternative method
		Modification to an existing permit	
		Closure plan only submitted for an existing permittibelow-grade tank, or proposed alternative method	ted or non-permitted pit, closed-loop system,
h	nstructions: Please submit one a	pplication (Form C-144) per individual pit, closed-loo	p system, below-grade tank or alternative request
		of this request does not relieve the operator of liability should operations re- ieve the operator of its responsibility to comply with any other applicable	
	rator: ConocoPhillips Compan		OGRID#: <u>217817</u>
	lress: PO Box 4289, Farmingto		· · · · · · · · · · · · · · · · · · ·
Faci	lity or well name: San Juan 30		
API		0-039-27868 OCD Permit Numbe	r:
	or Qtr/Qtr: <u>C(NE/NW)</u> Secti	· · · · · · · · · · · · · · · · · · ·	5W County: Rio Arriba
Cen	ter of Proposed Design: Latitude	e: <u>36.78889</u> <u>°N</u> Longitude:	107.40041 °W NAD: X 1927 198
Surf	ace Owner: X Federal	State Private Tribal Trust or Indian	n Allotment
	Permanent Emergency	rkover Cavitation P&A iner type: Thickness mil LLDPE	RCVD DEC 11 '1 OIL CONS. DIV DIST. 3 HDPE PVC Other
3 <u>X</u> Ty	Closed-loop System: Subsec ype of Operation: XP&A	tion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to notice of intent)	activities which require prior approval of a permit or
	Lined Unlined Line	Ind Steel Tanks Haul-off Bins Other er type: Thickness mil LLDPE F actory Other	IDPE PVD Other
	Below-grade tank: Subsection olume: E ank Construction material: E Secondary containment with leak de Visible sidewalls and liner	bbl Type of fluid:	matic overflow shut-off
Li	iner Type: Thickness	mil HDPE PVC Other	
5	Alternative Method:		
Su	ubmittal of an exception request is rec	uired. Exceptions must be submitted to the Santa Fe Environr	nental Bureau office for consideration of approval.

· •,

6

.

6 • • • • • • • • • • • • • • • • • • •					
Chain link, six feet in height, two strands of barbed wire at top (<i>Required if located within 1000 feet of a permanent residence, school, hospital, institution or church</i>)					
Alternate. Please specify					
7 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other					
8					
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
9 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10 <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)		1			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes	No			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		_			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	<u>No</u>			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	TYes	No			

·····	porary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC actions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
L	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
	Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
	Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
L	Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15,17.9 NMAC and 19.15.17.13 NMAC
	eviously Approved Design (attach copy of design) API or Permit
	ed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC actions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
	Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
X	Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
X	
X	Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Pr	reviously Approved Design (attach copy of design) API
Pr	reviously Approved Operating and Maintenance Plan API
13	
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Instru Type:	Alternative Seed Closure Method: Waste Excavation and Removal
Propo	X Waste Removal (Closed-loop systems only)
Ргорс	On-site Closure Method (only for temporary pits and closed-loop systems)
Ргорс	
Ргорс	In-place Burial On-site Trench
Ргорс	
15 <u>Wast</u>	In-place Burial On-site Trench
15 <u>Wast</u>	In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) te Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure e indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
15 <u>Wast</u>	In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) te Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure e indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)

•

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Gro Instructions: Please identify the facility or facilities for the disposal of liquids, facilities are required.	und Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) drilling fluids and drill cuttings. Use attachment if more than two	0			
Disposal Facility Name: Envirotech / JFJ Landfarm / IEI	Disposal Facility Permit #: <u>NM-01-0011 / NM-01-0</u>	0010B			
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005				
Will any of the proposed closed-loop system operations and associated Ves (If yes, please provide the information No		service and			
Required for impacted areas which will not be used for future service and ope Soil Backfill and Cover Design Specification - based upon the a Re-vegetation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements	ppropriate requirements of Subsection H of 19.15.17.13 NM f Subsection I of 19.15.17.13 NMAC	AC			
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 Instructions: Each siting criteria requires a demonstration of compliance in the closu certain siting criteria may require administrative approval from the appropriate dist office for consideration of approval. Justifications and/or demonstrations of equival	ure plan. Recommendations of acceptable source material are providea rict office or may be considered an exception which must be submitted t				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: E	Data obtained from nearby wells	N/A			
Ground water is between 50 and 100 feet below the bottom of the burie	d waste	Yes No			
- NM Office of the State Engineer - iWATERS database scarch; USGS; D					
Ground water is more than 100 feet below the bottom of the buried was					
 NM Office of the State Engineer - iWATERS database search; USGS; D 	ata ootained from nearby wens	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high-water mark).	significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or chu - Visual inspection (certification) of the proposed site; Aerial photo; satellit		Yes No			
	-	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that purposes, or within 1000 horizontal fee of any other fresh water well or spring, - NM Office of the State Engineer - iWATERS database; Visual inspection	in existence at the time of the initial application.				
Within incorporated municipal boundaries or within a defined municipal fresh v pursuant to NMSA 1978, Section 3-27-3, as amended.	vater well field covered under a municipal ordinance adopted	Yes No			
 Written confirmation or verification from the municipality; Written appro Within 500 feet a fee wotland 	val obtained from the municipality				
 Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Vis 	ual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine.		Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Minin	g and Mineral Division				
Within an unstable area.		Yes No			
 Engineering measures incorporated into the design; NM Bureau of Geolog Topographic map 	gy & Mineral Resources; USGS; NM Geological Society;				
Within a 100-year floodplain. - FEMA map		Yes No			
 18 <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: by a check mark in the box, that the documents are attached. 	Each of the following items must bee attached to the clos	ure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the app	propriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based	upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of	of a drying pad) - based upon the appropriate requirements of	19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirement	ents of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the app	propriate requirements of Subsection F of 19.15.17.13 NMAC	2			
Waste Material Sampling Plan - based upon the appropriate requ	irements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling	fluids and drill cuttings or in case on-site closure standards of	cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of					
Re-vegetation Plan - based upon the appropriate requirements of	Subsection Lot 19.15.17.13 NMAC				

Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

•

19	
Operator Application Certification:	
I hereby certify that the information submitted with this applic	lication is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Dollie L. Bussey	7 Title: Staff Regulatory Technician
Signature: Allis 1.2	Russe Date: 12/11/12
e-mail address; dollie.l.busse@conocophi	nillips.com Telephone: 505-324-6104
20 <u>OCD Approval:</u> Permit Application (including cl	
OCD Representative Signature:	D). KIII Approval Date: 1/12/2017
Title: (OMPlique Off	CCD Permit Number:
21	
Closure Report (required within 60 days of closure c	
	closure plan prior to implementing any closure activities and submitting the closure report. The closure lays of the completion of the closure activities. Please do not complete this section of the form until an ctivities have been completed.
	Closure Completion Date:
22 Closure Method:	
	Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.	
23 Closure Report Reporting Waste Removal Closure For Cl	Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
	ere the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.	
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated act	ctivities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate complilane to the item	ms below) 🗌 No
Required for impacted areas which will not be used for fut	uture service and operations:
Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Techniq	que
24	
	ns: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and divis	,
Proof of Deed Notice (required for on-site closure	
Plot Plan (for on-site closures and temporary pits)	s)
Confirmation Sampling Analytical Results (if app	pplicable)
Waste Material Sampling Analytical Results (if a	applicable)
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Tea	echnique
Site Reclamation (Photo Documentation)	•
	Longitude: NAD 1927 1983
25	
Operator Closure Certification:	
	ted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify th Is and conditions specified in the approved closure plan.
Name (Print):	Title:
Tunie (11111).	
	Date:

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.