District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 S. St. Francis Dr., Santa Fe, NM 87505	Pit, Closed-Loop System, Below-Grad	
No Prop	osed Alternative Method Permit or Clos	
Type of action:	Permit of a pit, closed-loop system, below-grade ta	
V Type of action.	$\mathbf{X}$ Closure of a pit, closed-loop system, below-grade ta	
	Modification to an existing permit	
	Closure plan only submitted for an existing permitt	ed or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method	
	pplication (Form C-144) per individual pit, closed-loop	
	f this request does not relieve the operator of liability should operations re eve the operator of its responsibility to comply with any other applicable g	
1		
Operator: <u>ConocoPhillips Compan</u>		OGRID#: <u>217817</u>
Address: <u>PO Box 4289, Farmingto</u> Facility or well name: Maddox A F		
API Number: 30 U/L or Qtr/Qtr: M(SW/SW) Section		3W County: San Juan
Center of Proposed Design: Latitude		<b>108.180185</b> • W NAD: X 1927 1983
Surface Owner: X Federal	State Private Tribal Trust or Indian	
2		
2 2 Pit: Subsection F or G of 19.15.17	7.11 NMAC	OIL CONS. DIV DIST. 3
Pit:         Subsection F or G of 19.15.17           Temporary:         Drilling         Wor	kover	
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling         Wor       Permanent         Emergency       OC	kover Cavitation P&A	OIL CONS. DIV DIST. 3 DEC 1 0 2012
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling         Permanent       Emergency         Lined       Unlined	kover Cavitation P&A	OIL CONS. DIV DIST. 3
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling         Wor       Permanent         Emergency       OC         Lined       Unlined         String-Reinforced	kover Cavitation P&A ner type: Thickness mil [] LLDPE ] 1	<b>OIL CONS. DIV DIST. 3</b> DEC <b>1 0 2012</b> HDPE PVC Other
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling         Wor       Permanent         Emergency       OC         Lined       Unlined         String-Reinforced	kover Cavitation P&A	OIL CONS. DIV DIST. 3 DEC 1 0 2012
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling       Wor         Permanent       Emergency       OC         Lined       Unlined       Li         String-Reinforced       Liner Seams:       Welded       Fa         3       3       3       3	kover Cavitation P&A ner type: Thickness mil LLDPE actoryOtherVolume: ion H of 19.15.17.11 NMAC	<b>OIL CONS. DIV DIST. 3</b> DEC <b>1 0 2012</b> HDPE PVC Other
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling         Permanent       Emergency         Lined       Unlined         Lined       Unlined         String-Reinforced         Liner Seams:       Welded         X       Closed-loop System:         Subsect         Type of Operation:       X         Party Pad       X         Above Grout         Lined       Unlined	kover Cavitation P&A ner type: Thickness mil LLDPE 1 nectory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other	OIL CONS. DIV DIST. 3           DEC 1 0 2012           HDPE PVC Other           bbl         Dimensions L
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling       Wor         Permanent       Emergency       OC         Lined       Unlined       Li         String-Reinforced       Liner Seams:       Welded       Fa         3       Closed-loop System:       Subsect         Type of Operation:       X       P&A       P&A         Drying Pad       X       Above Group       Liner         Liner Seams:       Welded       Fa       Fa                Below-grade tank:       Subsection       Subsection	kover Cavitation P&A ner type: Thickness mil LLDPE 1 actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other	OIL CONS. DIV DIST. 3 DEC 1 0 2012 DDPE PVC Other bbl Dimensions L x W x D etivities which require prior approval of a permit or
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling       Wor         Permanent       Emergency       C         Lined       Unlined       Li         String-Reinforced       Liner Seams:       Welded       Fa         3       X       Closed-loop System:       Subsect         Type of Operation:       X       P&A       C         Drying Pad       X       Above Grout       Lined       Lined         Liner Seams:       Welded       Fa       Fa         Orying Pad       X       Above Grout       Liner Seams:       Fa         4       Below-grade tank:       Subsection I       Volume:       b	kover Cavitation P&A ner type: Thickness mil LLDPE 1 actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other of 19.15.17.11 NMAC bl Type of fluid:	OIL CONS. DIV DIST. 3 DEC 1 0 2012 HDPE PVC Other bbl Dimensions L x W x D ectivities which require prior approval of a permit or DPE PVD Other
Pit:       Subsection F or G of 19.15.17         Temporary:       Drilling       Wor         Permanent       Emergency       C         Lined       Unlined       Li         String-Reinforced       Liner Seams:       Welded       Fa         3       X       Closed-loop System:       Subsect         Type of Operation:       X       P&A       C         Drying Pad       X       Above Grout       Lined       Unlined       Line         Liner Seams:       Welded       Fa       Fa       Fa         4       Below-grade tank:       Subsection I       Volume:       b         Tank Construction material:       Secondary containment with leak de       Visible sidewalls and liner       Liner Type:       Thickness         5       Alternative Method:       5       Alternative Method:       5	kover   Cavitation   P&A   ner type:   Thickness   mil   LLDPE   Iter   Volume:   Volume: <td< td=""><td>OIL CONS. DIV DIST. 3 DEC 1 0 2012 HDPE PVC Other bbl Dimensions L x W x D activities which require prior approval of a permit or DPE PVD Other natic overflow shut-off</td></td<>	OIL CONS. DIV DIST. 3 DEC 1 0 2012 HDPE PVC Other bbl Dimensions L x W x D activities which require prior approval of a permit or DPE PVD Other natic overflow shut-off

**4**.

6 ? Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	itution or chur	ch)
7         Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Screen       Netting         Other		
<ul> <li>8</li> <li>Signs: Subsection C of 19.15.17.11 NMAC</li> <li>12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers</li> <li>X Signed in compliance with 19.15.3.103 NMAC</li> </ul>		
9 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for const (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of ap	proval.
<sup>10</sup> <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	res	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	<b>No</b> ∙
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. <i>(Applied to permanent pits)</i>	Yes NA	No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	∐No
Within an unstable area. - Engincering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes Yes	No

	ry Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC ring items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Repo	t (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
	iance Demonstrations - based upon the appropriate requirements of 19,15,17,10 NMAC
	pon the appropriate requirements of 19.15.17.11 NMAC
	nance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
	complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of d 19.15.17.13 NMAC
	ign (attach copy of design) API or Permit
Instructions: Each of the follo	it Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC ing items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. eologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Comp	iance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based	pon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maint	nance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please NMAC and 19.15.12	complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 13 NMAC
Previously Approved De	ign (attach copy of design) API
Previously Approved Or	erating and Maintenance Plan API
13	
	plication Checklist: Subsection B of 19.15.17.9 NMAC
_	wing items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
<u> </u>	t - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC iance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Facto	
	Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and	tructural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
	n - based upon the appropriate requirements of 19.15.17.11 NMAC
_	nd Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
	ty Assurance Construction and Installation Plan nance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
	pping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
	is Odors, including H2S, Prevention Plan
Emergency Respons	
Oil Field Waste Stre	m Characterization
Monitoring and Insp	ction Plan
Erosion Control Plan	
Closure Plan - based	upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
<sup>14</sup> Proposed Closure: 19.15.	7.12. NMAC
	the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Wo	
Proposed Closure Method:	Waste Excavation and Removal
	Waste Removal (Closed-loop systems only)
	On-site Closure Method (only for temporary pits and closed-loop systems)
	In-place Burial On-site Trench
	Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 Waste Excavation and Re	noval Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check m	rk in the box, that the documents are attached.
_	ires - based upon the appropriate requirements of 19.15.17.13 NMAC
	ng Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
	e and Permit Number (for liquids, drilling fluids and drill cuttings) . er Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
_	based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC
E	- based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
I I Alle Recignation Of	

٠

16		
<u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Ta</u> Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluid facilities are required.	nks or Haul-off Bins Only: (19.15.17.13.D NMAC) Is and drill cuttings. Use attachment if more than two	
Disposal Facility Name: Disp	oosal Facility Permit #:	
Disposal Facility Name: Disp	oosal Facility Permit #:	
Will any of the proposed closed-loop system operations and associated activities or Yes (If yes, please provide the information No	cur on or in areas that will not be used for future se	ervice and
Required for impacted areas which will not be used for future service and operations:         Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection         Re-vegetation Plan - based upon the appropriate requirements of Subsection         Site Reclamation Plan - based upon the appropriate requirements of Subsect	I of 19.15.17.13 NMAC	c
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Rece certain siting criteria may require administrative approval from the appropriate district office or m office for consideration of approval. Justifications and/or demonstrations of equivalency are requi	nay be considered an exception which must be submitted to t	
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained	from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	from nearby wells	N/A
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	from nearby wells	N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant w (measured from the ordinary high-water mark).	vatercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map; Visual inspection (certification) of the proposed site		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence and the state of the second school and	nce at the time of initial application.	Yes No
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database; Visual inspection (certification	at the time of the initial application.	
Within incorporated municipal boundaries or within a defined municipal fresh water well fie pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained Within 500 feet of a wetland</li> </ul>	from the municipality	
<ul> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection</li> </ul>	n (certification) of the proposed site	
Within the area overlying a subsurface mine. - Written confiramtion or verification or map from the NM EMNRD-Mining and Minera	I Division	Yes No
Within an unstable area.		Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Topographic map	Resources; USGS; NM Geological Society;	
Within a 100-year floodplain. - FEMA map		Yes No
<sup>18</sup> <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.	he following items must bee attached to the closur	e plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appropriate req	uirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements o	f Subsection F of 19.15.17.13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) based upon the applicable	ppropriate requirements of 19.15.17.11 NMAC	
Construction/Design Plan of Temporary Pit (for in place burial of a drying p	· · · · ·	9.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19.1		
Confirmation Sampling Plan (if applicable) - based upon the appropriate req		
Waste Material Sampling Plan - based upon the appropriate requirements of		nnot ha achiavad)
Disposal Facility Name and Permit Number (for liquids, drilling fluids and c	init cuttings or in case on-site closure standards ca	nnot de achievea)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 

;

19 December Angling the Contification
<b>Decrator Application Certification:</b> hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20         OCD Approval:       Permit Application (including closure plan)       Image: Control of the second
21 Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  X Closure Completion Date: 11/14/2012
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: MM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: MM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude:Longitude:NAD [] 1927 [] 1983
25
<b><u>Operator Closure Certification:</u></b> hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that he closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Dollie L <sub>2</sub> Busse Title: Staff Regulatory Technician
Signature: Alle Duge Date: 12/10/12
e-mail address: <u>dollie.l.busse@conocophillips.com</u> Telephone: (505) 324-6104

.

-