District-I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

State of New Mexico

Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.

Form C-144
July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM	87505	For permanent pits and exce Environmental Bureau office appropriate NMOCD District	• •
and the second s	losed-Loop System,	Below-Grade	e Tank, or	
T) 1 A	Iternative Method P	*		on
170	nit of a pit, closed-loop syst			
) Type of action.	sure of a pit, closed-loop syst		• •	
=			ank, or proposed afternat	ive method
=	diffication to an existing perm			-11
	sure plan only submitted for ow-grade tank, or proposed a		ted or non-permitted pit,	ciosed-ioop system,
Instructions: Please submit one application			o system, below-grade tai	nk or alternative reauest
Please be advised that approval of this reques	_	-	-	-
environment. Nor does approval relieve the oper-	ator of its responsibility to comply wi	th any other applicable go	overnmental authority's rules, regu	lations or ordinances.
Operator: Purlington Poscurace Oil & Cos	Company I D		OCDID#: 14539	
Operator: Burlington Resources Oil & Gas Address: PO Box 4289, Farmington, NM			OGRID#: <u>14538</u>	
	31477			
Facility or well name: ATLANTIC A 8C	105	000 0 101 1		
API Number: 30-045-35	-	OCD Permit Number		
	7 Township: 31N		OW County: SAN	
Center of Proposed Design: Latitude:	36.87311 °N	Longitude:		NAD: [1927 X 1983
Surface Owner: X Federal S	State Private Tr	ibal Trust or Indian	Allotment	
2		 		
Pit: Subsection F or G of 19.15.17.11 NMA	.^	•	Q _i	L CONS. DIV DIST. 3
Temporary: Drilling	"EU			J. DIV DIST. 3
Permanent Emerge	MED	_		DEC 1 0 2012
Lined Unlined	Ser = +122	ELDPE 📗 1	HDPE PVC Othe	
String-Reinforced No signature	Kelly (505) 334-6178 EXT			
Liner Seams: Welded BY: JOHN	Other	Volume:	_bbl Dimensions L	x Wx D
3				
The same of the sa	19.15.17.11 NMAC			
Type of Operation: P&A X Drilling			activities which require prio	r approval of a permit or
	notice of inte	*		
X Drying Pad X Above Ground Steel		Other		
X Lined Unlined Liner type:	Thickness 20 mil	X LLDPE H	DPE PVD Other	
Liner Seams: X Welded X Factory	Other	•		
4				
Below-grade tank: Subsection I of 19.15.				
Volume:bbl	Type of fluid:			
Tank Construction material:	·········			!
Secondary containment with leak detection	Visible sidewalls, lines	r, 6-inch lift and auto	matic overflow shut-off	
Visible sidewalls and liner Vi	sible sidewalls only Otl	her		
Liner Type: Thicknessmil	HDPE PVC	Other		_
5				
Alternative Method:				
Submittal of an exception request is required. Ex	cceptions must be submitted to	the Santa Fe Environ	mental Bureau office for cor	nsideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify			
7			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
8	-		
Signs: Subsection C of 19.15.17.11 NMAC			
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC			
			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.			
Please check a box if one or more of the following is requested, if not leave blank:			
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental E (Fencing/BGT Liner)	Bureau office for consid	eration of appr	roval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
10			·
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. does not apply to drying pads or above grade-tanks associated with a closed-loop system.	from the		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tage. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	nk.	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkho (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	le, or playa lake	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time application.	of initial	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)		□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial appli (Applied to permanent pits)	cation.	☐Yes ☐NA	No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application	•	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the propo	sed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	ordinance	Yes	No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the	proposed site	Yes	No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		Yes	No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; Society; Topographic map 	NM Geological	Yes	No
Within a 100-year floodplain - FEMA map		Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Papert (Paloy, grade Tarks) hosed year the requirements of Paperts (A) of Subscript Paperts (B) 15 17 0 NMAC			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
☐ Alternative Proposed Closure Method: ☐ Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Remit Number (for liquids, drilling fluids, and drill partiage)			
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
The procession and the cost apon the appropriate requirements of Subsection O of 17.13.17.13 INVIAC			

16			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St Instructions: Please identify the facility or facilities for the disposal of liquids, drillin			
facilities are required.	3		
Disposal Facility Name:	Disposal Facility Permit #:		
Disposal Facility Name:			
Will any of the proposed closed-loop system operations and associated active Yes (If yes, please provide the information No	vities occur on or in areas that will nbe used for future	service and	
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appro		MAC	
Re-vegetation Plan - based upon the appropriate requirements of Subse			
Site Reclamation Plan - based upon the appropriate requirements of Su			
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA	.c		
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. In		Requests regarding changes to	
certain siting criteria may require administrative approval from the appropriate district office of office for consideration of approval. Justifications and/or demonstrations of equivalency are re-	•	ınta Fe Environmental Bureau	
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS: Data of	otained from nearby wells	N/A	
Ground water is between 50 and 100 feet below the bottom of the buried wa	aste	□Yes □No	
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob		□ _{N/A} □	
County to the many than 100 foot below the hottom of the bound weets	·		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby walls	∐Yes ∐No ∏N/A	
	ŕ		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi (measured from the ordinary high-water mark).	ficant watercourse or lakebed, sinkhole, or playa lake	∐Yes ∐No	
- Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image		YesNo	
		Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.			
- Written confirmation or verification from the municipality; Written approval of	btained from the municipality		
Within 500 feet of a wetland		Yes No	
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site			
Within the area overlying a subsurface mine.			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area.		∏Yes ∏No	
- Engineering measures incorporated into the design: NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;			
Topographic map			
Within a 100-year floodplain FEMA map		Yes No	
18			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	ch of the following items must bee attached to the clo	sure plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropri	riate requirements of 19.15.17.10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.11 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Sub	-	- James of demoted)	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 10.15.17.12 NIMAC			

19 Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate	•	nowledge and belief.
Name (Print):		
Signature:	Date:	
e-mail address:		
20 OCD Approval: Permit Applicat OCD Representative Signature:	IED loo	CD Conditions (see attachment)
OCD Representative Signature:	_	Approval Date:
Title:	OCD Permit Numl	per:
Closure Report (required within 60 days of closure completion): Subsect Instructions: Operators are required to obtain an approved closure plan prior to im report is required to be submitted to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been comp	plementing any closure activitie. f the closure activities. Please d	o not complete this section of the form until an
22		
Closure Method:	Alternative Closure Method	Waste Removal (Closed-loop systems only)
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems T</u> Instructions: Please identify the facility or facilities for where the liquids, drilling were utilized.		
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit N	umber: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit N	umber: NM-01-005
Were the closed-loop system operations and associated activities performed on o	or in areas that will not be used	for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)	No (Original Approved	Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and opera Site Reclamation (Photo Documentation)	tions:	
Soil Backfilling and Cover Installation		
Re-vegetation Application Rates and Seeding Technique	<u> </u>	
Closure Report Attachment Checklist: Instructions: Each of the follows the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation	ing items must be attached to th	e closure report. Please indicate, by a check mark in
Re-vegetation Application Rates and Seeding Technique		
Site Reclamation (Photo Documentation)		🖸
On-site Closure Location: Latitude:	Longitude:	NAD
25 Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure rep the closure complies with all applicable closure requirements and conditions specif		
Name (Print): Jamie Goodwin	Title:	Regulatory Technician
Signature:	Date:	
e-mail address: jamie.l.goodwin@conocophillips.com	Telephone:	505-326-9784

DATE: 12/12/12

WELL NAME: Atlantic A 8C

API# 30-045-35137

MISSING DATA: Signature

ATTACHED: Signature page for CL & Pre Set Closure report

Jamie Goodwin ConocoPhillips 505-326-9784 RCUD DEC 17'12
OIL CONS. DIV.
DIST. 3

19 Operator Application C			
I hereby certify that the info	rmation submitted with this application is true, accura-	te and complete to the best of	f my knowledge and belief:
Name (Print):		Title:	
Signature:		Date:	
e-mail address:		Telephone:	
OCD Approval:	ermit Application (including closure plan)	Closure Plan (ônly)	OCD Conditions (see attachment)
OCD Representative Si	,	Closuro Fium (only)	· ·
• " '	gnature.		Approval Date:
Title:		OCD Permit	Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC: Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities: Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 7720/2012			
Closure Method: Waste Excavation a	and Removal. On-site Closure Method proved plan, please explain.	Alternative Closure Me	ethod X Waste Removal (Closed-loop systems only)
Instructions: Flease identify were utilized. Disposal Facility, Name: Disposal Facility, Name: Were the closed-loop sy Yes (If yes; please Required for impacted of	Envirotech / JFJ Landfarm % TEI Basin Disposal Facility stem operations and associated activities performed on	ng fluids and drill cuttings of fluids and drill cuttings of the Disposal Facility Period or in areas that will not be No (Original Approximation)	rmit Number: NM-01-0011 / NM-01-0010B mit Number: NM-01-005
Soil Backfilling and			
Re-vegetation App	lication Rates and Seeding Technique		
### box, that the docum Proof of Closure Proof of Deed No	achiment Checklist: Instructions: Each of the follouents are attached. Notice (surface owner and division) otice (required for on-site closure) -site closures and temporary pits) impling Analytical Results (if applicable) Sampling Analytical Results (if applicable) Name and Permit Number and Cover Installation poplication Rates and Seeding Technique is (Photo Documentation) Location: Latitude:	owing items must be attache	nd to the closure report: Please Indicate, by a check mark in RCVD DEC 17 '12 OIL CONS. DIV. DIST. 3
22,5% 5,100,00	The second of the contract of the second of		
			complete to the best of my knowledge and belief. Lalso certify that re plan. Regulatory Technician
	Same Goodwiii		regulatory reciunician
Signature:		Date:	
e-mail address:	jamie.l.goodwin@conocophillips.com.	Telephone:	505-326-9784