District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	elow-Grade La	uik, Oi	
Proposed Alternative Method Permi	t or Closure Pla	an Application	
Proposed Alternative Method Permit Type of action: Permit of a pit, closed-loop system, b Closure of a pit, closed-loop system, modification to an existing permit Closure plan only submitted for an ex	elow-grade tank, or p below-grade tank, or	proposed alternative method proposed alternative method	n
below-grade tank, or proposed alternative method	isang permitted of its	on permitted pit, closed-100p system	11,
Instructions: Please submit one application (Form C-144) per individual	pit, closed-loop system	, below-grade tank or alternative requ	iest
lease be advised that approval of this request does not relieve theoperator of liability should not relieve the operator of its responsibility to comply with a	ould operations result in p any other applicable gove	pollution of surface water, ground water or rnmental authority's rules, regulations or	or the ordinances
Operator: Energen Resources	OGRID#:	162928	
Address: 2010 Afton Place, Farmington, New Mexico 87401			
Facility or well name: <u>Jicarilla 95 11</u>			
API Number: 3003925457 OCD Permit Num			
U/L or Qtr/Qtr P Section 26 Township 27N Range			
Center of Proposed Design: Latitude <u>36.53949</u> Longitude <u>-1</u>			
Surface Owner: Federal State Private Tribal Trust or Indian Allotmen	t		
2. ☐ Pit: Subsection F or G of 19.15.17.11 NMAC		RCVD DEC 17'12	<u> </u>
Temporary: Drilling Workover		OIL CONS. DIV.	
		DIST. 3	
Permanent Emergency Cavitation		E-F E 2 H + 2 H	
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ H	DPE PVC Othe		
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ H	DPE PVC Othe		
•		r	· · · · · · · · · · · · · · · · · · ·
□ Lined □ Unlined Liner type: Thicknessmil □ LLDPE □ H □ String-Reinforced Liner Seams: □ Welded □ Factory □ Other	ume:bbl	Dimensions: Lx Wx E	

Liner type: Thickness _

Alternative Method:

☐ Visible sidewalls and liner 🗓 Visible sidewalls only ☐ Other _

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off

mil HDPE PVC Other

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13. Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.			
Disposal Facility Name: Disposal Facility Permit Number:			
Disposal Facility Name: Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future set Yes (If yes, please provide the information below) No	rvice and operations?		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disconsidered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No		
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No		
Within a 100-year floodplain FEMA map	☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.			
Name (Print):	Title:		
C: .	D .		
Signature:	Date:		
'1 11 Tr 1 1			
e-mail address: Telephone:	·		
20.			
OCD Approval: Permit Application (including closure plan) A Closu	re Plan-(only)		
OCD Representative Signature:	Approval Date: 12/19/2012		
OCD Representative Signature.	Approval Bate. 1001/2		
Title: Complique Office	OCD Permit Number:		
21. Classes Banaut (required within 60 days of alcours completion). Subsection	V of 10 15 17 12 NIMAC		
Closure Report (required within 60 days of closure completion): Subsections: Operators are required to obtain an appropriate plant of the completion of the	ior to implementing any closure activities and submitting the closure report.		
The closure report is required to be submitted to the division within 60 days			
section of the form until an approved closure plan has been obtained and th			
n i	☐ Closure Completion Date: 11/19/12		
	Closure Completion Date: 11/19/12		
22.			
Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alt	ternative Clasure Method Weste Pemoval (Clased Ioan systems only)		
If different from approved plan, please explain.	emative closure Method		
it different from approved plan, prease explain.			
Character Branching Warts Branch Character For Character South	The Highlian About Council Short Tombour Houle of Biro Only		
Closure Report Regarding Waste Removal Closure For Closed-loop Syst	drilling fluids and drill cuttings were disposed. Use attachment if more than		
two facilities were utilized.	ariting flutas and artit cuttings were disposed. Ose attachment if more than		
-	Disposal Facility Permit Number:		
Disposal Facility Name:			
Disposal Facility Name: Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed of			
Yes (If yes, please demonstrate compliance to the items below)	0		
Required for impacted areas which will not be used for future service and open	erations:		
Site Reclamation (Photo Documentation)			
Soil Backfilling and Cover Installation			
Re-vegetation Application Rates and Seeding Technique			
24.			
Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached.	ig items must be attached to the closure report. Please indicate, by a check		
Proof of Closure Notice (surface owner and division)			
Proof of Deed Notice (required for on-site closure)			
Plot Plan (for on-site closures and temporary pits)			
Confirmation Sampling Analytical Results (if applicable)			
Waste Material Sampling Analytical Results (required for on-site closu	are)		
Disposal Facility Name and Permit Number			
Soil Backfilling and Cover Installation			
 ☐ Re-vegetation Application Rates and Seeding Technique ☐ Site Reclamation (Photo Documentation) 			
	ongitude NAD: 🔲 1927 🔲 1983		
25. Operator Closure Certification:			
I hereby certify that the information and attachments submitted with this clos	ure report is true, accurate and complete to the hest of my knowledge and		
belief. I also certify that the closure complies with all applicable closure requ	irements and conditions specified in the approved closure plan.		
•			
Name (Print): Ed Hasely			
5991 1-	Date: 12/13/12		
Signature: 4 / Ferse 7	Date:		
ſ			
e-mail address: ed.hasely@energen.com	Telephone:(505) 324-4131		

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES Jicarilla 95 #11

CLOSURE STEPS: (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

 Attached
- (2) Notify the Aztec OCD office (Brandon Powell -334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility.

 No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

 Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
 - Collect, at a minimum, a five point, composite sample;
 Composite sample was collected.
 - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release:

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	17.2
Chlorides	250	ND

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above,</u> backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC.

Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

RECLAMATION:

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
 - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- (D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- (E) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Attached

Release Notification and Corrective Action **OPERATOR** Initial Report Name of Company: Energen Resources, Inc. Contact: Ed Hasely Address: 2010 Afton Place, Farmington, NM 87401 **Telephone No: 505-324-4131** Facility Name: Jicarilla 95 #11 Facility Type: Oil/Gas Well Site Surface Owner: Jicarilla Mineral Owner: Jicarilla Lease No. LOCATION OF RELEASE Unit Letter Section **Township** Feet from the North/South Line Feet from the Range East/West Line County 26 Rio Arriba Latitude_36.53949_ Longitude -107.10763 NATURE OF RELEASE Type of Release: NO RELEASE Volume of Release: Volume Recovered: Source of Release: Date and Hour of Occurrence: Date and Hour of Discovery: Was Immediate Notice Given? If YES, To Whom? ☐ Yes ☐ No ☐ Not Required By Whom? Date and Hour: Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes ☐ No If a Watercourse was Impacted, Describe Fully.* Describe Cause of Problem and Remedial Action Taken.* THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN. THIS FORM IS FILLED OUT TO SERVE AS A COVER FOR LAB ANALYSES -ONLY TO SATISFY 19.15.17.13.E(4). Describe Area Affected and Cleanup Action Taken.* I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIVISION Signature: Approved by District Supervisor: Printed Name: Ed Hasely Sr. Environmental Engineer Title: Approval Date: Expiration Date:

Conditions of Approval:

E-mail Address: ed.hasely@energen.com

Phone: 505-324-4131 / 505-330-3584(cell)

^{*} Attach Additional Sheets If Necessary



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen Resources	Project #:	03022-0001
Sample ID:	Jic 95 #11	Date Reported:	10-31-12
Laboratory Number:	63567	Date Sampled:	10-26-12
Chain of Custody No:	14609	Date Received:	10-29-12
Sample Matrix:	Soil	Date Extracted:	10-30-12
Preservative:	Cool	Date Analyzed:	10-30-12
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

17.2

6.6

ND = Parameter not detected at the stated detection limit.


References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Jicarilla BGTs



Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879





EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen Resources	Project·#:	03022-0001
Sample ID:	Jic 95 #11	Date Reported:	10-30-12
Laboratory Number:	63567	Date Sampled:	10-26-12
Chain of Custody:	14609	Date Received:	10-29-12
Sample Matrix:	Soil	Date Analyzed:	10-30-12
Preservative:	Cool	Date Extracted:	10-30-12
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

Dilution:	50
Concentration	Det. Limit
(ug/Kg)	(ug/Kg)
ND	10.0
ND	10.0
NĎ	10.0
ND	10.0
ND	10.0
ND	
	Concentration (ug/Kg) ND ND ND ND ND

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	92.0 %
	1,4-difluorobenzene	91.9 %
	Bromochlorobenzene	92.8 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846.

USEPA, December 1996.

Comments:

Jicarilla BGTs





Chloride

Client: **Energen Resouces** Project #: 03022-0001 Sample ID: Jic 95 #11 Date Reported: 10-31-12 Lab ID#: 63567 Date Sampled: 10-26-12 10-29-12 Sample Matrix: Soil Date Received: Preservative: Cool Date Analyzed: 10-29-12 Chain of Custody: 14609 Condition: Intact

I	Parameter	Concentration (mg/Kg)
ı		

Total Chloride

ND


Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Jicarilla BGTs





October 24, 2012

Jicarilla Apache Nation Environmental Protection Office P.O. Box 507 Dulce, NM 87528

Attn: Mr. Hobson Sandoval, Environmental Specialist

Re:

Below Grade Tank Closures

Multiple Wells

Dear Sirs:

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in Rio Arriba County, New Mexico.

Postal Service_{TM}

Postage Certified Fee

Return Receipt Fee (Endorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees

or PO Box No. City, State, ZIP

1,207

2000

Jicarilla 95 #1 - Unit Letter A, Section 35, Township 27N, Range 3W	
Jicarilla 95 #11 - Unit Letter P, Section 26, Township 27N, Range 3W	
Jicarilla 96 #6A - Unit Letter E, Section 2, Township 26N, Range 3W	
Jicarilla 98 #11A - Unit Letter F, Section 18, Township 26N, Range 3W	

If there are any questions or concerns, please contact me at 505-324-4131.

0: 1	to the second se	and a second of the second of
Sincerely,	SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Ed Hase	Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse	A Signature A MULL, CILLAN D. Agent Addresse
Ed Hasely	so that we can return the card to you.	Received by (Printed Name) C. Date of Deliver
Sr. Environmental Engineer	Attach this card to the back of the mailpiece, or on the front if space permits.	willy Guado 1005-10
Energen Resources	1. Article Addressed to:	D. Is delivery address different from item 1? Yes If YES, enter delivery address below:
	Jecurille Apache Northern	
Cc: Well Files	PO Box 507	
Correspondence	Dalee, NM 87528	3. Service Type Certified Mail
·	Hobson Sandoval	☐ Insured Mall ☐ C.O.D.
		4. Restricted Delivery? (Extra Fee) ☐ Yes
Energen Resources Corporation, an El	2. Article Number 7012 0470	0002 1207 6298

PS Form 3811, February 2004 Domestic Return Receipt

102595-02-M-154

Ed Hasely

From:

Ed Hasely

Sent:

Wednesday, October 24, 2012 7:06 AM

To:

'Kelly, Jonathan, EMNRD', 'Hobson Sandoval'

Cc:

Jason Peace

Subject:

BGT Closure Notifications

Jonathan – Energen plans to begin the closure process on the below listed BGT's in the near future. Let me know if you have questions. Thanks.

Jica rilla 95 #1 - Unit Letter A, Section 35, Township 27N, Range 3W

Jicarilla 95 #11 - Unit Letter P, Section 26, Township 27N, Range 3W

Jicarilla 96 #6A - Unit Letter E, Section 2, Township 26N, Range 3W

Jicarilla 98 #11A - Unit Letter F, Section 18, Township 26N, Range 3W

Ed Hasely

Energen Resources Corporation

Sr. Environmental Engineer ed.hasely@energen.com
Office: (505) 324-4131
Cell: (505) 330-3584

