District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.	Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.
1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Pit, Closed-Loop System, Below-Gradosed Alternative Method Permit or Clos	
0755 Prop Type of action:	X Permit of a pit, closed-loop system, below-grade ta	
v	Closure of a pit, closed-loop system, below-grade t Modification to an existing permit Closure plan only submitted for an existing permitt below-grade tank, or proposed alternative method	
Please be advised that approval of	pplication (Form C-144) per individual pit, closed-loop of this request does not relieve the operator of liability should operations re ieve the operator of its responsibility to comply with any other applicable g	sult in pollution of surface water, ground water or the
1 Operator: ConocoPhillips Compan	У	OGRID#: <u>217817</u>
Address: PO Box 4289, Farmingto	on, NM 87499	
Facility or well name: San Juan 31	-6 Unit 206A	
API Number:3	0-039-27472 OCD Permit Number	: ·
U/L or Qtr/Qtr: <u>E(SW/NW)</u> Section Center of Proposed Design: Latitude Surface Owner: X Federal		W         County:         Rio Arriba           107.47357         °W         NAD: X 1927         1983           Allotment
Permanent Emergency C Lined Unfined Li String-Reinforced	kover Cavitation P&A	RCVD DEC 18 '12         OIL CONS. DIV.         DIST. 3         HDPE       PVC         Other
3         X         Closed-loop System:         Subsect           Type of Operation:         X         P&A	ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent)	ectivities which require prior approval of a permit or
Lined Unlined Line	nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other	DPE PVD Other
4       Below-grade tank:       Subsection         Volume:       b         Tank Construction material:       b         Secondary containment with leak de       Visible sidewalls and liner         Liner Type:       Thickness	bl Type of fluid:	natic overflow shut-off
5           Alternative Method:           Submittal of an exception request is required.	uired. Exceptions must be submitted to the Santa Fe Environm	iental Bureau office for consideration of approval.

. --

6

6x. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
7         Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Screen       Netting         Other				
8				
Signs:       Subsection C of 19.15.17.11 NMAC         12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers         X Signed in compliance with 19.15.3.103 NMAC				
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
	<u>г</u>			
¹⁰ Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
NM Office of the State Free income iWATEDS database search. We well immediate (contification) of the approach site	[			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.	TYes	ΠNo		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> </ul>	Yes	∐No		
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	Yes	∐No		
Within a 100-year floodplain - FEMA map	Yes 🗌	No		

•

11       Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC         Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC         Previously Approved Design (attach copy of design)       API
12         Closed-loop Systems Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9         Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC         X       Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         X       Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         X       Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9         NMAC and 19.15.17.13 NMAC       Previously Approved Design (attach copy of design)         API       Previously Approved Operating and Maintenance Plan
13         Permanent Pits Permit Application Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Climatological Factors Assessment         Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC         Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC         Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Quality Control/Quality Assurance Construction and Installation Plan         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         Musiance or Hazardous Odors, including H2S, Prevention Plan         Emergency Response Plan         Oil Field Waste Stream Characterization         Monitoring and Inspection Plan         Erosion Control Plan         Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14         Proposed Closure:       19.15.17.13 NMAC         Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.         Type:       Drilling         Workover       Emergency         Cavitation       X         P&A       Permanent Pit         Below-grade Tank       X         Closed-loop System         Alternative         Proposed Closure Method:       Waste Excavation and Removal         X       Waste Removal (Closed-loop systems only)         On-site Closure Method (only for temporary pits and closed-loop systems)         In-place Burial       On-site Trench         Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15         Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.         Please indicate, by a check mark in the box, that the documents are attached.         Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC         Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC         Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)         Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

.

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.	9		
Disposal Facility Name: Envirotech / JFJ Landfarm / IEI Disposal Facility Permit #: NM-01-0011 / NM-01-0010B			
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit #: NM-01-005			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future Yes (If yes, please provide the information No	service and		
Required for impacted areas which will not be used for future service and operations:         Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC		
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells			
Ground water is more than 100 feet below the bottom of the buried waste.	TYes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No		
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No		
Within an unstable area.	Yes No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map			
Within a 100-year floodplain. - FEMA map	Yes No		
¹⁸ <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the clos by a check mark in the box, that the documents are attached.	ure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19				
Operator Application C				
	•	urate and complete to the best of my knowledge and belief.		
Name (Print):	Dollie LBusse	Title: Staff Regulatory Technician		
Signature: / X	Aller ausse	Date: 12/18/12		
e-mail address	dollie lbusse@conocophillips.com	Telephone: 505-324-6104		
20 20				
OCD Approval:	ermit Application (including closure plan)	Closure Plan (only) OCD Conditions (see attachment)		
OCD Representative Si	gnature: (Torratto), Kl.	Approval Date: 2/12/2012		
$\wedge$				
Title:	plance VOLFICE	OCD Permit Number:		
·				
21				
	ed within 60 days of closure completion); Subs			
		to implementing any closure activities and submitting the closure report. The closure ion of the closure activities. Please do not complete this section of the form until an		
	been obtained and the closure activities have been co			
		Closure Completion Date:		
22				
Closure Method:				
Waste Excavation a	nd Removal On-site Closure Method	Alternative Closure Method Waste Removal (Closed-loop systems only)		
If different from app	proved plan, please explain.			
23		The children Alexan Community Constraints and the contract of the Constraints of the Cons		
		<u>ms That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Iling fluids and drill cuttings were disposed. Use attachment if more than two facilities		
were utilized.	y me facting of factimes for where the tiquias, artic	ung juuas and arm caungs were asposed. Ose anachment ij more man two jachines		
Disposal Facility Name:		Disposal Facility Permit Number:		
Disposal Facility Name:		Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
	· · · ·	[]No		
	reas which will not be used for future service and op			
	the provident the the second provide the provident of the	pertutions.		
Soil Backfilling and	-			
Re-vegetation Appl	ication Rates and Seeding Technique			
24 Cleanus Damant Atta	alarment Charletter to de active Factor (d. 6.11	the first former would be also do also also and and also also for the data of the state of the		
the box, that the docum	cnment Checkiist: Instructions: Each of the following are attached	llowing items must be attached to the closure report. Please indicate, by a check mark in		
	Notice (surface owner and division)			
	tice (required for on-site closure)			
	site closures and temporary pits)			
~	npling Analytical Results (if applicable)			
Waste Material Sa	ampling Analytical Results (if applicable)			
Disposal Facility 1	Name and Permit Number			
Soil Backfilling ar	nd Cover Installation			
Re-vegetation Ap	plication Rates and Seeding Technique			
	(Photo Documentation)			
On-site Closure L	· · · · · · · · · · · · · · · · · · ·	Longitude: NAD 1927 1983		
25 Operator Closure Certi	fication:			
		re report is ture, accurate and complete to the best of my knowledge and belief. I also certify that		
	rmation and allachments submitted with this closure Il applicable closure requirements and conditions spo			
· · · · · · · · · · · · · · · · · · ·	er			
		Title:		
Name (Print):				
· · · · ·				
Name (Print):		Date:		

## ConocoPhillips Company Closed-loop Plans

## **Closed-loop Design Plan**

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.