	District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural R Department Oil Conservation Divisi 1220 South St. Francis I Santa Fe, NM 87505	esources July 21, 2 For temporary pits, closed-loop sytems, and below-grad tanks, submit to the appropriate NMOCD District Office. Dr.			
		Pit, Closed-Loop System, Below				
	Proposed Alternative Method Permit or Closure Plan Application					
. ſ	Type of action:	Permit of a pit, closed-loop system, belo	w-grade tank, or proposed alternative method			
1	•	X Closure of a pit, closed-loop system, bel	ow-grade tank, or proposed alternative method			
		Modification to an existing permit				
		Closure plan only submitted for an exist below-grade tank, or proposed alternativ	ing permitted or non-permitted pit, closed-loop system, re method			
	Please be advised that approval	of this request does not relieve the operator of liability should	closed-loop system, below-grade tank or alternative reques to operations result in pollution of surface water, ground water or the er applicable governmental authority's rules, regulations or ordinances.			
	1 Operator: Burlington Resources O	il & Gas Company LP	OGRID#: 14538			
1	Address: PO Box 4289, Farmingto					
	Facility or well name: San Juan 30					
			mit Number:			
	· · ·	· * •				
	Center of Proposed Design: Latitude Surface Owner: X Federal		ude: <u>107.4098</u> <u>W</u> NAD: X 1927 194 st or Indian Allotment			
		rkover Cavitation P&A	DIST. 3			
	Lined Unlined L		LDPE HDPE PVC Other			
	Lined Unlined L		LDPE HDPE PVC Other e: bbl Dimensions L x W x			
	Lined Unlined L String-Reinforced Liner Seams: Welded F	tion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (notice of intent) und Steel Tanks Haul-off Bins Other	e:bbl Dimensions Lx Wx D (Applies to activities which require prior approval of a permit or			
	Lined Unlined L String-Reinforced Liner Seams: Welded F Closed-loop System: Subsec Type of Operation: X P&A Drying Pad X Above Grou Lined Unlined Line Liner Seams: Welded F	iactory Other Volume tion H of 19.15.17.11 NMAC Workover or Drilling interesting interestintexec interesting interesting interesting int	e: bbl Dimensions L x W x D			
	Lined Unlined L String-Reinforced Liner Seams: Welded F X Closed-loop System: Subsect Type of Operation: X P&A Drying Pad X Above Group Lined Unlined Lined Liner Seams: Welded F 4 Below-grade tank: Subsection Volume: Interval Interval Tank Construction material: Secondary containment with leak dow	iactory Other Volume tion H of 19.15.17.11 NMAC Workover or Drilling on the state of intent) Drilling a new well Workover or Drilling on the state of intent) und Steel Tanks Haul-off Bins Other er type: Thickness mil LL iactory Other Other Drilling on the state of fluid: iactory Other Other Drilling of fluid: iactory Other Other Drilling of fluid: iactory Visible sidewalls, liner, 6-inch 1 Other	e:bbl Dimensions Lx Wx D (Applies to activities which require prior approval of a permit or DPEHDPEPVDOther			
	Lined Unlined L String-Reinforced Liner Seams: Welded F Inter Seams: Welded Welded F Inter Seams: Welded Welded F Inter Seams: Welded Welded F Inter Seams: Inter Seams: Welded F Inter Seams: Welded Inter Seams: Welded F Inter Seams: Welded Inter Seams: Welded F Inter Seams: Welded Inter Seams:	iactory Other Volume tion H of 19.15.17.11 NMAC Workover or Drilling on the state of intent) Ind Steel Tanks Haul-off Bins Other and Steel Tanks Haul-off Bins Other iactory Other Intervention 1 of 19.15.17.11 NMAC Dother Intervention 1 of 19.15.17.11 NMAC Differ Intervention	e:bbl Dimensions Lx Wx D (Applies to activities which require prior approval of a permit or DPE HDPE PVD Other			
	Lined Unlined L String-Reinforced Liner Seams: Welded F Inter Seams: Welded Welded F Inter Seams: Welded Welded F Inter Seams: Welded Welded F Inter Seams: Inter Seams: Welded Inter Seams: Inter Seams: Welded Inter Seams: Welded F Inter Seams: Welded Inter Seams: Inter	iactory Other Volume tion H of 19.15.17.11 NMAC Workover or Drilling on the state of intent) Ind Steel Tanks Haul-off Bins Other and Steel Tanks Haul-off Bins Other iactory Other Intervention 1 of 19.15.17.11 NMAC Dother Intervention 1 of 19.15.17.11 NMAC Differ Intervention	e:bbl Dimensions Lx Wx D (Applies to activities which require prior approval of a permit of DPEHDPEPVDOther			

.

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
7 7 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other					
8					
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
9 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:	i Anna (inna a Chur	1			
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
² <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	T Yes	No			

.

• •

.

Intervention: Each of the following innome the miniched to the appropriate inclusion. Place inflance, by a check work in the bior, that the documents are introduct.
Hydrogeologic Data (Cremporty and Emergency Pits) - based upon the requirements of 19.15.17.10 NMAC Design Pitteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Pitteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Closure Pitter Pittere complete Boxe: 14 through 18, if applicable) - based upon the appropriate requirements of 19.15.17.10 NMAC Closure Pitter Pittere complete Boxe: 14 through 18, if applicable) - based upon the appropriate requirements of 19.15.17.20 NMAC Previously Approved Design (attach copy of design) API Closure Pitter Complete Boxe: 14 through 18, if applicable) - based upon the appropriate requirements of Pangraph (3) of Subsection B of 19.15.17.9 Stiting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.11 NMAC Design Pitter - based upon the appropriate requirements of 19.15.17.11 NMAC Design Pitter - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Pitter Pittere - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Pittere Pittere Disease (11.15.17.11 NMAC Design Pitter - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Pitter Pittere Disease (11.15.17.11 NMAC Design Pitter - based upon the appropriate requirements of 19.15.17.12 NMAC Instructure: Each of the following teams ato attached to the appropriate requirements of 19.15.17.1
Sitiug Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Perviously Approved Design (attach copy of design) AP1 Or Perviously Approved Design (attach copy of design) AP1 Or Bosting and Maintenance Deal (attach copy of design) AP1 Or Series Termit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Interactions: Each of the following roots much be attached to the application. Hack much the documents or entrobed. Caclogica and Hydrogeologica Data (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) AP1 Previously Approved Design (attach copy of design) AP1 Previously Approved Design (attach copy of design) AP1 Previously Approved Design (attach copy of d
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Deprating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.13 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.13 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.13 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.13 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - Based upon the appropriate requirements of 19.15.17.11 NMA
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of Subsection C of 19.5.17.9 NMAC and 19.15.7.13 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of Subsection C of 19.5.17.9 NMAC and 19.15.7.13 NMAC Improve Design (attach copy of design) API
Genure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.3 NMAC more discipal (attach copy of design) API Previously Approved Design (attach copy of design) API or Permit Previously Approved Design (attach copy of design) API or Permit Previously Approved Design (attach copy of design) API or Permit Previously Approved Design (attach copy of design) API or Permit Previously Approved Design (attach copy of design) API or Permit Previously Approved Design (attach copy of design) API or Permit Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.1 NMAC operating and Maintenance Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API
Perviously Approved Design (attach copy of design) API
Previously Approved Design (attach copy of design) API
Closed-blog. Systems Permit Application Attachment Checklist; Subsection B of 19, 15, 19 NMAC Climeter of the following the same that attached to the appropriate, by a clock anise in the box, that the documents are attached. Closed prime and the attached to the appropriate requirements of Paragraph (3) of Subsection B of 19, 15, 17, 9 String Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19, 15, 17, 12 NMAC Costare Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19, 15, 17, 13 NMAC Previously Approved Design (atach copy of design) API Costare Plan (Plase and Maintenance Plan API Previously Approved Design (atach copy of design) API Costare Plan (Plase for the fabric plase) - based upon the appropriate requirements of 19, 15, 17, 10 NMAC Costare Plan (Plase for the appropriate requirements of 19, 15, 17, 10 NMAC Costare Plan (Plase for the fabric plase) - based upon the appropriate requirements of 19, 15, 17, 10 NMAC Costare Plase of the fabric plasm is that attached to the application. Plase indicate, by a check mark in the box, that the documents are attached. Costare for the fabric plasm is that attached to the application Plase attached. Costare for the fabric plasm is a stack dupon the appropriate requirements of 19, 15, 17, 10 NMAC Costare Treat for the fabric plasm is a stack and upon the appropriate requirements of 19, 15, 17, 10 NMAC Costare Treat and Structural Integrity Design: based upon the appropriate requirements of 19, 15, 17, 10 NMAC Costare Plase and Structural Integrity Design: based upon the appropriate requirements of 19, 15, 17, 11 NMAC Costare Plase Descing Plase - based upon the appropriate requirements of 19, 15, 17, 11 NMAC Costare Plase De
Interactions: Each of the following items must be attacked to the application. Please indicate, by a cleck mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the appropriate requirements of 19.15.17.0 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Previously Approved Design (attach copy of design) API Detroited The full following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of 19.15.17.9 NMAC Distribution of the full outwing items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the appropriate requirements of 19.15.17.1 NMAC Distribution of the application Checklist: Subsection B of 19.15.17.1 NMAC Distribution of the application checklist: Certified Engineering Design based upon the appropriate requirements of 19.15.17.1 NMAC Distribution of the appropriate requirem
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Operating and Maintenance Plan API Previously Approved Operating and Maintenance Plan API Premanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bax, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Structions: Each of the following items must be attached to the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Climatological Factors Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Click Design - based upon the appropriate requirements of 19.15.17.11 NMAC Click Design - based upon the appropriate requirements of 19.15.17.11 NMAC Click Design - based upon the appropriate requirements of 19.15.17.11 NMAC Click Design - based upon the appropriate requirements of 19.15.17.11 NMAC Click Design - based upon the appropriate requirements of 19.15.17.11 NMAC Dister Pontevortion and Structural Integrity Design. based upon the appropriate requirements of 19.15.17.11 NMAC Cloudy Design - based upon the appropriate requirements of 19.15.17.11 NMAC Description and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Dister Description Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Dister Description Pl
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Operating and Maintenance Plan API Previously Complex Decodist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bax, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.10 NMAC Climatological Factors Assessment Control/Gogical Factors Assessment Control/Gogical Factors Assessment Detection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Luek Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Free/Goad and Overtophympi Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Division Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Division Control Plan Closure Plan -
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Operating and Maintenance Plan API Previously Complex Decodist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bax, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.10 NMAC Climatological Factors Assessment Control/Gogical Factors Assessment Control/Gogical Factors Assessment Detection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Luek Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Free/Goad and Overtophympi Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Division Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Division Control Plan Closure Plan -
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 MAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) AP1 Previously Approved Operating and Maintenance Plan AP1 Previously Approved Operating and Maintenance Plan AP1 I3 Perviously Approved Operating and Maintenance Plan AP1 I4 Previously Approved Operating and Maintenance Plan AP1 I3 Perviously Approved Operating and Maintenance Plan AP1 I4 Previously Approved Operating and Maintenance Plan AP1 I5 Perviously Approved Operating and Maintenance Plan AP1 I5 Perviously Approved Operating and Maintenance Plan AP1 I5 Previously Approved Operating and Maintenance Plan AP1 I6 Proviously Approved Operating and Maintenance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC I6 Chinadogical Factors Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC I6 Chinadogical Factors Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Icase Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and
NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API Image: Complexity of the second previously approved Operating and Maintenance Plan API Image: Complexity of the second previously approved Operating and Maintenance Plan API Image: Complexity of the second previously approved Operating and Maintenance Plan API Image: Complexity of the second previously approved Operating and Maintenance Plan API Image: Complexity of the second previously approved Operating and Maintenance Plan API Image: Complexity of the second previously approved Operating and Maintenance Plan API Image: Complexity of the appropriate requirements of 19.15.17.19 NMAC Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Image: Complexity of the appropriate requirements of 19.15.17.11 NMAC Certified Engineering and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Image: Complexity of the appropriate requirements of 19.15.17.11 NMAC Complexity Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Complexity Assurance Construction and Installation Plan Detection Desi
i3 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bax, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Sting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Cirnatological Factor Assessment Cirtified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Guardobi Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Dilling Morkover Panceline Plan Closuer Plan - based upo
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bax, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (i) of Subsection B of 19.15.17.9 NMAC Climatological Factor Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oll Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Energency Cavitation PleA Permanent Pit Below-grade Tank Closed-loop System On System Sys
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bax, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Sitting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Entry Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Entry Control/Quality Assurance Construction Plan Deprating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Entry Control/Quality Assurance Construction Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Entry Control/Quality Assurance Construction Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Entry Control/Quality Assurance Construction Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Entry Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC Entry Closure Plan - based upon the appropriate requirements to the proposed closure plan. Type: Drilling Workover Energency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Engregency Closure Method (only for temporary pits and closed-loop systems)
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Precoard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Image: New York Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Plans - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC It Proposed Closure: 19.15.17.13 NMAC Instructions: Plans - based upon the appropriate requirement Pit Below-grade Tank Closure Plan - based upon the appropriate requirements of the proposed closure plan. Type: Diriling Workover
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leab Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Muisance or Hazardous Odors, including H2S, Prevention Plan Energency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Errosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Dirilling Workover Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Closure Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation Atternative Proposed Closure Method: Waste Removal Closure Method (only for temporary pits and closed-loop systems)
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Please complete the applicable bases, Bases 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) Con-site Closure Method (only for temporary pits and closed-loop systems)
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Precboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Coll Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Please complete the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Please complete the appropriate requirements of P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Plase complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: DrillingWorkoverEmergencyCavitationP&APermanent PitBelow-grade TankClosed-loop System Alternative Proposed Closure Method:Waste Excavation and RemovalWaste Removal (Closed-loop systems only)On-site Closure Method (only for temporary pits and closed-loop systems)
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Instructions: Please complete the applicable baxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.	fluids and drill cuttings. Use attachment if more than two				
Disposal Facility Name:					
	Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activitie Yes (If yes, please provide the information No	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obta	ined from nearby wells	N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtain		N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtai	ned from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signification (measured from the ordinary high-water mark).	ant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in e: - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	xistence at the time of initial application.				
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existe - NM Office of the State Engineer - iWATERS database; Visual inspection (certific	nce at the time of the initial application.				
 Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtain 		Yes No			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspe		Yes No			
Within the area overlying a subsurface mine.		Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and M	ineral Division				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mir Topographic map	neral Resources; USGS; NM Geological Society;	Yes No			
Within a 100-year floodplain. - FEMA map		Yes No			
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate	e requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirement					
Construction/Design Plan of Burial Trench (if applicable) based upon the	e appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a dryi	ng pad) - based upon the appropriate requirements of	19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of	19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 					

 Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19 Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.						
Name (Print): Title:						
Signature: Date:						
e-mail address: Telephone:						
20 <u>OCD Approval:</u> Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)						
OCD Representative Signature: Approval Date: 12/19/2017						
Title: COMDIGUCE OFFEC () OCD Permit Number:						
21						
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC						
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an						
approved closure plan has been obtained and the closure activities have been completed.						
X Closure Completion Date: 11/26/2012						
22 Closure Mathed						
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)						
If different from approved plan, please explain.						
23						
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:						
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.						
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B						
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005						
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?						
Yes (If yes, please demonstrate complilane to the items below)						
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
24 Cleaning Depart Attachment Charlington Inc. at an D. I. of the CH. An in View work hards the department of Discover distincts have deployed work in						
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.						
Proof of Closure Notice (surface owner and division)						
Proof of Deed Notice (required for on-site closure)						
Plot Plan (for on-site closures and temporary pits)						
Confirmation Sampling Analytical Results (if applicable)						
Waste Material Sampling Analytical Results (if applicable)						
Disposal Facility Name and Permit Number						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
Site Reclamation (Photo Documentation)						
On-site Closure Location: Latitude: Longitude: NAD 1927 1983						
25						
Operator Closure Certification:						
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that						
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
Name (Print): Dollig L. Busse Title: Staff Regulatory Technician						
Signature: ////// Date: 12/18/12						

Form (C-1	44
--------	-----	----

e-mail address:

dollie.1.busse@conocophillips.com

•

*

Telephone:

(505) 324-6104