District II

1301 W. Grand Ave., Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 8	7505	For permanent pits and excepti	
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		•	Environmental Bureau office and appropriate NMOCD District Off	
	Pit, Closed-Loop System, I	Below-Grade	Tank, or	
Propo	sed Alternative Method Per	<u>rmit or Closu</u>	<u>ıre Plan Applicatior</u>	<u>n</u>
Type of action:	X Permit of a pit, closed-loop system	ı, below-grade tan	k, or proposed alternative n	nethod
	Closure of a pit, closed-loop system	m, below-grade ta	nk, or proposed alternative	method
	Modification to an existing permit		•	
• •	Closure plan only submitted for an below-grade tank, or proposed alte		d or non-permitted pit, clos	sed-loop system,
Instructions: Please submit one app	olication (Form C-144) per individua	ıl pit, closed-loop	system, below-grade tank	or alternative request
	this request does not relieve the operator of liability to the operator of its responsibility to comply with	-		
Operator: ConocoPhillips Company			OGRID#: 217817	·
Address: PO Box 4289, Farmington	, NM 87499			
Facility or well name: Lindrith B Un	it #1		· · · · · · · · · · · · · · · · · · ·	
API Number: 30-	039-22137	CD Permit Number:		
U/L or Qtr/Qtr: D(NW/NW) Section	· 		W County: Rio Arri	
Center of Proposed Design: Latitude:			-107.16761 °W N.	AD: 1927 x 1983
Surface Owner: Federal .	State Private Triba	al Trust or Indian	Alloument	
Pit: Subsection F or G of 19.15.17.	II NMAC			There is a market of the con-
Temporary: Drilling Works				RCVD JAN 7'13' OIL CONS. DIV.
	vitation P&A		••	
Lined Unlined Line	er type: Thickness mil	LLDPE H	IDPE PVC Other	ost. 3
String-Reinforced				
Liner Seams: Welded Fac	tory Other	Volume:	bbl Dimensions L	x Wx D
3				
X Closed-loop System: Subsection Type of Operation: P&A	in H of 19.15.17.11 NMAC Drilling a new well X Workover or Di	rilling (Applies to ac	ctivities which require prior ap	proval of a permit or
1)pe or eperanom	notice of intent)		-	, p
Drying Pad X Above Ground	d Steel Tanks Haul-off Bins	Other		
Lined Unlined Liner	^` =	LLLDPE HE	OPE PVD Other	- · · · · · · · · · · · · · · · · · · ·
Liner Seams: Welded Fac	tory Other	-		·
Below-grade tank: Subsection I of	of 19 15 17 11 NMAC			
Volume: bbl	•			
Tank Construction material:		<u> </u>		
Secondary containment with leak dete	ction Visible sidewalls, liner, 6	-inch lift and autom	atic overflow shut-off	
Visible sidewalls and liner Visible sidewalls only Other				
Liner Type: Thickness	mil HDPE PVC	Other		
5 Alternative Method:		· ·		
Submittal of an exception request is requi	red. Exceptions must be submitted to the	Santa Fe Environme	ental Bureau office for conside	eration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting Subsection E of 10.15.17.11.NNAC (Applicate approximate and approximate approximat				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19.15.17.11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC	•			
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of approval.			
(Fencing/BGT Liner)				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10 Siting Criteria (regarding permitting): 19.15.17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	∐Yes ∐No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA 			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
- Written confirmation or verification from the municipality. Written approval obtained from the municipality Within 500 feet of a wetland.	☐Yes ☐No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
Within an unstable area.	Yes No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map				
Within a 100-year floodplain	Yes No			
- FEMA map	•			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC.				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17:11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan Oil Field Wests Stream Characterization				
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Buleau for Consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St	ool Tanks or Haul-off Rins On	bv: (19.15.17.13.D.NMAC)		
Instructions: Please identify the facility or facilities for the disposal of liquids, drilli	ng fluids and drill cuttings. Use	attachment if more than two		
facilities are required. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #:	NM_01_0011 / NM_01_00	IOR	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #:		100	
Will any of the proposed closed-loop system operations and associated activity			service and	
Yes (If yes, please provide the information No Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the approp		on H of 19.15.17.13 NMA	.C	
Re-vegetation Plan - based upon the appropriate requirements of Subs Site Reclamation Plan - based upon the appropriate requirements of Subs				•
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in the closure pla certain siting criteria may require administrative approval from the appropriate district off office for consideration of approval. Justifications and/or demonstrations of equivalency a	n. Recommendations of acceptable ice or may be considered an except	ion which must be submitted to		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data of	otained from nearby wells		Yes N/A	No
Ground water is between 50 and 100 feet below the bottom of the buried was	to		□Yes	□No
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob			□ N/A	
Ground water is more than 100 feet below the bottom of the buried waste.			Yes	No
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells		□N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signifumeasured from the ordinary high-water mark).	icant watercourse or lakebed, sir	ikhole, or playa lake	Yes	No
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	-	pplication.	Yes	No
			Yes	No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database; Visual inspection (certical)	stence at the time of the initial ap	- I		
Within incorporated municipal boundaries or within a defined municipal fresh water v pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval ob		pal ordinance adopted	Yes	No
Within \$00 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual ins		nosed site	Yes	No
Within the area overlying a subsurface mine.	pection (certification) of the prop	,	Yes	No
- Written confirantion or verification or map from the NM EMNRD-Mining and	Mineral Division		гэ.,	in the second
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & N	Mineral Resources; USGS; NM (Geological Society;	Yes	No
Topographic map Within a 100-year floodplain FEMA map		. *	Yes	No
18				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items mus	t bee attached to the closu	re plan. Plea	se indicate,
Siting Criteria Compliance Demonstrations - based upon the appropria	ate requirements of 19.15.17.	0 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirem	ents of Subsection F of 19.15	17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
 □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) □ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144

19				
Operator Application Co	ertification: mation submitted with this application is true, ac	curate and complete to the he	st of my knowledge and belief	
Name (Print):	DENISE JOURNEY	Title:	Regulatory Technolian	
Signature:	Deniet rur nin	Date:	1/4/2013	
e-mail address:	Denise.Journey@conocophillips.com	Telephone:	(505) 326-9556	
e-man address.	Demise Jodnie v Corrocoprimipale cm	Telephone.	(303) 320-3330	
OCD Approval: Per	rmit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment) Approval Date: 1/01/2017	
	10	v. Krim	Approvar Date: 100 1/201	2
Title:	Diance / Afre	OCD Dermi	t Number:	
Instructions: Operators are in report is required to be subn		or to implementing any closus etion of the closure activities. In completed.	e activities and submitting the closure report. The closure Please do not complete this section of the form until an Completion Date:	,
22		·		
Closure Method: Waste Excavation an	d Removal On-site Closure Method roved plan, please explain.	Alternative Closure N	fethod Waste Removal (Closed-loop systems only)	
23				
	Waste Removal Closure For Closed-loop Syst the facility or facilities for where the liquids, d		und Steel Tanks or Haul-off Bins Only; is were disposed. Use attachment if more than two facili	ties
Disposal Facility Name:		Disposal Facility I	ermit Number:	
Disposal Facility Name:		Disposal Facility I	ermit Number:	
	tem operations and associated activities performe		be used for future service and opeartions?	ĺ
	emonstrate complilane to the items below)	No		
Required for impacted ar Site Reclamation (Ph	eas which will not be used for future service and	l operations;		
Soil Backfilling and				
	cation Rates and Seeding Technique			
24				
	hment Checklist: Instructions: Each of the	following items must be attac	hed to the closure report. Please indicate, by a check ma	ırk in:
the box, that the docume				
l =	otice (surface owner and division)			
l = ·	ice (required for on-site closure) te closures and temporary pits)			
	• • • •			
= '	pling Analytical Results (if applicable) mpling Analytical Results (if applicable)			
<u> </u>	lame and Permit Number		•	
	d Cover Installation			
_	lication Rates and Seeding Technique			
_	Photo Documentation)			
On-site Closure Lo	cation: Latitude:	Longitude:	NAD · 1927 1983	
				·
25				
			nd complete to the best of my knowledge and belief. I also sure plan.	certify that
Name (Print):	 	Title:		
Signature:		Date:		ļ
e-mail address:		Telephone:		

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.