District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 200 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
<u>P</u>	it, Closed-Loop System, Below-Grad	e Tank, or
195 Propos	ed Alternative Method Permit or Clos	sure Plan Application
	Permit of a pit, closed-loop system, below-grade ta Closure of a pit, closed-loop system, below-grade t Modification to an existing permit Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method <i>ication (Form C-144) per individual pit, closed-loo</i>	ank, or proposed alternative method ted or non-permitted pit, closed-loop system,
•	s request does not relieve the operator of liability should operations re the operator of its responsibility to comply with any other applicable	
1 Operator: ConocoPhillips Company		OGRID#: 217817
Address: PO Box 4289, Farmington,	NM- 87499	21/01/
Facility or well name: Lindrith B Unit		
	· · · · · · · · · · · · · · · · · · ·	
<del></del>		
U/L  or  Qtr/Qtr: <b>B(NW/NE)</b> Section:	· ·	W County: <u>Rio Arriba</u>
Center of Proposed Design: Latitude:	<u>36.329319</u> °N Longitude:	<u>-107.08757</u> <b>•</b> W NAD: 1927 X 1983
Surface Owner: Federal	State Private Tribal Trust or India	n Allotment
	rer tation P&A type: Thickness mil LLDPE	RCVD JAN 7 '13           OIL CONS. DIV.           DIST. 3           HDPE         PVC         Other
	notice of intent) Steel Tanks Haul-off Bins Other pe: Thickness mil LLDPE	activities which require prior approval of a permit or
4       Below-grade tank:       Subsection 1 of         Volume:       bbl         Tank Construction material:       bl         Secondary containment with leak detect       Visible sidewalls and liner         Liner Type:       Thickness	Type of fluid:	matic overflow shut-off
5 Alternative Method: Submittal of an exception request is require	ed. Exceptions must be submitted to the Santa Fe Environ	nental Bureau office for consideration of approval.
Eorm C-144	Oil Conservation Division	Page 1 of 5

6

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)	
	(itution on abunda)
Chain link, six feet in height, two strands of barbed wire at top <i>(Required if located within 1000 feet of a permanent residence, school, hospital, inst</i> Four foot height, four strands of barbed wire evenly spaced between one and four feet	inution of church)
Alternate. Please specify	
7	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen       Netting       Other         Monthly inspections (If netting or screening is not physically feasible)	
8 Signs: Subsection C of 19.15.17.11 NMAC	
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
X Signed in compliance with 19.15.3.103 NMAC	
9 Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of approval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria	
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes No
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applied to permanent pits)	NA
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	TYes No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.	Yes No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> </ul>	Yes No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain - FEMA map	Yes No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachme Instructions: Each of the following items must be attached to the application. Please indicate, by a ch	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragrap	oh (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of	of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements	of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	•
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.1	7.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the ap 19.15.17.9 NMAC and 19.15.17.13 NMAC	propriate requirements of Subsection C of
Previously Approved Design (attach copy of design) API	or Permit
12         Closed-loop Systems Permit Application Attachment Checklist:       Subsection B of 19.15.17.9         Instructions: Each of the following items must be attached to the application. Please indicate, by a chell         Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirement         Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the requirement         X       Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         X       Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.1         X       Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriote previously Approved Design (attach copy of design)	eck mark in the box, that the documents are attached. ents of Paragraph (3) of Subsection B of 19.15.17.9 appropriate requirements of 19.15.17.10 NMAC 7.12 NMAC
Previously Approved Operating and Maintenance Plan API	
13         Permanent Pits Permit Application Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a structions: Each of the following items must be attached to the application. Please indicate, by a structure in the indicate of the following items must be attached to the appropriate requirements of Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Climatological Factors Assessment         Critified Engineering Design Plans - based upon the appropriate requirements of 19.11         Dike Protection and Structural Integrity Design: based upon the appropriate requirement cequirements of 19.15.17.11 NMA         Licar Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMA         Quality Control/Quality Assurance Construction and Installation Plan         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.1         Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements         Nuisance or Hazardous Odors, including H2S, Prevention Plan         Emergency Response Plan         Oil Field Waste Stream Characterization         Monitoring and Inspection Plan         Erosion Control Plan         Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9	of 19.15.17.9 NMAC of 19.15.17.10 NMAC 5.17.11 NMAC nts of 19.15.17.11 NMAC AC rements of 19.15.17.11 NMAC 7.12 NMAC s of 19.15.17.11 NMAC
14         Proposed Closure:       19.15.17.13 NMAC         Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed         Type:       Drilling X Workover         Emergency       Cavitation         P&A       Permanent         Alternative         Proposed Closure Method:       Waste Excavation and Removal         X Waste Removal (Closed-loop systems only)         On-site Closure Method (only for temporary pits and closed-loop         In-place Burial       On-site Trench         Alternative Closure Method (Exceptions must be submitted to the proposed)	Pit Below-grade Tank X Closed-loop System
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Please indicate, by a check mark in the box, that the documents are attached.	Each of the following items must be attached to the closure plan.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 N	MAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements	of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cutting	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirement	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of I	9.15.17.13 NMAC

,

.

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Gro</u> Instructions: Please identify the facility or facilities for the disposal of liquids.	und Steel Tanks or Haul-off Bins On drilling fluids and drill cuttings. Use	<u>iv:</u> (19.15.17.13.D NMAC) attachment if more than two	
facilities are required.		······	
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #:		10B
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #:		
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No	activities occur on or in areas that y	vill not be used for future s	ervice and
Required for impacted areas which will not be used for future service and ope         Soil Backfill and Cover Design Specification - based upon the a         Re-vegetation Plan - based upon the appropriate requirements of         Site Reclamation Plan - based upon the appropriate requirement	ppropriate requirements of Subsect Subsection 1 of 19.15.17.13 NMA	C	с
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.11 Instructions: Each siting criteria requires a demonstration of compliance in the clos certain siting criteria may require administrative approval from the appropriate dist office for consideration of approval. Justifications and/or demonstrations of equival	ure plan. Recommendations of acceptable rict office or may be considered an except	tion which must be submitted to	
Ground water is less than 50 feet below the bottom of the buried waste.			Yes No
- NM Office of the State Engineer - iWATERS database search; USGS: I	Data obtained from nearby wells		N/A
Ground water is between 50 and 100 feet below the bottom of the burie	d waste		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells		N/A
Ground water is more than 100 feet below the bottom of the buried was	te.		Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; D	ata obtained from nearby wells		N/A N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other (measured from the ordinary high-water mark).	significant watercourse or lakebed, sin	nkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the proposed site	, .	· .	
Within 300 feet from a permanent residence, school, hospital, institution, or che - Visual inspection (certification) of the proposed site; Aerial photo; satellin		pplication.	Yes No
			Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that purposes, or within 1000 horizontal fee of any other fresh water well or spring, - NM Office of the State Engineer - iWATERS database; Visual inspection	in existence at the time of the initial ap	-	
Within incorporated municipal boundaries or within a defined municipal fresh v pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approx		pal ordinance adopted	Yes No
Within 500 feet of a wetland	var ootamen nom the minicipanty		Tyes No
- US Fish and Wildlife Wetland Identification map; Topographic map; Vis	ual inspection (certification) of the pro-	posed site	
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Minin	and Minoral Division		Yes No
Within an unstable area.	g and twineral Division		Yes No
- Engineering measures incorporated into the design; NM Bureau of Geolo Topographic map	gy & Mineral Resources; USGS; NM (	Geological Society;	
Within a 100-year floodplain. - FEMA map			Yes No
<sup>18</sup> <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions. by a check mark in the box, that the documents are attached.	Each of the following items mus	st bee attached to the closu	re plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the app	propriate requirements of 19.15.17.	10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate req	uirements of Subsection F of 19.15	.17.13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) based	upon the appropriate requirements	of 19.15.17.11 NMAC	
Construction/Design Plan of Temporary Pit (for in place burial of Protocols and Procedures - based upon the appropriate requirem		propriate requirements of	9.15.17.11 NMAC
Confirmation Sampling Plan (if applicable) - based upon the app		n F of 19.15.17.13 NMAC	
Waste Material Sampling Plan - based upon the appropriate requ	irements of Subsection F of 19.15.	17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling	fluids and drill cuttings or in case of	on-site closure standards ca	nnot be achieved)
Soil Cover Design - based upon the appropriate requirements of	Subsection H of 19.15.17.13 NMA	IC C	

	Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC
]	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19 Operator Applic	ation Certification:	<i></i>	
I hereby certify that	the information submitted with this application is true	, accurate and complete to the b	
Name (Print):	DENISE JOURNEY	Title:	Regulatory Techneiian
Signature;	Dina Tourney	Date:	1/4/2013
• e-mail address:	Denise.Journey@condophillips.com	Telephone:	(505) 326-9556
. 20 OCD Approval:	Permit Application (including clogure plan)	Gosure Plan (only)	OCD Conditions (see attachment)
			1/m/m-
OCD Representa	tive Signature:	Ally	Approval Date://////////////////////////////////
Title:	Smptiquee Office	C OCD Perm	iit Number:
21			
	required within 60 days of closure completion) tors are required to obtain an approved closure plan		2 ire activities and submitting the closure report. The closure
report is required to	be submitted to the division within 60 days of the con	mpletion of the closure activities	Please do not complete this section of the form until an
approved closure p	lan has been obtained and the closure activities have b	· _	
	·	Closure	Completion Date:
· 22			
Closure Method	· · ·	_	·
Waste Exca	vation and Removal On-site Closure Meth	hod Alternative Closure 1	Method Waste Removal (Closed-loop systems only)
If different	from approved plan, please explain.		
23		· · · · · · · · · · · · · · · · · · ·	
	garding Waste Removal Closure For Closed-loop S		
Instructions: Pleas were utilized.	identify the facility or facilities for where the liquids	s, drilling fluids and drill cuttin	gs were disposed. Use attachment if more than two faciliti
Disposal Facility	Name:	Disposal Facility	Permit Number:
Disposal Facility		Disposal Facility	
	loop system operations and associated activities perfor		
_	please demonstrate complilane to the items below)	No	ľ
Required for im	pacted areas which will not be used for future service a	and operations:	
	ation (Photo Documentation)		
Soil Backfil	ling and Cover Installation		
Re-vegetation	on Application Rates and Seeding Technique	<u></u>	
24			
the box, that the	rt Attachment Checklist: Instructions: Each of il a documents are attached.	he following items must be affai	ched to the closure report. Please indicate, by a check mar
	losure Notice (surface owner and division)		
	eed Notice (required for on-site closure)		
🔲 Plot Plan (	for on-site closures and temporary pits)		
Confirmat:	on Sampling Analytical Results (if applicable)		
	erial Sampling Analytical Results (if applicable)		
=	acility Name and Permit Number		·
	illing and Cover Installation		
	ion Application Rates and Seeding Technique		
	nation (Photo Documentation)		
	osure Location: Latitude:	Longitude:	NAD 1927 1983
25			
<b>Operator</b> Closur	e Certification:		· · ·
	5	•	and complete to the best of my knowledge and belief. I also a
the closure complie	s with all applicable closure requirements and condition	ons specified in the approved cl	osure plan.
		Title:	
Name (Print);			
		Date:	
Name (Print): Signature:			
		Telephone:	-

.

## ConocoPhillips Company Closed-loop Plans

## **Closed-loop Design Plan**

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.