1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Closed-Loop S (that only use above ground steel in	State of New Mexico Energy Minerals and Natural Resource Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 System Permit or Closure Plan tanks or haul-off bins and propose to impl Type of action: X Permit Closure	For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.
Instructions: Please submit one application (Form closed-loop system that only use above ground steel ta Please be advised that approval of this request does not relie environment. Nor does approval relieve the operator of its r	inks or haul-off bins and propose to implement events the operator of liability should operations result is	request. For any application request other than for a waste removal for closure, please submit a Form C-144. in pollution of surface water, ground water or the overnmental authority's rules, regulations or ordinances.
Operator:XTO ENERGY INC.	OGR	ID#: <u>5380</u>
Address: 382_CR 3100 AZTEC, NM 874	•	
Facility or well name:BERGER A #1 (DHC		
API Number:30-045-13035		
U/L or Qtr/QtrJ Section21		
Center of Proposed Design: Latitude 36.4		00675 NAD: 1927 1983
Surface Owner: 🕱 Federal 🗌 State 🗋 Private 🗋	Tribal Trust or Indian Allotment	
X Above Ground Steel Tanks or Haul-off Bins 3. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name X Signed in compliance with 19.15.3.103 NMAC		RCVD JAN 14'13 OFF OIL CONS. DIV. DIST. 3
 ⁴ Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. 		
Instructions: Each of the following items must be a attached. Image: Design Plan - based upon the appropriate requirem the appropriate requirem the appropriate requirem the properties of the standard plan - based upon the appropriate requirement of the standard plan - based upon the plan (Please complete Box 5) - based upon the previously Approved Design (attach copy of design)	and the application. Please indicate, b ments of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.12 NM. on the appropriate requirements of Subsection gn) API Number:	y a check mark in the box, that the documents are AC C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Instructions: Each of the following items must be a attached. Image: Design Plan - based upon the appropriate requirem the appropriate requirem the appropriate requirem the properties of the standard plan - based upon the appropriate requirement of the standard plan - based upon the plan (Please complete Box 5) - based upon the previously Approved Design (attach copy of design)	attached to the application. Please indicate, b ments of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.12 NM. on the appropriate requirements of Subsection gn) API Number: e Plan API Number: That Utilize Above Ground Steel Tanks or I for the disposal of liquids, drilling fluids and d	y a check mark in the box, that the documents are AC C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Haul-off Bins Only: (19.15.17.13.D NMAC) drill cuttings. Use attachment if more than two
Instructions: Each of the following items must be a attached. Image: Design Plan - based upon the appropriate required complete Plan - based upon the appropriate required complete Box 5) - based upon the Closure Plan (Please complete Box 5) - based upon the Previously Approved Design (attach copy of design Previously Approved Operating and Maintenance for Closed-Ioop Systems of Instructions: Please indentify the facility or facilities facilities are required. Disposal Facility Name: BASIN DISPOSAL	and the application. Please indicate, by ments of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.12 NM, con the appropriate requirements of Subsection gn) API Number:	y a check mark in the box, that the documents are AC C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Instructions: Each of the following items must be a attached. Image: Design Plan - based upon the appropriate required operating and Maintenance Plan - based upon the Design (Design Plan (Please complete Box 5) - based upon the Previously Approved Design (attach copy of design Previously Approved Operating and Maintenance for Instructions: Please indentify the facility or facilities facilities are required. Disposal Facility Name: BASIN DISPOSAL Disposal Facility Name: IEI Will any of the proposed closed-loop system operation in Previously Approved Previde the information be Required for impacted areas which will not be used for impacted areas which will not be used for main proposed previde the information be Required for impacted areas which will not be used for main proposed previde the information be reception plan - based upon the appropriate previous	ments of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.12 NM. on the appropriate requirements of Subsection gn) API Number:	y a check mark in the box, that the documents are AC C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Haul-off Bins Only: (19.15.17.13.D NMAC) drill cuttings. Use attachment if more than two ermit Number: <u>MO1-005</u> rmit Number: <u>MO1-0010B</u> s that will not be used for future service and operations? of Subsection H of 19.15.17.13 NMAC 3 NMAC
Instructions: Each of the following items must be a attached.	ments of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.12 NM. on the appropriate requirements of Subsection gn) API Number:	y a check mark in the box, that the documents are AC C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Haul-off Bins Only: (19.15.17.13.D NMAC) drill cuttings. Use attachment if more than two ermit Number: <u>MO1-005</u> rmit Number: <u>MO1-0010B</u> s that will not be used for future service and operations? of Subsection H of 19.15.17.13 NMAC 3 NMAC
Instructions: Each of the following items must be a attached.	intrached to the application. Please indicate, b ments of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.12 NM, on the appropriate requirements of Subsection gn) API Number:	y a check mark in the box, that the documents are AC C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Haul-off Bins Only: (19.15.17.13.D NMAC) drill cuttings. Use attachment if more than two armit Number:
Instructions: Each of the following items must be a attached. Image: Design Plan - based upon the appropriate required operating and Maintenance Plan - based upon the Design (Design Plan (Please complete Box 5) - based upon the Closure Plan (Please complete Box 5) - based upon Previously Approved Design (attach copy of design Previously Approved Operating and Maintenance Instructions: Please indentify the facility or facilities facilities are required. 5. Waste Removal Closure For Closed-loop Systems facilities are required. Disposal Facility Name: BASIN DISPOSAL Disposal Facility Name: IEI Will any of the proposed closed-loop system operation Yes (If yes, please provide the information be Required for impacted areas which will not be used for Soil Backfill and Cover Design Specifications Bistic Reclamation Plan - based upon the appropriate for the proposed operation o	intrached to the application. Please indicate, b ments of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.12 NM, on the appropriate requirements of Subsection gn) API Number:	y a check mark in the box, that the documents are AC C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Haul-off Bins Only: (19.15.17.13.D NMAC) drill cuttings. Use attachment if more than two wrmit Number:
Instructions: Each of the following items must be a attached.	ments of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.12 NM. on the appropriate requirements of Subsection gn) API Number: e Plan API Number: for the disposal of liquids, drilling fluids and a for the disposal of liquids, drilling fluids and a ments and associated activities occur on or in area low) X No or future service and operations: s - based upon the appropriate requirements of Subsection I of 19.15.17.12 priate requirements of Subsection G of 19.15.17 priate requirements of Subsection G of 19.15.17 for future service and operations: s - based upon the appropriate requirements of Subsection G of 19.15.17.12 priate requirements of Subsection G of 19.15.17.12	y a check mark in the box, that the documents are AC C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Haul-off Bins Only: (19.15.17.13.D NMAC) drill cuttings. Use attachment if more than two armit Number:

Form C-144 CLEZ

Oil Conservation Division

5

~

	plication (including closure plan) Closure Plan (only)	
OCD Representative Signature:	on MT). Kelly Approval Date:23/2012	
Title: Compliance Office	OCD Permit Number:	
Instructions: Operators are required to The closure report is required to be sub	ays of closure completion): Subsection K of 19.15.17.13 NMAC obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. mitted to the division within 60 days of the completion of the closure activities. Please do not complete this osure plan has been obtained and the closure activities have been completed.	
Instructions: Please indentify the facil than two facilities were utilized.	noval Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: ity or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below)		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
10.		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

•

1

XTO Energy Inc. San Juan Basin Closed-Loop System Closure Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the closure requirements of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

XTO will close a drying pad used for a closed-loop system within six months from the date that XTO released the drilling or workover rig. XTO will not the date of the drilling or workover rig's release on form C-105 or C-103, riled with the division, upon the well's or workover's completion.

The closed-loop tank will be closed in accordance with 19.15.17.13 NMAC. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit Number NM01-0011) or IEI (Permit Number NM01-0010B) immediately following rig operations.

All remaining liquids will be transported and disposed of at the Basin Disposal, Inc facility (Permit Number NM 01-005). As an alternative (in the event Basin Disposal refused liquids because of capacity considerations, and if proper inventory space is available for liquids transfer while meeting free board requirements), the liquids will be moved forward to a XTO temporary pit constructed in accordance with all specifications in NMAC Rule 19.15.17 for a well yet to be drilled. All specifications, limitations, and rules within the New Mexico Administrative Codes regulating this transfer of liquids will be strictly adhered to. As a third alternative, if Basin Disposal turns away the fluids because of capacity reasons, and the second transfer option is not available, XTO may elect to haul the fluids to IEI (Permit Number 01-0010B) for final disposition.

The tanks will be removed from the location as part of the rig move. At the time of well abandonment the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

XTO Energy Inc. San Juan Basin Closed-Loop System Design and Construction Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the design and construction of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

Our closed-loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

1. Fencing is not required for an above ground closed-loop system.

2. It will be signed in compliance with 19.15.3.103 NMAC.

XTO Energy Inc. San Juan Basin Closed-Loop Systems Maintenance and Operating Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the operation and maintenance of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain the goal the following steps will be followed:

- The liquids will be vacuumed out and disposed of at the Basin Disposal, Inc. facility (Permit Number NM01-005). An alternative if available for liquids disposal, will be to move the liquids forward to a XTO temporary pit constructed in accordance with all specifications in NMAC Rule 19.15.17 for a well yet to be drilled. All specifications, limitations, and rules within the New Mexico Administrative Code regulating this transfer of liquids will be strictly adhered to. As a third alternative, if Basin Disposal turns away the fluids because of capacity reasons, and the second transfer option is not available, XTO may elect to haul fluids to IEI (Permit Number NM01-0010B) for final disposition.
- 2. Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM01-0011) or IEI (Permit Number NM01-0010B) on a periodic basis to prevent over topping.
- 3. No hazardous waste, miscellaneous solids, waste, or debris will be discharged into, or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 4. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon discovery of the compromised tank, repairs will be enacted immediately.
- 5. All of the above operations will inspected and a log will be signed and dated daily during rig operations.