	-••		Faure C 144			
• •	District I 1625 N. French Dr., Hobbs, NM 88240	State of New Mexico Energy Minerals and Natural Resources	Form C-144 July 21, 2008			
	District 11 1301 W. Grand Ave., Artesia, NM 88210	Department Oil Conservation Division 1220 South St. Francis Dr.	For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.			
	District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the			
	1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCD District Office.			
	_	Pit, Closed-Loop System, Below-Grac				
	A Proposed Alternative Method Permit or Closure Plan Application					
0	Type of action:	Permit of a pit, closed-loop system, below-grade ta	ank, or proposed alternative method			
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method						
		Modification to an existing permit				
		Closure plan only submitted for an existing permi below-grade tank, or proposed alternative method	tted or non-permitted pit, closed-loop system,			
	Instructions: Please submit one a	pplication (Form C-144) per individual pit, closed-loc	pp system, below-grade tank or alternative request			
		f this request does not relieve the operator of liability should operations in eventhe operator of its responsibility to comply with any other applicable	• •			
	Departor: Burlington Resources O		OGRID#: <u>14538</u>			
	Address: PO Box 4289, Farmingto					
	Facility or well name: San Juan 30					
		0-039-24221 OCD Permit Number				
	U/L or Qtr/Qtr: <u>G(SW/NE)</u> Secti		7W County: Rio Arriba			
	Center of Proposed Design: Latitude		<b>107.55365 °W</b> NAD: X 1927 1983			
	Surface Owner: X Federal	State Private Tribal Trust or India	n Allotment			
	Pit: Subsection F or G of 19.15.1     Temporary: Drilling Wol	7.11 NMAC kover	RCVD JAN 25'13 OIL CONS. DIV.			
	Permanent       Emergency       Cavitation       P&A       DIST. 3         Lined       Unlined       Liner type:       Thickness       mil       LLDPE       HDPE       PVC       Other					
	String-Reinforced	_				
	Liner Seams: Welded F	actory Other Volume:	bbl Dimensions Lx Wx D			
	Type of Operation:       X       P&A       [         Drying Pad       X       Above Grouter Abov	ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE I actory Other	activities which require prior approval of a permit or			
	4         Below-grade tank:       Subsection         Volume:	bl Type of fluid:	omatic overflow shut-off			
	5 Alternative Method: Submittal of an exception request is req	uired. Exceptions must be submitted to the Santa Fe Environ	mental Bureau office for consideration of approval.			

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify					
7          Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Screen       Netting         Other					
8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC					
9 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10 <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		-			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐ Yes ☐NA	No			
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applied to permanent pits)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	Yes NA	No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes	No			
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> </ul>	Yes Yes				
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> <li>Within a 100-year floodplain</li> <li>FEMA map</li> </ul>	Yes	No No			

11 <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist:</u> Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12         Closed-loop Systems Permit Application Attachment Checklist:         Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mork in the box, that the documents are attached.         Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
<sup>13</sup> <u>Permanent Pits Permit Application Checklist:</u> Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Ccrtified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14 Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 <u>Waste Excavation and Removal Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Plans indicate the schedure washing the bary that the downwate are attached.
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

...

•

16 Waste Removal Closure For Closed-loop Systems That Utilize <u>Above Ground Steel Tanks or Haul-off Bins Only:</u> (19.15.17.13.D NMAC)					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling flu facilities are required.	ids and drill cuttings. Use attachment if more than two				
· ·	sposal Facility Permit #:				
Disposal Facility Name: Disposal Facility Permit #:					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations:         Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtaine	d from nearby wells	N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste		Yes No			
<ul> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained</li> </ul>	d from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No			
<ul> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained</li> </ul>	d from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).	watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	lence at the time of initial application.	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than fi purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database; Visual inspection (certification Within incorporated municipal boundaries or within a defined municipal fresh water well fi pursuant to NMSA 1978, Section 3-27-3, as amended.	e at the time of the initial application. on) of the proposed site	Yes No			
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained Within 500 feet of a wetland</li> </ul>	d from the municipality	Tyes No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspecti	on (certification) of the proposed site				
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division		Yes No			
Within an unstable area.		Yes No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain.		Yes No			
- FEMA map					
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					

Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19						
Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.						
Name (Print): Title:						
Signature: Date:						
e-mail address: Telephone:						
20 <u>OCD Approval:</u> Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:						
21 Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 1/4/2013						
22						
Closure Method:         Waste Excavation and Removal         On-site Closure Method         If different from approved plan, please explain.						
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:         Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.         Disposal Facility Name:       Envirotech / JFJ Landfarm % IE1       Disposal Facility Permit Number:       NM-01-0011 / NM-01-0010B         Disposal Facility Name:       Basin Disposal Facility       Disposal Facility Permit Number:       NM-01-005         Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?       Yes (If yes, please demonstrate complilane to the items below)       X         Required for impacted areas which will not be used for future service and operations:       Site Reclamation (Photo Documentation)       Soil Backfilling and Cover Installation         Re-vegetation Application Rates and Seeding Technique       Re-vegetation Application Rates and Seeding Technique       Seeding Technique						
24						
24       Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.         Proof of Closure Notice (surface owner and division)       Proof of Deed Notice (required for on-site closure)         Plot Plan (for on-site closures and temporary pits)       Confirmation Sampling Analytical Results (if applicable)         Waste Material Sampling Analytical Results (if applicable)       Disposal Facility Name and Permit Number         Soil Backfilling and Cover Installation       Re-vegetation Application Rates and Seeding Technique         Site Reclamation (Photo Documentation)       On-site Closure Location:       Latitude:       Longitude:       NAD       1927       1983						
25						
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
Name (Print): DolHie L. Busse Title: Staff Regulatory Technician						
Signature: Delle Custe Date: 1/24/13						
e-mail address: dollie.1.busse@conocophillips.com Telephone: (505) 324-6104						

•

.....