<u>District 1</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District 11</u> 1301 W. Grand Ave., Artesia, NM 88210 <u>District 111</u> 1000 Rio Brazos Rd., Aztec, NM 87410 District 1V	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-1 July 21, 20 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCD District Office.
	Pit, Closed-Loop System, Below-Grac	le Tank, or
	sed Alternative Method Permit or Clos	
$\sqrt{9}$		
Type of action:	X Permit of a pit, closed-loop system, below-grade ta	
	Closure of a pit, closed-loop system, below-grade	tank, or proposed alternative method
	Modification to an existing permit	
	Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method	ted or non-permitted pit, closed-loop system,
Please be advised that approval of	plication (Form C-144) per individual pit, closed-lood this request does not relieve the operator of liability should operations reve the operator of its responsibility to comply with any other applicable	esult in pollution of surface water, ground water or the
1 Operator: Burlington Resources Oil	& Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmingtor		· · · · · · · · · · · · · · · · · · ·
Facility or well name: MARSHALL		· · · · · · · · · · · · · · · · · · ·
API Number: 30	-045-26018 OCD Permit Number	er:
U/L or Qtr/Qtr:A(NE/NE) Section	n: <u>15</u> Township: <del>2729</del> N Range:	9W County: San Juan
Center of Proposed Design: Latitude:	36.57943 °N Longitude:	<u>-107.77012</u> <b>•</b> W NAD: <b>X</b> 1927 198
Surface Owner: X Federal	State Private Tribal Trust or India	n Allotment
Lined Unlined Lin	over vitation P&A er type: Thickness mil LLDPE ctory Other Volume:	HDPE PVC Other DIST. 3
Type of Operation:     P&A       Drying Pad     X       Above Groun       Lined     Unlined	notice of intent) d Steel Tanks Haul-off Bins Other	activities which require prior approval of a permit or
Below-grade tank: Subsection I Volume:bb Tank Construction material:     Secondary containment with leak dete     Visible sidewalls and liner Liner Type: Thickness	1 Type of fluid:	omatic overflow shut-off
5 Alternative Method: Submittal of an exception request is requ		

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
7 .				
Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Screen       Netting         Other				
8				
Signs:       Subsection C of 19.15.17.11 NMAC         12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers         X Signed in compliance with 19.15.3.103 NMAC				
9				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_	_		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No.		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	No		
Society; Topographic map Within a 100-year floodplain - FEMA map	🗌 Yes	No		

It       Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Hydrogcologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC         Hydrogcologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12         Closed-loop Systems Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9         Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC         X       Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         X       Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         X       Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9         NMAC and 19.15.17.13 NMAC       Previously Approved Design (attach copy of design)         API       Previously Approved Operating and Maintenance Plan
Permanent Pits Permit Application Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. <ul> <li>Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> <li>Climatological Factors Assessment</li> <li>Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Quality Control/Quality Assurance Construction and Installation Plan</li> <li>Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Nuisance or Hazardous Odors, including H2S, Prevention Plan</li> <li>Oil Field Waste Stream Characterization</li> <li>Monitoring and Inspection Plan</li> <li>Erosion Control Plan</li> <li>Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC</li> </ul>
Proposed Closure:       19.15.17.13 NMAC         Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.         Type:       Drilling X Workover         Emergency       Cavitation         P&A       Permanent Pit         Below-grade Tank       X Closed-loop System         Alternative         Proposed Closure Method:       Waste Excavation and Removal         X Waste Removal (Closed-loop systems only)         On-site Closure Method (only for temporary pits and closed-loop systems)         In-place Burial       On-site Trench         Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15         Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.         Please indicate, by a check mark in the box, that the documents are attached.         Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC         Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC         Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)         Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Groun</u> Instructions: Please identify the facility or facilities for the disposal of liquids, of facilities are required.					
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #: <u>NM-01-0011 / NM-01-00</u>	010B			
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: <u>NM-01-005</u>				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations:         Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
17					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Da	ta obtained from nearby wells	□ N/A			
Ground water is between 50 and 100 feet below the bottom of the buried	waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	N/A			
Ground water is more than 100 feet below the bottom of the buried waster	с.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Da	ta obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s (measured from the ordinary high-water mark).	significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site; Aerial photo; satellite		Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted					
<ul> <li>pursuant to NMSA 1978, Section 3-27-3, as amended.</li> <li>Written confirmation or verification from the municipality; Written approv</li> </ul>		Yes No			
Within 500 feet of a wetland		Yes No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visu	al inspection (certification) of the proposed site				
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining	and Mineral Division	Yes No			
Within an unstable area.		Yes No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain. - FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
<ul> <li>Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC</li> </ul>					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

<b> </b>				
19	· · · · · · · · · · · · · · · · · · ·			
Operator Application Certification:	ate and complete to the bast of any heavilative and belief			
I hereby certify that the information submitted with this application is true, accur				
Name (Print): DENISE JOURNEY				
Signature: Daniel Journey				
c-mail address: <u>Denise.Journey@conocophillipf.com</u>	Telephone: (505) 326-9556			
20	· ·			
20 <u>OCD Approval:</u> Permit Application (including closure plan)	Gosure Plan (only) OCD Conditions (see attachment)			
OCD Representative Signature:	Approval Date: 1/29/20(3			
Title: (AMD) Taure Office(				
Time Straphagle VALICE				
21				
Closure Report (required within 60 days of closure completion): Subsc	ection K of 19.15.17.13 NMAC			
Instructions: Operators are required to obtain an approved closure plan prior to	o implementing any closure activities and submitting the closure report. The closure			
report is required to be submitted to the division within 60 days of the completion approved closure plan has been obtained and the closure activities have been co	n of the closure activities. Please do not complete this section of the form until an mpleted			
	·			
· · · · · · · · · · · · · · · · · · ·	Closure Completion Date:			
22				
Closure Method:				
Waste Excavation and Removal On-site Closure Method	Alternative Closure Method Waste Removal (Closed-loop systems only)			
If different from approved plan, please explain.				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems	That Utilize Above Ground Steel Tanks or Haul-off Bins Only:			
	ng fluids and drill cuttings were disposed. Use attachment if more than two facilities			
were utilized.				
Disposal Facility Name:	Disposal Facility Permit Number:			
Disposal Facility Name:	Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed of				
	ŊŊ			
Required for impacted areas which will not be used for future service and open Site Reclamation (Photo Documentation)	erations:			
Soil Backfilling and Cover Installation	· •			
Re-vegetation Application Rates and Seeding Technique	· · ·			
24 Classing Deport Attackment Checklick, Instructions, Each of the fall				
<u>Closure Report Attachment Checklist:</u> Instructions: Each of the folio the box, that the documents are attached.	wing items must be attached to the closure report. Please indicate, by a check mark in			
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude:	Longitude: NAD 1927 1983			
	NADNADNAD			
25 Operator Closure Certification:				
	report is ture, accurate and complete to the best of my knowledge and belief. I also certify that			
the closure complies with all applicable closure requirements and conditions spe				
Name (Print):	Title:			
Signature:	Date:			
e-mail address: Telephone:				
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			

.

Oil Conservation Division

í

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## **Closed-loop Design Plan**

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

## **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.