District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

District III	1220 South St. Fr	rancis Dr.	
1000 Rio Brazos Rd., Aztec, NM 87410  District IV	Santa Fe, NM	87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 S. St. Francis Dr., Santa Fe, NM 87505	Pit, Closed-Loop System,	Below-Grade	e Tank or
o S	osed Alternative Method P		<del></del>
Type of action:	Permit of a pit, closed-loop syste	em, below-grade ta	nk, or proposed alternative method
		_	ank, or proposed alternative method
	Modification to an existing perm		ed or non-normitted nit-alocad loop system
	below-grade tank, or proposed a		ed or non-permitted pit, closed-loop system,
Instructions: Please submit one a	pplication (Form C-144) per individ	ual pit, closed-loop	o system, below-grade tank or alternative request
· ·		-	sult in pollution of surface water, ground water or the governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oi	1 & Gas Company, LP		OGRID#: <u>14538</u>
Address: PO Box 4289, Farmingto	n, NM 87499		
Facility or well name: Waller 100S			
API Number: 30	0-045-32085	OCD Permit Number	::
U/L or Qtr/Qtr: P(SE/SE) Section	· · · · · · · · · · · · · · · · · · ·	_ ~	1W County: San Juan
Center of Proposed Design: Latitude		Longitude:	107.95277 °W NAD: X 1927 1983
Surface Owner: X Federal	State Private Tri	ibal Trust or Indian	Allotment
Permanent Emergency C	7.11 NMAC  kover  Cavitation P&A  iner type: Thickness mil	LLDPE	RCVD JAN 25 '13 OIL CONS. DIV.  HDPE PVC Other DIST. 3
String-Reinforced  Liner Seams: Welded Fa	actory Other	Volume:	_bbl Dimensions Lx Wx D
Type of Operation: X P&A  Drying Pad X Above Grou  Lined Unlined Line	ion H of 19.15.17.11 NMAC  Drilling a new well Workover or notice of inte nd Steel Tanks Haul-off Bins rype: Thickness mil	ent) Other	activities which require prior approval of a permit or  IDPE PVD Other
4    Below-grade tank: Subsection	bl Type of fluid:	•	matic overflow shut-off
5 Alternative Method:			
Submittal of an exception request is req	uired. Exceptions must be submitted to the	he Santa Fe Environn	nental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify					
7					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19.15.17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
9 Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:		_			
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design)  API			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9			
NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Closure Frain - based upon the appropriate requirements of Subsection C of 13.13.17.3 (WIAC and 13.13.17.13 (WIAC			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method:			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please identify the facility or facilities for the disposal of liquids, dr.	Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) illing fluids and drill cuttings. Use attachment if more than two				
facilities are required.					
	y Name: Disposal Facility Permit #:				
Disposal Facility Name:	Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated act Yes (If yes, please provide the information No		service and			
Required for impacted areas which will not be used for future service and operation.  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Sums Site Reclamation Plan - based upon the appropriate requirements of Sums Site Reclamation Plan - based upon the appropriate requirements of	opriate requirements of Subsection H of 19.15.17.13 NM/absection I of 19.15.17.13 NMAC	AC			
17		<del> </del>			
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 N Instructions: Each siting criteria requires a demonstration of compliance in the closure certain siting criteria may require administrative approval from the appropriate district office for consideration of approval. Justifications and/or demonstrations of equivalence	plan. Recommendations of acceptable source material are provided office or may be considered an exception which must be submitted to				
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS: Data	ı obtained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried v	vaste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa lake	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church	n in existence at the time of initial application	∏Yes ∏No			
- Visual inspection (certification) of the proposed site; Aerial photo; satellite in	• •	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that les purposes, or within 1000 horizontal fee of any other fresh water well or spring, in a NM Office of the State Engineer - iWATERS database; Visual inspection (co	existence at the time of the initial application.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland		Yes No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		Пу., Пу.			
Within the area overlying a subsurface mine.  - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division		Lites Lino			
Within an unstable area.		Yes No			
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society;</li> <li>Topographic map</li> </ul>					
Within a 100-year floodplain. - FEMA map		Yes No			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: E by a check mark in the box, that the documents are attached.	Cach of the following items must bee attached to the closs	ure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate require					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

19 Country And Continue Continue Continue						
Operator Application Certification:  Thereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.						
Name (Print): Title:						
Signature: Date:						
e-mail address: Telephone:						
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1/2/2013 Title: OCD Permit Number:						
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  X Closure Completion Date: 1/7/2013						
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.						
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B  Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliane to the items below)  Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique						
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude: Longitude: NAD 1927 1983						
25  Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that						
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
Name (Print): Dollie L. Busse Title: Staff Regulatory Technician						
Signature: Date: 1/24/13						
e-mail address: dollie_l:busse@conocophillips.com Telephone: (505) 324-6104						