District 1

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

... July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Proposed Alternative Method Permit or Closure Plan Application
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit ☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538 Address: PO Box 4289, Farmington, NM 87499
Facility or well name: Lambe 1E
API Number: 30-045-33881 OCD Permit Number:
U/L or Qtr/Qtr: M(SW/SW) Section: 21 Township: 32N Range: 10W County: San Juan
Center of Proposed Design: Latitude: 36.880257 °N Longitude: -107.891917 °W NAD: X 1927 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary:
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
- buomittan of an exception request is required. Exceptions must be submitted to the banka recently normalized office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)						
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)						
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC						
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	sideration of ap	proval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No				
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No .				
Within a 100-year floodplain - FEMA map	Yes	No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC						
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of						
19.15.17.9 NMAC and 19.15.17.13 NMAC						
Previously Approved Design (attach copy of design) API or Permit						
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9						
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC						
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC						
Previously Approved Design (attach copy of design) API						
Previously Approved Operating and Maintenance Plan API						
13						
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC						
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Climatological Factors Assessment						
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC						
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC						
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC						
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC						
Quality Control/Quality Assurance Construction and Installation Plan						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Nuisance or Hazardous Odors, including H2S, Prevention Plan						
Emergency Response Plan						
Oil Field Waste Stream Characterization						
Monitoring and Inspection Plan						
Erosion Control Plan						
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC						
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.						
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative						
Proposed Closure Method: Waste Excavation and Removal						
X Waste Removal (Closed-loop systems only)						
On-site Closure Method (only for temporary pits and closed-loop systems)						
In-place Burial On-site Trench						
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)						
15						
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.						
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)						
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Form C-144 Oil Conservation Division

Page 3 of 5

16 Waste Removal Closure For Closed-Joop Systems That Utilize Above Ground	Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)						
Instructions: Please identify the facility or facilities for the disposal of liquids, dril facilities are required.							
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #: NM-01-0011 / NM-01-0	0010B					
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005						
Will any of the proposed closed-loop system operations and associated action. Yes (If yes, please provide the information. No.	vities occur on or in areas that will not be used for future	e service and					
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Sul Site Reclamation Plan - based upon the appropriate requirements of	opriate requirements of Subsection H of 19.15.17.13 NM bsection I of 19.15.17.13 NMAC	AC					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 No Instructions: Each siting criteria requires a demonstration of compliance in the closure parties of the criteria may require administrative approval from the appropriate district of office for consideration of approval. Justifications and/or demonstrations of equivalency	olan. Recommendations of acceptable source material are provides office or may be considered an exception which must be submitted t						
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data	obtained from nearby wells	Yes No					
Ground water is between 50 and 100 feet below the bottom of the buried w	aste	Yes No					
- NM Office of the State Engineer - iWATERS database search; USGS; Data of		N/A					
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No					
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	obtained from nearby wells	□ N/A					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark).	nificant watercourse or lakebed, sinkhole, or playa lake	Yes No					
- Topographic map; Visual inspection (certification) of the proposed site							
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; satellite im		Yes No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in e - NM Office of the State Engineer - iWATERS database; Visual inspection (cer	existence at the time of the initial application.	Yes No					
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval of the purity of the section of	r well field covered under a municipal ordinance adopted	Yes No					
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual i		Yes No					
Within the area overlying a subsurface mine.		Yes No					
- Written confirantion or verification or map from the NM EMNRD-Mining an	d Mineral Division						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Topographic map	h Mineral Resources; USGS; NM Geological Society;	Yes No					
Within a 100-year floodplain FEMA map		Ycs No					
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Edby a check mark in the box, that the documents are attached.	ach of the following items must bee attached to the clos	sure plan. Please indicate,					
Siting Criteria Compliance Demonstrations - based upon the approp	oriate requirements of 19.15.17.10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate require	ments of Subsection F of 19.15.17.13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upo	on the appropriate requirements of 19.15.17.11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a		f 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements		C					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requires		C					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC							
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC							
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC							

19 Operator Application Certification: I hereby certify that the information submitted with thi	c application is true accur	rate and complete to the he	est of my knowledge and belief	
Name (Print): Submitted with time.	• •	Title:	Regulatory Technolian	
	une	Date:	1/24/2013	
e-mail address: Denise.Journey@co		Telephone:	(505) 326-9556	
e-man address.				
OCD Approval: Permit Application (included) OCD Representative Signature: Title:	ling closure plan)	OCD Permi	OCD Conditions (see attachment) Approval Date: 1/29/20(3	
	roved closure plan prior to a 60 days of the completio	o implementing any closur on of the closure activities. ompleted.	re activities and submitting the closure report. The closure Please do not complete this section of the form until an Completion Date:	
22 Closure Method: Waste Excavation and Removal Of the first transfer of the control of the con	n-site Closure Method	Alternative Closure N	Method Waste Removal (Closed-loop systems only)	
23 <u>Closure Report Regarding Waste Removal Closure</u> Instructions: Please identify the facility or facilities for were utilized.			ound Steel Tanks or Haul-off Bins Only: gs were disposed. Use attachment if more than two facilities	
Disposal Facility Name:		Disposal Facility F	Permit Number:	
Disposal Facility Name:		Disposal Facility F		
Were the closed-loop system operations and associa	nted activities performed o	on or in areas that will not	be used for future service and opeartions?	İ
Yes (If yes, please demonstrate complilane to t	he items below)	No		ŀ
Required for impacted areas which will not be used Site Reclamation (Photo Documentation)	l for future service and op	verations:		
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding T	echnique			
the box, that the documents are attached.		owing items must be attac	hed to the closure report. Please indicate, by a check mark in	
Proof of Closure Notice (surface owner an Proof of Deed Notice (required for on-site				
Plot Plan (for on-site closures and tempora	· ·			
Confirmation Sampling Analytical Results	• • •			
Waste Material Sampling Analytical Resul				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seed	ing Technique			ĺ
Site Reclamation (Photo Documentation)			🗖 💆	
On-site Closure Location: Latitude:	····	Longitude:	NAD	
Operator Closure Certification: I hereby certify that the information and attachments s the closure complies with all applicable closure requir		•	nd complete to the best of my knowledge and belief. I also certify the ssure plan.	at
Name (Print):		Title:	<u>.</u>	
Signature:		Date:		
e-mail address:		Telephone:		

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.