District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.

 $\label{eq:July 21, 2008} \label{eq:July 21, 2008}$ For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u>	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 S. St. Francis Dr., Santa Fe, NM 87505	Pit, Closed-Loop System, Below-Grad	
Propo	osed Alternative Method Permit or Clos	
<i>x</i> − − − − − − − − − − − − − − − − − − −		
Type of action:	Permit of a pit, closed-loop system, below-grade ta	
G	X Closure of a pit, closed-loop system, below-grade t	ank, or proposed alternative method
	Modification to an existing permit	tod or non normitted nit algored loop quotom
	Closure plan only submitted for an existing permitt below-grade tank, or proposed alternative method	led or non-permitted pit, closed-loop system,
Instructions: Please submit one ap	oplication (Form C-144) per individual pit, closed-loo	p system, below-grade tank or alternative request
_	f this request does not relieve the operator of liability should operations re	
environment. Nor does approval reli	eve the operator of its responsibility to comply with any other applicable	governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oi	l & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmingto		
Facility or well name: Atlantic D Co		
	0-045-21097 OCD Permit Numbe	r:
U/L or Qtr/Qtr: O(SW/SE) Section		0W County: San Juan
Center of Proposed Design: Latitude	·	107.83303 °W NAD: X 1927 1983
Surface Owner:	X State Private Tribal Trust or Indian	
2		
Pit: Subsection F or G of 19.15.17	'.11 NMAC	j
Temporary: Drilling Wor	kover	RCVD FEB 4'13
	avitation P&A	OIL CONS. DIV.
Lined Unlined Li	ner type: Thickness mil LLDPE	HDPE PVC Other DIST. 3
String-Reinforced		
Liner Seams: Welded Fa	octory Other Volume:	bbl Dimensions Lx Wx D
3 X Closed-loop System: Subsect	ion H of 19.15.17.11 NMAC	
Type of Operation: X P&A	Drilling a new well Workover or Drilling (Applies to	activities which require prior approval of a permit or
	notice of intent)	
	nd Steel Tanks Haul-off Bins Other	 -
	r type: Thicknessmil LLDPE H	IDPE PVD Other
Liner Seams: Welded Fa	octory Other	
4		
Below-grade tank: Subsection I		
·	bl Type of fluid:	
Tank Construction material:		
Secondary containment with leak de	, ' '	natic overflow shut-off
Liner Type: Thickness	Visible sidewalls only Other mil HDPE PVC Other	
Emel Type. Thickness	milHDPEPVCOther	
5 Alternative Method:		
Submittal of an exception request is requ	uired. Exceptions must be submitted to the Santa Fe Environn	nental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

	Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)						
	Four foot height, four strands of barbed wire evenly spaced between one and four feet					
	Alternate. Please specify					
7						
	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
	Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
=	Wontiny Inspections (1) neuring or screening is not physically Jeasine)					
8	Signs: Subsection C of 19.15.17.11 NMAC					
	12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
	X Signed in compliance with 19.15.3.103 NMAC					
9						
	Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
	Please check a box if one or more of the following is requested, if not leave blank:					
ı	Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	oproval.			
	Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10)	T				
•	Siting Criteria (regarding permitting): 19.15.17.10 NMAC					
	Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
	appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	1				
	consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No			
	(measured from the ordinary high-water mark), - Topographic map; Visual inspection (certification) of the proposed site	Í				
		□ _{Vec}				
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	[] [es	Пио			
	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA				
	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
	(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA				
			\square_{N_0}			
	Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No			
	- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
	Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
	Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
	Within an unstable area.	Yes	\prod_{No}			
	- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		LJ			
	Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of		
19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9		
NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
14 Proposed Closure: 19.15.17.13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative		
Proposed Closure Method: Waste Excavation and Removal		
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only; (19.15.17.13.D NMAC)					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.					
Disposal Facility Name: Dis	posal Facility Permit #:	 -			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each sting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained	i from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	į	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	from nearby wells	∏N/A			
Ground water is more than 100 feet below the bottom of the buried waste.	ł	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant v (measured from the ordinary high-water mark).	watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site	1				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existe - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	ence at the time of initial application.	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No			
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 		Yes No			
Within the area overlying a subsurface mine.		□Yes □No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;		Yes No			
Topographic map Within a 100-year floodplain.		□Yes □No			
- FEMA map	· }				
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,					
by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying p		9.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate req					
Waste Material Sampling Plan - based upon the appropriate requirements of		anot be achieved			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division

19 Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 2/57/2013 Title: OCD Permit Number:					
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 1/23/2013					
X Closure Completion Date: 1/23/2013					
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.					
23					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.					
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B					
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes, please demonstrate compliane to the items below) X No					
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in					
the box, that the documents are attached. Proof of Closure Notice (surface owner and division)					
Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location: Latitude: Longitude: NAD 1927 1983					
25					
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that					
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print): Dollié L. Busse Title: Staff Regulatory Technician					
Signature: Date: 2/1/13					
e-mail address: dollie.l.busse@conocophillips.com Telephone: (505) 324-6104					