District I 1625 N. French Dr., Hobbs. NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe. NM 87505	State of New Mexic Energy Minerals and Natural F Department Oil Conservation Divis 1220 South St. Francis Santa Fe, NM 8750	esources For temporary pits, o tanks, submit to the a Dr. For permanent pits a	Form C-144 July 21, 2008 closed-loop sytems, and below-grade ppropriate NMOCD District Office.
1220 S. St. Francis Dr., Santa Fe, NWI 87503	Pit, Closed-Loop System, Belo	w-Grade Tank or	· · ·
Prop	osed Alternative Method Permi		ication
-05			
Type of action:	Permit of a pit, closed-loop system, be		
	X Closure of a pit, closed-loop system, be	ow-grade tank, or proposed a	nemative method
	Modification to an existing permit	in a normalities of an analysis and its	duit alogad loon sustan
	Closure plan only submitted for an existence below-grade tank, or proposed alternat		a pit, closed-loop system,
Instructions: Please submit one a	application (Form C-144) per individual pit,		ide tank or alternative request
Please be advised that approval	of this request does not relieve the operator of liability should	operations result in pollution of surface	water, ground water or the
environment. Nor does approval rel	ieve the operator of its responsibility to comply with any ot	r applicable governmental authority's ru	les, regulations or ordinances.
1 Operatori Burlington Besources O	il & Cas Company I P	OCDID#. 14529	· · · · · · · · · · · · · · · · · · ·
Operator: Burlington Resources O		OGRID#: <u>14538</u>	
Address: PO Box 4289, Farmingt			,
Facility or well name: SAN JUAN			
API Number: 3	0-039-30480 OCD P	mit Number:	
U/L or Qtr/Qtr: <u>F(SE/NW)</u> Sect	'	nge: <u>4W</u> County:	Rio Arriba
Center of Proposed Design: Latitud			•W NAD: 1927 X 1983
Surface Owner: X Federal	State Private Tribal Tri	st or Indian Allotment	
		···=·=····	
Permanent Emergency Lined Unlined I	rkover Cavitation P&A .iner type: Thickness mil 1	LDPE HDPE PVC	CONS. DIV DIST. 3 JAN 3 0 2013
Pit:       Subsection F or G of 19.15.1         Temporary:       Drilling         Wo       Permanent         Emergency       Image: Constraint of Constraints         Lined       Unlined         String-Reinforced       Image: Constraints         Liner Seams:       Welded       Height of Constraints         X       Closed-loop System:       Subsect         Type of Operation:       P&A       Image: Constraints	rkover Cavitation P&A .iner type: Thickness mil ] Factory Other Volur	LDPE HDPE PVC	JAN <u>9 0 2013</u>
Pit:       Subsection F or G of 19.15.1         Temporary:       Drilling       Wo         Permanent       Emergency       Image: Comparison of the section of the sectin of the section of the sectin of the section of the se	rkover Cavitation P&A Liner type: Thickness mil ] Factory Other Volum Stion H of 19.15.17.11 NMAC The of Inter Content State	LDPE HDPE PVC	JAN Other         9 0 2013           L
Pit:       Subsection F or G of 19.15.1         Temporary:       Drilling       Wo         Permanent       Emergency       Image: Comparison of the second	rkover Cavitation P&A .iner type: Thickness mil I Factory Other Volur .tion H of 19.15.17.11 NMAC X Drilling a new well Workover or Drillin, notice of intent) und Steel Tanks Haul-off Bins Othe er type: Thickness 20 mil X L Factory Other 1 of 19.15.17.11 NMAC bbl Type of fluid:	LDPE HDPE PVC	JAN         9         0         2013           L        x         W        x         D            ire prior approval of a permit or
Pit:       Subsection F or G of 19.15.1         Temporary:       Drilling       Wo         Permanent       Emergency       Image: Construction of the second of the seco	rkover Cavitation P&A .iner type: Thickness mil I Factory Other Volur tion H of 19.15.17.11 NMAC X Drilling a new well Workover or Drillin, notice of intent) und Steel Tanks Haul-off Bins Othe er type: Thickness 20 mil X L Factory Other I of 19.15.17.11 NMAC bbl Type of fluid: Letection Visible sidewalls, liner, 6-incl Visible sidewalls only Other	LDPE HDPE PVC	JAN Other       9 0 2013         Lx Wx D         ire prior approval of a permit or         Other         Other         off

.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)						
Chain link, six feet in height, two strands of barbed wire at top ( <i>Required if located within 1000 feet of a permanent residence, school, hospital, institu</i> . Four foot height, four strands of barbed wire evenly spaced between one and four feet	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Alternate. Please specify						
7						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)						
Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)						
8 Signs: Subsection C of 19.15.17.11 NMAC						
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
X Signed in compliance with 19.15.3.103 NMAC						
9 Administrative Approvals and Exceptions:						
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.						
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considered and the santa fe Environmental Bureau office fe Environment	eration of appr	oval.				
(Fencing/BGT Liner)						
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						
10 <u>Siting Criteria (regarding permitting)</u> 19.15.17.10 NMAC						
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the						
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	l					
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).		No				
- Topographic map; Visual inspection (certification) of the proposed site	Ι.					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<b>—</b>					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.						
<ul> <li>(Applied to permanent pits)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>						
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No				
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	No				
Within the area overlying a subsurface mine.	Yes	No				
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area.	∏Yes					
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>						
Within a 100-year floodplain - FEMA map	Yes Yes	No				

•			
			Attachment ChecklistSubsection B of 19.15.17.9 NMAC te, by a check mark in the box, that the documents are attached.
	0		of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
		•	uirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
=			
	mpliance Demonstrations - based	• • • • •	-
-	ed upon the appropriate requireme		
	aintenance Plan - based upon the ap		
	ase complete Boxes 14 through 18 C and 19.15.17.13 NMAC	, if applicable) - based u	upon the appropriate requirements of Subsection C of
Previously Approved	Design (attach copy of design)	API	or Permit
Instructions: Each of the fol Geologic and Hyd	drogeologic Data (only for on-site	application. Please indicate closure) - based upon the	e, by a check mark in the box, that the documents are attached. he requirements of Paragraph (3) of Subsection B of 19.15.17.9
	ompliance Demonstrations (only fo sed upon the appropriate requireme		d upon the appropriate requirements of 19.15.17.10 NMAC
	aintenance Plan - based upon the a		
Closure Plan (Plea	ase complete Boxes 14 through 18		upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15		A DI	
	Design (attach copy of design)	API	
Previously Approved	Operating and Maintenance Plan	API	
Hydrogeologic Re     Siting Criteria Co     Climatological Fac     Certified Engineer     Dike Protection an     Leak Detection D     Liner Specificatio     Quality Control/Q     Operating and Ma     Freeboard and Ov     Nuisance or Hazar     Emergency Respo     Oil Field Waste S     Monitoring and Ir     Erosion Control PI     Closure Plan - bas	eport - based upon the requirement ompliance Demonstrations - based ctors Assessment ering Design Plans - based upon the and Structural Integrity Design: base Design - based upon the appropriate ons and Compatibility Assessment Quality Assurance Construction and aintenance Plan - based upon the a vertopping Prevention Plan - based ardous Odors, including H2S, Preve onse Plan Stream Characterization nspection Plan Plan	ts of Paragraph (I) of Sul upon the appropriate requirements sed upon the appropriate e requirements of 19.15.1 - based upon the appropriate d Installation Plan appropriate requirements d upon the appropriate re- vention Plan	quirements of 19.15.17.10 NMAC nts of 19.15.17.11 NMAC e requirements of 19.15.17.11 NMAC 17.11 NMAC priate requirements of 19.15.17.11 NMAC
-	lete the applicable boxes, Boxes 14 th Workover Emergency Cavi d: Waste Excavation and Remo Waste Removal (Closed-loop On-site Closure Method (onl	itation P&A Per oval p systems only) ly for temporary pits and c On-site Trench	ermanent Pit Below-grade Tank Closed-loop System
Please indicate, by a check	Removal Closure Plan Checkliss k mark in the box, that the documents becedures - based upon the appropri mpling Plan (if applicable) - based	s are attached.	tructions: Each of the following items must be attached to the closure pl.

16 Word: Demond Channe Fee Cloud Lee Surface That Liftling Always Crown & Starl Tanks on Use Laff Dire Only (10.16.17.13 D NBAAC)	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.	
facilities are required. Disposal Facility Name: Disposal Facility Permit #:	
Disposal Facility Name: Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future so Yes (If yes, please provide the information No	
Required for impacted areas which will not be used for future service and operations:         Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NM         Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	1AC
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. In certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the San office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	, , ,
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	□N/A
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No
- NM Office of the State Engineer - iWATERS database search: USGS; Data obtained from nearby wells	N/A
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No
- Topographic map: Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No
	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland	Yes No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.	Yes No
- Written confiration or verification or map from the NM EMNRD-Mining and Mineral Division	
Within an unstable area.	Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	
Within a 100-year floodplain.	Yes No
- FEMA map	
18       On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closu by a check mark in the box, that the documents are attached.         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	ure plan. Please indicate,

Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC

Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19 Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	4
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
20 <u>OCD Approval:</u> Permit Application (including closureplan) OCD Conditions (see attachment)	
OCD Representative Signature:	
Title: <u>Ondiunce</u> Office OCD Permit Number:	
21 Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.          Image: Imag	
22	
Closure Method:            Waste Excavation and Removal             On-site Closure Method             If different from approved plan, please explain.	
23	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.	
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B	
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?	
Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)	
Required for impacted areas which will not be used for future service and operations:	
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	-
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in	
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude: Longitude: NAD [ 1927 [ 1983	
25	
<u>Operator Closure Certification:</u>	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that	
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	

τ.

•

----