District I	State of New Mexico	Form C-14
1625 N. French Dr., Hobbs, NM 88240	Energy Minerals and Natural Resource	
District II 1301 W: Grand Ave., Artesia, NM 88210	Department Oil Conservation Division 1220 South St. Francis Dr.	For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.
District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
1220 S. St. Francis Dr., Santa Fe, NM 87505	·····	appropriate NMOCD District Office.
	Pit, Closed-Loop System, Below-Gra	ade Tank, or
р <u>Prop</u>	oosed Alternative Method Permit or Clo	osure Plan Application
Type of action:	X Permit of a pit, closed-loop system, below-grade	tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grad	e tank, or proposed alternative method
	Modification to an existing permit	
	Closure plan only submitted for an existing pern below-grade tank, or proposed alternative metho	
Instructions: Please submit one a	application (Form C-144) per individual pit, closed-l	oop system, below-grade tank or alternative request
	of this request does not relieve the operator of liability should operation lieve the operator of its responsibility to comply with any other application	
1 Operator: <u>ConocoPhillips Compar</u>		OGRID#: <u>217817</u>
Address: PO Box 4289, Farmingt		
Facility or well name: State Com N	· · · · · · · · · · · · · · · · · · ·	
	30-045-34025 OCD Permit Num	
U/L or Qtr/Qtr: <u>L(NW/SW)</u> Sect		11W County: San Juan
Center of Proposed Design: Latitud		-107.9472 °W NAD: X 1927 1983
Surface Owner: Federal	X State Private Tribal Trust or Ind	ian Allotment
² <u>Pit:</u> Subsection F or G of 19.15.1	17.11 NMAC	OIL CONS. DIV DIST. 3 FEB 1 8 2013
	prkover	FED 1 a s
	Cavitation P&A	
	Liner type: Thickness mil LLDPE	HDPE PVC Other
String-Reinforced		
Liner Seams: Welded F	Factory Other Volume:	bbl Dimensions L x W x D
3 X Closed-loop System: Subsec Type of Operation: P&A [to activities which require prior approval of a permit or
Drying Pad X Above Gro	und Steel Tanks Haul-off Bins Other	
Lined Unlined Lin	er type: Thickness mil LLDPE	HDPE PVD Other
Liner Seams: Welded F	Factory Other	
4 Below-grade tank: Subsection Volume:	b I of 19.15.17.11 NMAC bbl Type of fluid:	· · · · · · · · · · · · · · · · · · ·
Tank Construction material:		
Secondary containment with leak d	letection Visible sidewalls, liner, 6-inch lift and au	utomatic overflow shut-off
Visible sidewalls and liner	Visible sidewalls only Other	<u> </u>
Liner Type: Thickness		
	mil HDPE PVC Other	·
5 <u>Alternative Method:</u>	milHDPEPVCOther	
5 Alternative Method:	milHDPEPVCOther	onmental Bureau office for consideration of approval.

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top <i>(Required if located within 1000 feet of a permanent residence, school, hospital, inst</i> Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	titution or chu	rch)	
7			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other			
 8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location; and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC 		· • •	
 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for constructions. 	sideration of ap	pproval.	
(Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
10			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	_		
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes	No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No	
Within a 100-year floodplain - FEMA map	· Yes	No	

. . . .

-

. .

	_
11 - <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	te genera un delle "
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC	
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	د. در بریون میرونی میرونی (۱۹۹۵) م
Previously. Approved. Design (attach.copy.of design)APIor. Permitor. Permit	
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC	ada - ¹ Bara, Incor an, adaptar a, a ap., a , prin
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC	
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API	
Previously Approved Operating and Maintenance Plan API	
13	- -
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	· · ·
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
 Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC 	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
14	7
<u>Proposed Closure:</u> 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System	
Proposed Closure Method: Waste Excavation and Removal	
Image: State Method Image: State Method Imag	1
On-site Closure Method (only for temporary pits and closed-loop systems)	
In-place Burial On-site Trench	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
15	
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.	ŀ
Please indicate, by a check mark in the box, that the documents are attached.	
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	ļ
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	1
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	
Form C 144 Days 2 x65	

Form C-144

aley yaka katika yahiya asiki katika asi

.

-treatment in state

م بيم بيند فحلا ه

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.)) :
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit #: NM-01-0011 / NM-01-0	0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit #: NM-01-005	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future Yes (If yes, please provide the information No	service and
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NM Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	AC
Site Reclamation Plan - based upon the appropraite requirements of Subsection G of 19.15.17.13 NMAC	
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	N/A
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Ycs No
Ground water is more than 100 feet below the bottom of the buried waste.	$\square Yes \square No .$
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No
	Yes No .
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
Witten contrantion of ventication of hap from the NM EMNKD-Mining and Mineral Division	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	
Within a 100-year floodplain. - FEMA map	Yes No
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the clos	ure plan. Please indicate,
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC	
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of	19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAG	
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards of Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	cannot be achieved)
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	

Oil Conservation Division

والمراجب والمراجع المهو

Signature:	DENISE JOURNEY T	tle: Regulatory Techneiian tte: 2/18/2013	
e-mail address		phone: (505) 326-9556	
20	Ū		
	ative Signature:		0(3
. Title:	mplance derer	OCD Permit Number:	
21 Closure Repor	(required within 60 days of closure completion): Subsection K of		
Instructions: Ope report is required	ators are required to obtain an approved closure plan prior to implem to be submitted to the division within 60 days of the completion of the c plan has been obtained and the closure activities have been completed.	nting any closure activities and submitting the closure report. The	
		Closure Completion Date:	
22			
		native Closure Method Waste Removal (Closed-loop system	s only)
23	· · · · · · · · · · · · · · · · · · ·		
Instructions: Ple	egarding Waste Removal Closure For Closed-loop Systems That U se identify the facility or facilities for where the liquids, drilling fluids		o facilities
were utilized. Disposal Facil	м Name: . Г	sposal Facility Permit Number:	
Disposal Facil		sposal Facility Permit Number:	
	d-loop system operations and associated activities performed on or in ar	as that will not be used for future service and opeartions?	
	, please demonstrate compliane to the items below)		
· _ · ·	npacted areas which will not be used for future service and operations: nation (Photo Documentation)		
	illing and Cover Installation		·
Re-vegeta	ion Application Rates and Seeding Technique		
	ort Attachment Checklist: Instructions: Each of the following iter	is must be attached to the closure report. Please indicate, by a ch	eck mark in
	e documents are attached. Closure Notice (surface owner and division)		
	Deed Notice (required for on-site closure)		
	(for on-site closures and temporary pits)		
Confirma	tion Sampling Analytical Results (if applicable)		
	aterial Sampling Analytical Results (if applicable)		
	Facility Name and Permit Number		
	filling and Cover Installation ttion Application Rates and Seeding Technique		
	amation (Photo Documentation)		
		itude:NAD [] 1927 [] 1	983
25 Operator Close	re Certification:		
I hereby certify th	<i>it the information and attachments submitted with this closure report is es with all applicable closure requirements and conditions specified in</i>		I also certify that
Name (Print):		Title:	<u> </u>
Signature:	· · · · · · · · · · · · · · · · · · ·	Date:	
e-mail address:	Т	lephone:	

•

4. **-**

ConocoPhillips Company Closed-loop Plans

Closed–loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.